Section 2: Bid Data Sheet 2-1

## **Section 2: Bid Data Sheet**

A. General			
ITB 1.1	The number of the Invitation for Bids (IFB) is: <b>(84) DWPSD/PESJP/G-08/2024-2025/</b>		
ITB 1.1	The Purchaser is: Project Management Unit, Pathways for Emerging Skills and Jobs Project (PESJP), Department of Workforce Planning and Skills Development Ministry of Education and Skills Development (MoESD).		
ITB 1.1	The name of the open competitive bidding (OCB) is: G-08 Procurement of Lab Equipment for JWPTI Dekiling-Solar Technology		
	The identification number of the OCB is: <b>01</b>		
	The number and identification of lots comprising this OCB is: (G-08 Procurement of Lab Equipment for JWPTI Dekiling-Solar Technology).		
ITB 2.1	The Borrower is: Ministry of Education and Skills Development (MoESD)		
ITB 2.1	The name of the Project is: Pathways for Emerging Skills and Jobs Project (PESJP)		
B. Contents	s of Bidding Document		
ITB 7.1	For clarification purposes only, the Purchaser's address is:		
	Attention: Offtg. Project Director, PESJP, DWPSD, MoESD.		
	Street address: Thimphu: Bhutan		
	Telephone: 02335923		
	E-mail: procotshewang2024@gmail.com		
C. Preparat	ion of Bids		
ITB 10.1	The language of the Bid is: <b>English</b>		
ITB 11.1 (i)	The Bidder shall submit with its Bid the following additional documents:		
	(a) Bid Submission Sheet and the applicable Price Schedules, in accordance with ITB 12, ITB 14, and ITB 15;		
	(b) Bid-Securing Declaration, in accordance with ITB 21;		
	(c) written confirmation authorizing the signatory of the Bid to commit the Bidder, in accordance with ITB 22;		
	(d) documentary evidence in accordance with ITB 16, establishing the Bidder's eligibility to bid;		
	(e) documentary evidence in accordance with ITB 17, that the Goods and Related Services to be supplied by the Bidder are of eligible origin;		

2-2 Section 2: Bid Data Sheet

Goods and Related Services conform to the Bidding Document; documentary evidence in accordance with ITB 19, establishing the Bidder's qualifications to perform the contract if its Bid is accepted.  ITB 12.2 The units and rates in figures entered into the Price Schedules should be typewritten or if written by hand, must be in print form. Price Schedules not presented accordingly may be considered nonresponsive.  ITB 13.1 Alternative Bids shall not be permitted.  ITB 14.5 The Incoterms edition is:2020  ITB 14.6 (b) (i) For Goods offered from outside the Purchaser's country, the Bidder shall quote prices using the following Incoterms: Incoterm 2020, DPU (Delivered at Place Unloaded) and insurance shall be the responsibility of the supplier.  For Goods offered from within the Purchaser's country, the bidder shall quote prices using the following Incoterms: Incoterm 2020, EXW (ex-works, ex-factory, ex warehouse, ex showroom, or off-the-shelf, as applicable).  ITB 14.7 The prices quoted by the Bidder shall not be adjustable.  ITB 14.8 The bid will be evaluated item-wise.  ITB 14.9 The Bidder shall include with its bid the Manufacturer's Authorization for the following item(s):  List of items with unit and Quantity  Item   No.   Manufacturers   Authorization   Yes    1 PV Solar path finder   Yes    3 Weather station   Yes    4 PV Solar dryer system   Yes    5 Hydronics heating training unit trainer board   Yes    6 Pyranometer   Yes    9 Refractometer   Yes    15 Infared camera   Yes    16 Leakage current detector   Yes    17 Laptops   Yes    18 Programmable Logic Controller (PLC)   Yes    19 Programmable Logic Controller (PLC)   Yes    22 Programmable Logic Controller (PLC)   Yes    23 Programmable Logic Controller (PLC)   Yes    24 Programmable Logic Controller (PLC)   Yes    25 Programmable Logic Controller (PLC)   Yes    26 Programmable Logic Controller (PLC)   Yes    27 Programmable Logic Controller (PLC)   Yes    28 Programmable Logic Controller (PLC)   Yes		(	f) documentary evidence in accordance with ITE	3 18 and ITB 31 that the		
to perform the contract if its Bid is accepted.  ITB 12.2  The units and rates in figures entered into the Price Schedules should be typewritten or if written by hand, must be in print form. Price Schedules not presented accordingly may be considered nonresponsive.  ITB 13.1  Alternative Bids shall not be permitted.  ITB 14.5  The Incoterms edition is:2020  ITB 14.6 (b) (i)  For Goods offered from outside the Purchaser's country, the Bidder shall quote prices using the following Incoterms: Incoterm 2020, DPU (Delivered at Place Unloaded) and insurance shall be the responsibility of the supplier.  For Goods offered from within the Purchaser's country, the bidder shall quote prices using the following Incoterms: Incoterm 2020, EXW (ex-works, ex-factory, ex warehouse, ex showroom, or off-the-shelf, as applicable).  ITB 14.7  The prices quoted by the Bidder shall not be adjustable.  ITB 14.8  The bid will be evaluated item-wise.  ITB 19.2  The Bidder shall include with its bid the Manufacturer's Authorization for the following item(s):  List of items with unit and Quantity  Item Items No.  Authorization  1 PV Solar irridiance meter Yes 2 PV Solar path finder Yes 3 Weather station Yes 4 PV Solar dryer system 5 Hydronics heating training unit trainer board Yes 6 Pyranometer Yes 9 Refractometer Yes 12 Digital Megger Yes 15 Infared camera 16 Leakage current detector 17 Laptops 18 Programmable Logic Controller (PLC) Yes 19 Programmable Logic Controller (PLC) Yes 20 Programmable Logic Controller (PLC) Yes 21 Programmable Logic Controller (PLC) Yes 22 Programmable Logic Controller (PLC) Yes 22 Programmable Logic Controller (PLC) Yes 23 Programmable Logic Controller (PLC) Yes						
written by hand, must be in print form. Price Schedules not presented accordingly may be considered nonresponsive.  ITB 13.1 Alternative Bids shall not be permitted.  ITB 14.5 The Incoterms edition is:2020  ITB 14.6 (b) (i) For Goods offered from outside the Purchaser's country, the Bidder shall quote prices using the following Incoterms: Incoterm 2020, DPU (Delivered at Place Unloaded) and insurance shall be the responsibility of the supplier.  For Goods offered from within the Purchaser's country, the bidder shall quote prices using the following Incoterms: Incoterm 2020, EXW (ex-works, ex-factory, ex warehouse, ex showroom, or off-the-shelf, as applicable).  ITB 14.7 The prices quoted by the Bidder shall not be adjustable.  ITB 14.8 The bid will be evaluated item-wise.  ITB 19.2 The Bidder shall include with its bid the Manufacturer's Authorization for the following item(s):  List of items with unit and Quantity  Item Item No. Manufacturers Authorization  1 PV Solar irridiance meter Yes 2 PV Solar path finder Yes 3 Weather station Yes 4 PV Solar dryer system Yes 5 Hydronics heating training unit trainer board Yes 6 Pyranometer Yes 9 Refractometer Yes 12 Digital Megger Yes 15 Infared camera Yes 16 Leakage current detector Yes 17 Laptops Yes 18 Programmable Logic Controller (PLC) Yes 20 Programmable Logic Controller (PLC) Yes 21 Programmable Logic Controller (PLC) Yes 22 Programmable Logic Controller (PLC) Yes 23 Programmable Logic Controller (PLC) Yes				g the Bidder's qualifications		
ITB 14.5 The Incoterms edition is:2020  For Goods offered from outside the Purchaser's country, the Bidder shall quote prices using the following Incoterms: Incoterm 2020, DPU (Delivered at Place Unloaded) and insurance shall be the responsibility of the supplier.  For Goods offered from within the Purchaser's country, the bidder shall quote prices using the following Incoterms: Incoterm 2020, EXW (ex-works, ex-factory, ex warehouse, ex showroom, or off-the-shelf, as applicable).  ITB 14.7 The prices quoted by the Bidder shall not be adjustable.  ITB 14.8 The bid will be evaluated item-wise.  ITB 19.2 The Bidder shall include with its bid the Manufacturer's Authorization for the following item(s):  List of items with unit and Quantity  Item Items Manufacturers Authorization  1 PV Solar irridiance meter Yes 2 PV Solar path finder Yes 3 Weather station Yes 4 PV Solar dryer system Yes 5 Hydronics heating training unit trainer board Yes 6 Pyranometer Yes 9 Refractometer Yes 12 Digital Megger Yes 15 Infared camera Yes 16 Leakage current detector Yes 17 Laptops Yes 18 Programmable Logic Controller (PLC) Yes 19 Programmable Logic Controller (PLC) Yes 20 Programmable Logic Controller (PLC) Yes 21 Programmable Logic Controller (PLC) Yes 22 Programmable Logic Controller (PLC) Yes 23 Programmable Logic Controller (PLC) Yes 27 Programmable Logic Controller (PLC) Yes 28 Programmable Logic Controller (PLC) Yes 29 Programmable Logic Controller (PLC) Yes 20 Programmable Logic Controller (PLC) Yes 21 Programmable Logic Controller (PLC) Yes 22 Programmable Logic Controller (PLC) Yes	ITB 12.2	The units and rates in figures entered into the Price Schedules should be typewritten or if written by hand, must be in print form. Price Schedules not presented accordingly may be considered nonresponsive.				
ITB 14.6 (b) (i)  For Goods offered from outside the Purchaser's country, the Bidder shall quote prices using the following Incoterms: Incoterm 2020, DPU (Delivered at Place Unloaded) and insurance shall be the responsibility of the supplier.  For Goods offered from within the Purchaser's country, the bidder shall quote prices using the following Incoterms: Incoterm 2020, EXW (ex-works, ex-factory, ex warehouse, ex showroom, or off-the-shelf, as applicable).  ITB 14.7  The prices quoted by the Bidder shall not be adjustable.  ITB 19.2  The Bidder shall include with its bid the Manufacturer's Authorization for the following item(s):  List of items with unit and Quantity  Item   Items   Manufacturers   Authorization   No.   Authorization   1 PV Solar irridiance meter   Yes   2 PV Solar path finder   Yes   3 Weather station   Yes   4 PV Solar dryer system   Yes   5 Hydronics heating training unit trainer board   Yes   6 Pyranometer   Yes   9 Refractometer   Yes   12 Digital Megger   Yes   15 Infared camera   Yes   16 Leakage current detector   Yes   17 Laptops   Yes   18 Programmable Logic Controller (PLC)   Yes   20 Programmable Logic Controller (PLC)   Yes   21 Programmable Logic Controller (PLC)   Yes   22 Programmable Logic Controller (PLC)   Yes   23 Programmable Logic Controller (PLC)   Yes   24 Programmable Logic Controller (PLC)   Yes   25 Programmable Logic Controller (PLC)   Yes   27 Programmable Logic Controller (PLC)   Yes   28 Programmable Logic Controller (PLC)   Yes   29 Programmable Logic Controller (PLC)   Yes   20 Programmable Logic Controller (PLC)   Yes   21 Programmable Logic Controller (PLC)   Yes   22 Programmable Logic Controller (PLC)   Yes   23 Programmable Logic Controller (PLC)   Yes	ITB 13.1	Alternative Bids shall not be permitted.				
using the following Incoterms: Incoterm 2020, DPU (Delivered at Place Unloaded) and insurance shall be the responsibility of the supplier.  For Goods offered from within the Purchaser's country, the bidder shall quote prices using the following Incoterms: Incoterm 2020, EXW (ex-works, ex-factory, ex warehouse, ex showroom, or off-the-shelf, as applicable).  ITB 14.7 The prices quoted by the Bidder shall not be adjustable.  ITB 14.8 The bid will be evaluated item-wise.  ITB 19.2 The Bidder shall include with its bid the Manufacturer's Authorization for the following item(s):  List of items with unit and Quantity  Item Items Manufacturers Authorization  1 PV Solar irridiance meter Yes 2 PV Solar path finder Yes 3 Weather station Yes 4 PV Solar dryer system Yes 5 Hydronics heating training unit trainer board Yes 6 Pyranometer Yes 9 Refractometer Yes 12 Digital Megger Yes 15 Infared camera Yes 16 Leakage current detector Yes 17 Laptops Yes 18 Programmable Logic Controller (PLC) Yes 19 Programmable Logic Controller (PLC) Yes 20 Programmable Logic Controller (PLC) Yes 21 Programmable Logic Controller (PLC) Yes 22 Programmable Logic Controller (PLC) Yes 23 Programmable Logic Controller (PLC) Yes	ITB 14.5	The Incoterms edition is:2020				
quote prices using the following Incoterms: Incoterm 2020, EXW (ex-works, ex-factory, ex warehouse, ex showroom, or off-the-shelf, as applicable).  ITB 14.7 The prices quoted by the Bidder shall not be adjustable.  ITB 14.8 The bid will be evaluated item-wise.  ITB 19.2 The Bidder shall include with its bid the Manufacturer's Authorization for the following item(s):  List of items with unit and Quantity  Item Items Manufacturers No. Manufacturers No. Manufacturers Authorization  1 PV Solar irridiance meter Yes 2 PV Solar path finder Yes 3 Weather station Yes 4 PV Solar dryer system Yes 5 Hydronics heating training unit trainer board Yes 6 Pyranometer Yes 9 Refractometer Yes 12 Digital Megger Yes 15 Infared camera Yes 16 Leakage current detector Yes 17 Laptops Yes 18 Programmable Logic Controller (PLC) Yes 20 Programmable Logic Controller (PLC) Yes 21 Programmable Logic Controller (PLC) Yes 22 Programmable Logic Controller (PLC) Yes 23 Programmable Logic Controller (PLC) Yes	ITB 14.6 (b) (i)	using the following Incoterms: Incoterm 2020, DPU (Delivered at Place Unloaded) and				
The bid will be evaluated item-wise.  The Bidder shall include with its bid the Manufacturer's Authorization for the following item(s):  List of items with unit and Quantity  Item   Items   Manufacturers Authorization    1		quote prices using the following Incoterms: Incoterm 2020, EXW (ex-works, ex-factory, ex warehouse, ex showroom, or off-the-shelf, as				
The Bidder shall include with its bid the Manufacturer's Authorization for the following item(s):  List of items with unit and Quantity  Item Items Mo.  1 PV Solar irridiance meter Yes 2 PV Solar path finder Yes 3 Weather station Yes 4 PV Solar dryer system Yes 5 Hydronics heating training unit trainer board Yes 6 Pyranometer Yes 9 Refractometer Yes 12 Digital Megger Yes 15 Infared camera Yes 16 Leakage current detector Yes 17 Laptops 18 Programmable Logic Controller (PLC) Yes 19 Programmable Logic Controller (PLC) Yes 20 Programmable Logic Controller (PLC) Yes 21 Programmable Logic Controller (PLC) Yes 22 Programmable Logic Controller (PLC) Yes 23 Programmable Logic Controller (PLC) Yes 23 Programmable Logic Controller (PLC) Yes	ITB 14.7	The prices quoted by the Bidder <b>shall not be</b> adjustable.				
List of items with unit and Quantity    Item   Items   Manufacturers   Authorization	ITB 14.8	The bid will be evaluated item-wise.				
1 PV Solar irridiance meter Yes 2 PV Solar path finder Yes 3 Weather station Yes 4 PV Solar dryer system Yes 5 Hydronics heating training unit trainer board Yes 6 Pyranometer Yes 9 Refractometer Yes 12 Digital Megger Yes 15 Infared camera Yes 16 Leakage current detector Yes 17 Laptops Yes 18 Programmable Logic Controller (PLC) Yes 19 Programmable Logic Controller (PLC) Yes 20 Programmable Logic Controller (PLC) Yes 21 Programmable Logic Controller (PLC) Yes 22 Programmable Logic Controller (PLC) Yes 23 Programmable Logic Controller (PLC) Yes 24 Programmable Logic Controller (PLC) Yes 25 Programmable Logic Controller (PLC) Yes 26 Programmable Logic Controller (PLC) Yes 27 Programmable Logic Controller (PLC) Yes 28 Programmable Logic Controller (PLC) Yes	ITB 19.2	List of items with unit and Quantity				
2 PV Solar path finder 3 Weather station 4 PV Solar dryer system 5 Hydronics heating training unit trainer board 6 Pyranometer 9 Refractometer 12 Digital Megger 15 Infared camera 16 Leakage current detector 17 Laptops 18 Programmable Logic Controller (PLC) 19 Programmable Logic Controller (PLC) 20 Programmable Logic Controller (PLC) 21 Programmable Logic Controller (PLC) 22 Programmable Logic Controller (PLC) 23 Programmable Logic Controller (PLC) 3 Ves 24 Programmable Logic Controller (PLC) 4 Yes 25 Programmable Logic Controller (PLC) 5 Yes 6 Programmable Logic Controller (PLC) 7 Yes		l	577.0			
3 Weather station 4 PV Solar dryer system 5 Hydronics heating training unit trainer board 6 Pyranometer 9 Refractometer 12 Digital Megger 15 Infared camera 16 Leakage current detector 17 Laptops 18 Programmable Logic Controller (PLC) 19 Programmable Logic Controller (PLC) 20 Programmable Logic Controller (PLC) 21 Programmable Logic Controller (PLC) 22 Programmable Logic Controller (PLC) 23 Programmable Logic Controller (PLC) 24 Programmable Logic Controller (PLC) 25 Programmable Logic Controller (PLC) 26 Programmable Logic Controller (PLC) 27 Yes 28 Programmable Logic Controller (PLC) 29 Programmable Logic Controller (PLC) 29 Programmable Logic Controller (PLC) 20 Programmable Logic Controller (PLC) 21 Programmable Logic Controller (PLC) 22 Programmable Logic Controller (PLC) 23 Programmable Logic Controller (PLC) 24 Yes						
4 PV Solar dryer system 5 Hydronics heating training unit trainer board 6 Pyranometer 9 Refractometer 12 Digital Megger 15 Infared camera 16 Leakage current detector 17 Laptops 18 Programmable Logic Controller (PLC) 19 Programmable Logic Controller (PLC) 20 Programmable Logic Controller (PLC) 21 Programmable Logic Controller (PLC) 22 Programmable Logic Controller (PLC) 23 Programmable Logic Controller (PLC) 24 Programmable Logic Controller (PLC) 25 Programmable Logic Controller (PLC) 26 Programmable Logic Controller (PLC) 27 Yes 28 Programmable Logic Controller (PLC) 29 Programmable Logic Controller (PLC) 20 Programmable Logic Controller (PLC) 21 Programmable Logic Controller (PLC) 22 Programmable Logic Controller (PLC) 23 Programmable Logic Controller (PLC)			<u> </u>			
5 Hydronics heating training unit trainer board Yes 6 Pyranometer Yes 9 Refractometer Yes 12 Digital Megger Yes 15 Infared camera Yes 16 Leakage current detector Yes 17 Laptops Yes 18 Programmable Logic Controller (PLC) Yes 19 Programmable Logic Controller (PLC) Yes 20 Programmable Logic Controller (PLC) Yes 21 Programmable Logic Controller (PLC) Yes 22 Programmable Logic Controller (PLC) Yes 23 Programmable Logic Controller (PLC) Yes 24 Programmable Logic Controller (PLC) Yes 25 Programmable Logic Controller (PLC) Yes 26 Programmable Logic Controller (PLC) Yes 27 Programmable Logic Controller (PLC) Yes 28 Programmable Logic Controller (PLC) Yes		3	Weather station	Yes		
6 Pyranometer Yes 9 Refractometer Yes 12 Digital Megger Yes 15 Infared camera Yes 16 Leakage current detector Yes 17 Laptops Yes 18 Programmable Logic Controller (PLC) Yes 19 Programmable Logic Controller (PLC) Yes 20 Programmable Logic Controller (PLC) Yes 21 Programmable Logic Controller (PLC) Yes 22 Programmable Logic Controller (PLC) Yes 23 Programmable Logic Controller (PLC) Yes		4	PV Solar dryer system	V		
9 Refractometer Yes 12 Digital Megger Yes 15 Infared camera Yes 16 Leakage current detector Yes 17 Laptops Yes 18 Programmable Logic Controller (PLC) Yes 19 Programmable Logic Controller (PLC) Yes 20 Programmable Logic Controller (PLC) Yes 21 Programmable Logic Controller (PLC) Yes 22 Programmable Logic Controller (PLC) Yes 23 Programmable Logic Controller (PLC) Yes				Yes		
9 Refractometer Yes 12 Digital Megger Yes 15 Infared camera Yes 16 Leakage current detector Yes 17 Laptops Yes 18 Programmable Logic Controller (PLC) Yes 19 Programmable Logic Controller (PLC) Yes 20 Programmable Logic Controller (PLC) Yes 21 Programmable Logic Controller (PLC) Yes 22 Programmable Logic Controller (PLC) Yes 23 Programmable Logic Controller (PLC) Yes		5				
12 Digital Megger 15 Infared camera 16 Leakage current detector 17 Laptops 18 Programmable Logic Controller (PLC) 19 Programmable Logic Controller (PLC) 20 Programmable Logic Controller (PLC) 21 Programmable Logic Controller (PLC) 22 Programmable Logic Controller (PLC) 23 Programmable Logic Controller (PLC) 24 Programmable Logic Controller (PLC) 25 Programmable Logic Controller (PLC) 26 Yes 27 Programmable Logic Controller (PLC) 28 Programmable Logic Controller (PLC) 29 Yes			Hydronics heating training unit trainer board	Yes		
15 Infared camera Yes 16 Leakage current detector Yes 17 Laptops Yes 18 Programmable Logic Controller (PLC) Yes 19 Programmable Logic Controller (PLC) Yes 20 Programmable Logic Controller (PLC) Yes 21 Programmable Logic Controller (PLC) Yes 22 Programmable Logic Controller (PLC) Yes 23 Programmable Logic Controller (PLC) Yes		6	Hydronics heating training unit trainer board  Pyranometer	Yes Yes		
16 Leakage current detector 17 Laptops 18 Programmable Logic Controller (PLC) 19 Programmable Logic Controller (PLC) 20 Programmable Logic Controller (PLC) 21 Programmable Logic Controller (PLC) 22 Programmable Logic Controller (PLC) 23 Programmable Logic Controller (PLC) 24 Yes 25 Programmable Logic Controller (PLC) 26 Yes 27 Programmable Logic Controller (PLC) 28 Yes		6	Hydronics heating training unit trainer board  Pyranometer  Refractometer	Yes Yes Yes		
17 Laptops 18 Programmable Logic Controller (PLC) 19 Programmable Logic Controller (PLC) 20 Programmable Logic Controller (PLC) 21 Programmable Logic Controller (PLC) 22 Programmable Logic Controller (PLC) 23 Programmable Logic Controller (PLC) 24 Programmable Logic Controller (PLC) 25 Yes 26 Programmable Logic Controller (PLC) 27 Yes		6 9 12	Hydronics heating training unit trainer board  Pyranometer  Refractometer  Digital Megger	Yes Yes Yes Yes Yes		
18 Programmable Logic Controller (PLC)  19 Programmable Logic Controller (PLC)  20 Programmable Logic Controller (PLC)  21 Programmable Logic Controller (PLC)  22 Programmable Logic Controller (PLC)  23 Programmable Logic Controller (PLC)  Yes  24 Yes		6 9 12 15	Hydronics heating training unit trainer board  Pyranometer  Refractometer  Digital Megger  Infared camera	Yes Yes Yes Yes Yes Yes		
19 Programmable Logic Controller (PLC) 20 Programmable Logic Controller (PLC) 21 Programmable Logic Controller (PLC) 22 Programmable Logic Controller (PLC) 23 Programmable Logic Controller (PLC) 26 Yes 27 Yes		6 9 12 15 16	Hydronics heating training unit trainer board  Pyranometer  Refractometer  Digital Megger  Infared camera  Leakage current detector	Yes Yes Yes Yes Yes Yes Yes Yes		
20 Programmable Logic Controller (PLC) 21 Programmable Logic Controller (PLC) 22 Programmable Logic Controller (PLC) 23 Programmable Logic Controller (PLC) 24 Yes 25 Programmable Logic Controller (PLC) 26 Yes		6 9 12 15 16 17	Hydronics heating training unit trainer board  Pyranometer Refractometer Digital Megger Infared camera Leakage current detector Laptops	Yes Yes Yes Yes Yes Yes Yes Yes Yes		
21       Programmable Logic Controller (PLC)       Yes         22       Programmable Logic Controller (PLC)       Yes         23       Programmable Logic Controller (PLC)       Yes		6 9 12 15 16 17 18	Hydronics heating training unit trainer board  Pyranometer  Refractometer  Digital Megger Infared camera  Leakage current detector  Laptops  Programmable Logic Controller (PLC)	Yes		
22 Programmable Logic Controller (PLC) Yes 23 Programmable Logic Controller (PLC) Yes		6 9 12 15 16 17 18 19	Hydronics heating training unit trainer board  Pyranometer Refractometer Digital Megger Infared camera Leakage current detector Laptops Programmable Logic Controller (PLC) Programmable Logic Controller (PLC)	Yes		
23 Programmable Logic Controller (PLC) Yes		6 9 12 15 16 17 18 19 20	Hydronics heating training unit trainer board  Pyranometer Refractometer Digital Megger Infared camera Leakage current detector Laptops Programmable Logic Controller (PLC) Programmable Logic Controller (PLC) Programmable Logic Controller (PLC)	Yes		
		6 9 12 15 16 17 18 19 20 21	Hydronics heating training unit trainer board  Pyranometer  Refractometer  Digital Megger Infared camera  Leakage current detector  Laptops  Programmable Logic Controller (PLC)	Yes		
		6 9 12 15 16 17 18 19 20 21 22	Hydronics heating training unit trainer board  Pyranometer  Refractometer  Digital Megger  Infared camera  Leakage current detector  Laptops  Programmable Logic Controller (PLC)  Programmable Logic Controller (PLC)	Yes		

Section 2: Bid Data Sheet 2-3

	25 Programmable Logic Controller (PLC)	Yes	
	26 Programmable Logic Controller (PLC)	Yes	
	27 Programmable Logic Controller (PLC)	Yes	
	30 Electrical Wire threading Machine	Yes	
	31 Solar module analyzer	Yes	
	32 Seaward PV150 /Better Solar Installation Complete Test Kit	Yes	
	33 Underground Power Cable Fault Location System Equipment	Yes	
	34 Glycol Filling Machine	Yes	
	Also, documents such as an authorized dealer, distributor or reprocured can be considered in lieu of Manufacturers authorization		
ITB 19.3	The Bidder is required to include with its bid, evidence that it will be represented by an Agent in the Purchaser's country.		
ITB 20.1	The bid validity period shall be <b>120</b> days days.		
ITB 21.1	The Bidder shall furnish a Bid-Securing Declaration.		
ITB 21.2	The Purchaser will declare a Bidder ineligible to be awarded a Contract for a period of <b>two</b> (2) <b>years</b> , if the bidder fails to comply with the terms and conditions of the tender document.		
ITB 21.4	Any bid not accompanied by a substantially compliant Bid-Securing Declaration shall be rejected as nonresponsive.		
ITB 22.1	In addition to the original Bid, the number of copies is: one		
ITB 22.2	The written confirmation of Authorization to sign on behalf of the Bidder shall consist of: "An organizational document, board resolution or its equivalent, or power of attorney specifying the representative's authority to sign the Bid on behalf of, and to legally bind, the Bidder. If the Bidder is an intended or an existing joint venture, the power of attorney should be signed by all partners and specify the authority of the named representative of the joint venture to sign on behalf of, and legally bind, the intended or existing joint venture. If the joint venture has not yet been formed, also include evidence from all proposed joint venture partners of their intent to enter into a joint venture in the event of a contract award in accordance with ITB 16.1 (b)"		
ITB 22.2	The Bidder shall submit an acceptable authorization as a part of	of the bidding document.	
D. Submission and Opening of Bids			
ITB 23.1	Bidders shall submit their Bids by mail or by hand.		
ITB 23.1 (b)	Electronic bidding submission procedures shall be: NA		
ITB 23.2 (c)	The additional identification marks are: NA		

2-4 Section 2: Bid Data Sheet

ITB 24.1	For <b>bid submission purposes</b> only, the Purchaser's address is:
116 24.1	
	Attention: Project Director,
	Project Management Unit,
	Pathways for Emerging Skills and Jobs Project,
	Department of Workforce Planning and Skills Development,
	Ministry of Education and Skills Development (MoESD)
	Thimphu, Bhutan
ITB 24.1	The deadline for bid submission is:
	Date: 5/12/2024
	Time: 2.30PM
ITB 27.1	The bid opening shall take place at:
	Street address: Project Management Unit, PESJP, DWPSD, MoESD
	Floor/Room number: Conference Hall
	Date: 5/12/2024
1	Time:3.00PM
ITB 27.1	The electronic bid opening procedure shall be as follows: NA
ITB 27.3	The Bid Submission Sheet and Price Schedules shall be initialed by <b>three (3)</b> representatives of the Purchaser attending Bid opening.
E. Evaluati	ion and Comparison of Bids
ITB 34.1	The currency that shall be used for bid evaluation and comparison purposes to convert all bid prices expressed in various currencies into a single currency is: <b>Ngultrum</b>
ITB 35.1	Domestic preference shall not apply.
ITB 38.2	The qualifications of other firms such as the Bidder's subsidiaries, parent entities, or affiliates shall not be permitted.
ITB 40.1	Standstill provisions shall apply. The duration of standstill period will be 10 days from the date of notice of intention for award of contract.
1	The Purchaser shall, at the start of the standstill period, notify in writing each Bidder that submitted a bid, of its intention to award a contract to the successful bidder at the end of standstill period. The notification using the form included in Section 9 (Contract Forms)
	shall include the following information:
	shall include the following information:  (a) the name of each Bidder who submitted a Bid;

Section 2: Bid Data Sheet 2-5

	(d) the name of Bidders whose bids were rejected and the reasons for their rejection;	
	<ul><li>(e) the name of the winning Bidder, and the price it offered, as well as the duration summary scope of the contract awarded; and</li></ul>	
	(f) a statement of the reason(s) the bid of the unsuccessful Bidder to whom the notification is addressed was unsuccessful, unless the price information under (e) of this paragraph already reveals the reason.	
ITB 41.1	Contract will be awarded to each bidder who technically responsive and financially lowest per item.	
F. Award of Contract		
ITB 42.1	The maximum percentage by which quantities may be increased is:15%	
	The maximum percentage by which quantities may be decreased is: 15%	
ITB 46.1	The Bidder should submit its complaint following these procedures, in writing, to:	
	For the attention: Mr. Sangay Dorji	
	Title/position: Offtg. Project Director	
	Purchaser: Ministry of Education and Skills Development (MoESD)	
	E-mail address: sdorji@moesd.gov.bt	