

Section 6: Schedule of Supply

Contents

1. List of Goods and Related Services6-2

2. Delivery and Completion Schedule.....6-3

3. Technical Specifications6-4

4. Drawings6-8

1. List of (Equipment) Goods and Related Services

Package No. G-05			
Package Name: G-05 Procurement of Lab Equipment TTI-Chumey Time Frame and Building Insulation			
Item No.	Description	Unit of Measurement	Quantity
1	Chain Mortiser	1	No.
2	Bandsaw	1	No.
3	Telehandlers	1	No.
4	Reel Hand pallet trolley	3	Nos.


2. Delivery and Completion Schedule

The delivery period shall start as of the date of supply order (Equipment).

Item No.	Description of Goods or Related Services	Delivery Schedule (Duration)	Location	Required Arrival Date of Goods or Completion Date for Related Services
1	Chain Mortiser	90 days	TTI-Chumey	The goods should be delivered to TTI-Chumey within 90 days from the date of supply order.
2	Bandsaw			
3	Telehandlers			
4	Reel Hand pallet trolley			


3. Technical Specifications for Equipment

1. Chain Mortiser

Features	Minimum Requirement	Complied	Bidder's specifications
		(Yes/No)	(Please attach the original brochures)
Make and Model			
Country of Origin			
Technical Specification and Minimum Requirements	<p>Purpose: For timber frame work for quickly notching and cutting holes in thick wood. It's perfect for making mortises and lap joints up to 5-1/8 inches with speed and accuracy.</p> <p>Power source: Corded Electric</p> <p>Maximum rotational speed: 3200 RPM</p> <p>Voltage: 240 Volts</p> <p>Amperage: 10.5 Amps</p> <p>Included components: Bar and chain oil, 100 cc (182229-1), Wrench (781204-0), 21/32" Mortiser chain (A-16570)</p> <p>Product Dimensions: 57.5L x 35.5W x 55H Centimetres</p> <p>Material: Alloy Steel</p> 		
	Warranty: 1 Year		


2. Bandsaw

Features	Minimum Requirement	Complied	Bidder's specifications
		(Yes/No)	(Please attach the original brochures)
Make and Model			
Country of Origin			

Technical Specification and Minimum Requirements	<p>Purpose: To make precise curved and straight cuts. It's ideal for woodworking, timber framing for accurate cuts and the ability to handle thick stock with ease.</p> <p>Cutting height: 310mm</p> <p>Rip capacity: 420mm</p> <p>Flywheel dia: 440mm</p> <p>Table size: 420X575mm</p> <p>Cutting speed: 920m/min.</p> 		
	Warranty: 1 Year		


3. Telehandler

Features	Minimum Requirement	Complied	Bidder's specifications
		(Yes/No)	(Please attach the original brochures)
Make and Model			
Country of Origin			
Technical Specification and Minimum Requirements	<p>1. Purpose: Loading and unloading heavy materials, staging materials for construction and job site cleanup.</p> <p>2. Operating Specifications</p> <p>2.1 Dimensions:</p> <ul style="list-style-type: none"> - Length to fork face: 12.6 feet (3.8 meters) - Ground clearance: 0.9 feet (0.27 meters) 		

	<ul style="list-style-type: none"> - Overall height: 6.4 feet (1.9 meters) - Wheelbase: 7.6 feet (2.3 meters) - Cab width: 2.86 feet (0.87 meters) <p>2.2. Lift Capacity:</p> <ul style="list-style-type: none"> - Max lift height: 18.4 feet (5.6 meters) - Max forward reach: 10.8 feet (3.3 meters) - Max load at max reach: 1,850 lbs (840 kg) - Max load at max height: 2,637 lbs (1,200 kg) <p>3. Other Specifications:</p> <ul style="list-style-type: none"> - Engine: 4-cylinder, 74 hp - Weight: 11,000 lbs (4,990 kg) - Turning radius (outside tires): 10.6 feet (3.2 meters) - Travel speed: 15 mph (24 km/h) - Hydraulic system pressure: 3495.4 psi / 241 bar - Service brake type: Wet multi-disc - Maximum telescope in speed: 3.8 seconds 		
	Warranty: 1 Year		

4. Reel Hand pallet trolley

Features	Minimum Requirement	Complied	Bidder's specifications
		(Yes/No)	(Please attach the original brochures)
Make and Model			
Country of Origin			
Technical Specification and Minimum Requirements	<p>Purpose: Lifting heavy objects</p> <p>Performance: Max. lifting height 300mm</p> <p>Material: Mild steel heavy.</p> <p>Wheel: 2 nos. (180X50mm) steering, nylon wheel with 6204zz double ball bearing & 4 nos.</p>		

	<p>80mmX70mm roller nylon wheel with 6204zz double ball bearing. Fork length: 1150mm Fork weight: 550mm Fork: 150mm Lower height: 85mm Raised height: 300mm Lift height: 115mm Lift 10mm/stroke</p> 		
	Warranty: 1 Year		

4. Drawings