

**Section 6: Schedule of Supply**

**Contents**

1. List of Goods and Related Services..... 6-2

2. Delivery and Completion Schedule ..... 6-5

3. Technical Specifications..... 6-6

4. Drawings..... 6-9

## 1. List of (Equipment) Goods and Related Services

Package No. G-02			
Package Name: G-02 Purchase of lab equipment for TTI Samthang-Lighting and Sound Technology			
Item No.	Description	Unit of Measurement	Quantity
1	Camera (case, SSD, tripod)	Set	1
2	Studio camera (case, SSD, tripod)	Set	1
3	Anemometer	Nos.	2
4	HMI panels(large)	Set	4
5	HMI panels(small)	Set.	4
6	LED panels	Set	4
7	Fresnel lights	Set	3
8	Tungsten lights	Set	3
9	Softbox	Set	4
10	Strobe	Set	3
11	Fluorescent lights	Set	4
12	Moving head light	Set	15
13	Color gels	Rolls	10
14	Gobos	Nos.	10
15	Color effect gels	Rolls	10
16	Reflectors	Nos.	3
17	Umbrella	Nos.	3
18	Dimmers	Nos.	3
19	Grey Card	Nos.	4
20	Colour picker	Nos.	4
21	Diffuser	Nos.	4
22	Flags	Nos.	4
23	Scrim	Nos.	4
24	Honey comb	Nos.	4
25	Light stand	Nos.	10
26	Boom arm	Nos.	6
27	T-bar stand	Nos.	8
28	Extension drum	Nos.	10
29	Light meter	Nos.	5
30	Colour meter	Nos.	3
31	Truss sections	Nos.	26
32	Truss tower	Nos.	6
33	Truss junction	Nos.	15
34	Bass plate	Nos.	10
35	Shackles	Nos.	18
36	Fly rails	Nos.	8
37	Electric chain motor (chain and bag)	Set	6
38	C-clamps	Nos.	10
39	Safety chains	Nos.	40
40	Eggs and pins	Set	40
41	Truss pin and clip set (Eggs, Pins and R-clips)	Nos.	100

42	Winch stands	Nos.	2
43	LED dance floor	Nos.	12
44	Flame lamp	Nos.	6
45	16 Eyes Strobe DJ Lights	Nos.	4
46	Headset with microphone	Nos.	10
47	DMX cable 3-pin (200 quantity) & 5-pin (200 quantity)	Nos.	400
48	3pin to 5 pin converter	Nos.	25
49	5pin to 3 pin converter	Nos.	25
50	Power con	Nos.	30
51	True con	Nos.	30
52	Artnet	Nos.	4
53	Snake cable	Nos.	2
54	MIDI controller	Nos.	2
55	Lighting console 2(different type)	Nos.	2
56	LED kinetic ring light	Nos.	4
57	Bracelet DMX lights	Nos.	20
58	Stage floodlight	Nos.	5
59	Spot light	Nos.	5
60	Lighting Bars	Nos.	10
61	Blinders	Nos.	8
62	Follow spot	Nos.	4
63	LED moving wash light	Nos.	10
64	Par cans	Nos.	10
65	Mini fog machine	Nos.	2
66	Haze/fog liquid	L	50
67	LED Fog machine(with remote)	Set	3
68	Haze machine (with remote)	Set	2
69	Confetti machine (with remote)	Nos.	2
70	PDU(Power Distribution Unit)	Nos.	6
71	Battery powered LED tube	Nos.	6
72	Battery powered LED par	Nos.	6
73	GLS lamp	Nos.	10
74	Bulb holder	Nos.	10
75	Fixture Fan	Nos.	5
76	Fixture LED	Nos.	6
77	Sound speaker	Nos.	1
78	Laser tape measure	Nos.	3
79	Ratchet straps	Nos.	6
80	Battery-powered LED mini panel	Nos.	6
81	LED wireless par can	Nos.	12
82	LED display sign	Nos.	2
83	CRO	Nos.	2
84	DC power kit	Set	2
85	Allen key set	Set	2
86	Multi-meter	Nos.	2
87	Phase sequence meter	Nos.	2
88	AC function generator	Nos.	2
89	DC function generator	Nos.	2
90	Laptop windows	Nos.	1

91	USB to DMX converter	Nos.	5
92	Flight cases	Nos.	6
93	DMX splitter	Nos.	1
94	Computer	Nos.	13
95	Truss cover	Nos.	10
96	Large monitor	Set	4
97	Projector ( laser remote, the white screen)	Set	2
98	Equipment rack cabinet	Nos.	2
	<b>Video Maker</b>		
99	Reflectors	Nos	6
100	Portable led light	sets	12
101	Portable Audio Recorder	Nos	12
102	Shotgun Mic	Nos	12
103	Boom Pole	Nos	12
104	Windjammer	Sets	12
105	XLR Cable	Nos	12
106	Camera lenses 8mm (RF mount set)	Nos	4
107	Camera lenses 24mm (RF mount set)	Nos	4
108	Camera lenses 35mm (RF mount set)	Nos	4
109	Camera lenses 70mm (RF mount set)	Nos	4
110	Camera lenses 50mm (RF mount set)	Nos	4
111	Clip mic	Nos	6
112	Camera cleaning kit	Nos	8
113	PC cleaning kit	Nos	8
114	Heavy duty extension cord	Nos	12
115	Lenses adaptor ( RF Camera body to EF/EF-S lens)	Nos.	12
	<b>Lighting Technology</b>		
116	Center Stage Complete Drumkit	set	1
117	Digital Piano 88 Key Full Size Weighted Keyboard	set	1
118	Bass Guitar	nos	2
119	Acoustic Guitar	nos	2
120	Electric Guitar	nos	2
121	Wireless in-Ear Monitor System	set	5
122	Wired Earbuds	nos	5
123	Analog Mixer	nos	2
124	Condenser Microphone	nos	10
125	Acoustic Panels	pkt	20
126	Front speaker	nos	1
127	Loud speakers	nos	4
128	MIDI Keyboard	nos	12
129	All-in-one Powered Portable Bluetooth Speaker Wireless PA System	nos	2
130	Wireless microphone system kit	set	4
131	Digital audio mixing console	nos	2
132	Equipment rack cabinet	nos	3

## 2. Delivery and Completion Schedule

The delivery period shall start as of the date of supply order (Equipment).

Item No.	Description	Delivery Schedule (Duration)	Location	Required Arrival Date of Goods or Completion Date for Related Services
1	Camera (case, SSD, tripod)	90 days	TTI-Samthang	The goods should be delivered to TTI-Samthang within 90 days from the date of supply order.
2	Studio camera (case, SSD, tripod)			
3	Anemometer			
4	HMI panels(large)			
5	HMI panels(small)			
6	LED panels			
7	Fresnel lights			
8	Tungsten lights			
9	Softbox			
10	Strobe			
11	Fluorescent lights			
12	Moving head light			
13	Color gels			
14	Gobos			
15	Color effect gels			
16	Reflectors			
17	Umbrella			
18	Dimmers			
19	Grey Card			
20	Colour picker			
21	Diffuser			
22	Flags			
23	Scrim			
24	Honey comb			
25	Light stand			
26	Boom arm			
27	T-bar stand			
28	Extension drum			
29	Light meter			
30	Colour meter			
31	Truss sections			

32	Truss tower			
33	Truss junction			
34	Bass plate			
35	Shackles			
36	Fly rails			
37	Electric chain motor (chain and bag)			
38	C-clamps			
39	Safety chains			
40	Eggs and pins			
41	Truss pin and clip set (Eggs, Pins and R-clips)			
42	Winch stands			
43	LED dance floor			
44	Flame lamp			
45	16 Eyes Strobe DJ Lights			
46	Headset with microphone			
47	DMX cable 3-pin (200 quantity) & 5-pin (200 quantity)			
48	3pin to 5 pin converter			
49	5pin to 3 pin converter			
50	Power con			
51	True con			
52	Artnet			
53	Snake cable			
54	MIDI controller			
55	Lighting console 2(different type)			
56	LED kinetic ring light			
57	Bracelet DMX lights			
58	Stage floodlight			
59	Spot light			
60	Lighting Bars			
61	Blinders			
62	Follow spot			
63	LED moving wash light			
64	Par cans			
65	Mini fog machine			
66	Haze/fog liquid			
67	LED Fog machine(with remote)			

68	Haze machine (with remote)			
69	Confetti machine (with remote)			
70	PDU(Power Distribution Unit)			
71	Battery powered LED tube			
72	Battery powered LED par			
73	GLS lamp			
74	Bulb holder			
75	Fixture Fan			
76	Fixture LED			
77	Sound speaker			
78	Laser tape measure			
79	Ratchet straps			
80	Battery-powered LED mini panel			
81	LED wireless par can			
82	LED display sign			
83	CRO			
84	DC power kit			
85	Allen key set			
86	Multi-meter			
87	Phase sequence meter			
88	AC function generator			
89	DC function generator			
90	Laptop windows			
91	USB to DMX converter			
92	Flight cases			
93	DMX splitter			
94	Computer			
95	Truss cover			
96	Large monitor			
97	Projector ( laser remote, the white screen)			
98	Equipment rack cabinet			
	<b>Video Maker</b>	90 days	TTI-Samthang	The goods should be delivered to TTI-Samthang within 90 days from the date of supply order.
99	Reflectors			
100	Portable led light			
101	Portable Audio Recorder			
102	Shotgun Mic			
103	Boom Pole			
104	Windjammer			
105	XLR Cable			

106	Camera lenses 8mm (RF mount set)			
107	Camera lenses 24mm (RF mount set)			
108	Camera lenses 35mm (RF mount set)			
109	Camera lenses 70mm (RF mount set)			
110	Camera lenses 50mm (RF mount set)			
111	Clip mic			
112	Camera cleaning kit			
113	PC cleaning kit			
114	Heavy duty extension cord			
115	Lenses adaptor ( RF Camera body to EF/EF-S lens)			
	<b>Lighting Technology</b>			
116	Center Stage Complete Drumkit			
117	Digital Piano 88 Key Full Size Weighted Keyboard			
118	Bass Guitar			
119	Acoustic Guitar			
120	Electric Guitar			
121	Wireless in-Ear Monitor System			
122	Wired Earbuds			
123	Analog Mixer			
124	Condenser Microphone			
125	Acoustic Panels			
126	Front speaker			
127	Loud speakers			
128	MIDI Keyboard			
129	All-in-one Powered Portable Bluetooth Speaker Wireless PA System			
130	Wireless microphone system kit			
131	Digital audio mixing console			
132	Equipment rack cabinet			



## 3. Technical Specifications for Equipment

**Sound Equipment**

## 1. Camera + Lens set

Features	Minimum Requirement	Bidder's Response Complied (Yes/No)	If "No" Bidders Comments (Please attach the original brochures)
Make and Model			
Country of Origin			
Technical Specification and Minimum Requirements	<ul style="list-style-type: none"> <li>• <b>Sensor Type:</b> Full-frame</li> <li>• <b>Resolution:</b> 20MP - 45MP</li> <li>• <b>Lens Compatibility:</b> Interchangeable lens system</li> <li>• <b>Video Recording:</b> 4K 60fps / 6K / 8K</li> <li>• <b>Autofocus System:</b> Dual Pixel AF</li> <li>• <b>ISO Range:</b> 100-51200 (</li> <li>• <b>Image Stabilization:</b> In-body Image Stabilization (IBIS)</li> <li>• <b>Viewfinder:</b> Electronic Viewfinder (EVF)</li> <li>• <b>LCD Screen:</b> Tilttable</li> <li>• <b>Connectivity:</b> Wi-Fi / Bluetooth / USB-C / HDMI Output</li> <li>• <b>Battery Life:</b> 500+ shots per charge</li> <li>• <b>Storage:</b> Dual SD</li> <li>• <b>Build Quality:</b> Weather-sealed</li> <li>• <b>Tripod</b></li> <li>• <b>Material:</b> Aluminum / Carbon Fiber (lightweight and durable)</li> <li>• <b>Load Capacity:</b> 5kg - 15kg</li> <li>• <b>Height Range:</b> Adjustable from 40cm to 180cm or higher</li> <li>• <b>Leg Locks:</b> Twist locks /</li> <li>• <b>Portability:</b> Foldable design and Carrying bag included</li> <li>• <b>Additional Features:</b> 360° panoramic rotation</li> </ul> <b>Lens</b>		

	<b>24–70mm</b> <ul style="list-style-type: none"> <li>• Bread-and-butter lens.</li> <li>• Covers wide stage shots → close-ups of dancers → portraits.</li> <li>• Aperture: f/1.8 – f/2.8-Bright enough for indoor festivals &amp; dim concerts</li> </ul> <b>SSD</b> <ul style="list-style-type: none"> <li><input type="checkbox"/> Type: SD card</li> <li><input type="checkbox"/> Capacity: 128GB → 1TB per card</li> <li><input type="checkbox"/> Speed: <ul style="list-style-type: none"> <li>• <b>Write:</b> <math>\geq 250</math> MB/s for 4K, <math>\geq 400</math>–1000 MB/s for 6K/8K RAW</li> <li>• <b>Read:</b> <math>\geq 300</math> MB/s</li> </ul> </li> </ul>		
Other Requirements	Warranty 12 months		

## 2. Studio Camera Set

Features	Minimum Requirement	Bidder's Response Complied (Yes/No)	If "No" Bidders Comments (Please attach the original brochures)
Make and Model			
Country of Origin			
Technical Specification and Minimum Requirements	<b>Studio Camera</b> <ul style="list-style-type: none"> <li>• <b>Sensor Type:</b> Full-frame</li> <li>• <b>Resolution:</b> 4K-8K</li> <li>• <b>Lens Compatibility:</b> Interchangeable lens system</li> <li>• <b>Video Recording:</b> 10-bit or 12-bit RAW</li> <li>• <b>Autofocus System:</b> Fast and precise Dual Pixel AF</li> <li>• <b>ISO Range:</b> 100-51200 (expandable)</li> </ul>		

	<ul style="list-style-type: none"> <li>• <b>Shutter Speed:</b> 1/8000s or faster</li> <li>• <b>Image Stabilization:</b> In-body stabilization</li> <li>• <b>Viewfinder &amp; Monitor:</b> Large tiltable LCD screen /</li> <li>• <b>Connectivity:</b> SDI / HDMI Output / XLR Audio / USB-C / Wi-Fi &amp; Ethernet</li> <li>• <b>Battery Life:</b> Long-lasting battery or direct AC power supply</li> <li>• <b>Storage:</b> Dual SD Card slots</li> <li>• <b>Build Quality:</b> Rugged, weather-sealed, magnesium alloy body</li> </ul> <p><b>Tripod</b></p> <ul style="list-style-type: none"> <li>• <b>Material:</b> Heavy-duty aluminum / Carbon fiber for durability</li> <li>• <b>Load Capacity:</b> 10kg - 25kg (supports heavy studio cameras)</li> <li>• <b>Height Range:</b> Adjustable from 80cm to 200cm</li> <li>• <b>Wheel Type:</b> Lockable rubber wheels for smooth movement and stability</li> <li>• <b>Leg Design:</b> Wide base for balance and vibration reduction</li> <li>• Tripod head specification: <input type="checkbox"/> Payload: 2–20kg (!! heavy-duty)</li> <li>• Counterbalance: 16 steps + Boost Button</li> <li>• Tilt Range: –70° to +90°</li> <li>• Pan Range: 360°</li> <li>• Mount: 100mm bowl (heavy-duty tripods only)</li> </ul>		
--	--	--	--

	<ul style="list-style-type: none"> <li>Weight: ~4kg</li> </ul> <p>Lens 24–70mm</p> <ul style="list-style-type: none"> <li>Focal length: 24–70mm</li> <li>Image stabilization: 5-stop IS</li> <li>Autofocus: (fast + silent</li> <li>Weight: ~900g</li> </ul> <p>SSD</p> <p><input type="checkbox"/> Type: High-speed SD / proprietary SSD</p> <p><input type="checkbox"/> Capacity: 256GB–1TB (4K–6K), 1TB+ for 8K or RAW</p> <p><input type="checkbox"/> Speed:</p> <ul style="list-style-type: none"> <li><b>Write:</b> <math>\geq 300</math> MB/s (4K), <math>\geq 600</math>–1000 MB/s (6K/8K RAW, 10–12 bit)</li> <li><b>Read:</b> <math>\geq 300</math>–1000 MB/s</li> </ul>		
Other Requirements	Warranty 12 months		

## 3. Anemometer

Features	Minimum Requirement	Bidder's Response Complied (Yes/No)	If "No" Bidders Comments (Please attach the original brochures)
Make and Model			
Country of Origin			

Technical Specification and Minimum Requirements	<ul style="list-style-type: none"> <li>• <b>Measurement Type:</b> Wind speed and temperature</li> <li>• <b>Wind Speed Range:</b> 0.5 - 30 m/s</li> <li>• <b>Accuracy:</b> <math>\pm 3\%</math></li> <li>• <b>Units of Measurement:</b> m/s, km/h, mph, knots, ft/min</li> <li>• <b>Display:</b> Digital LCD with backlight</li> <li>• <b>Power Source:</b> Battery-operated (AAA)</li> <li>• <b>Sensor Type:</b> Cup or vane anemometer</li> <li>• <b>Data Logging:</b> Memory function for recent readings</li> <li>• <b>Connectivity:</b> USB / Bluetooth</li> <li>• <b>Build Quality:</b> Lightweight plastic or metal casing, weather-resistant</li> <li>• <b>Portability:</b> Compact and handheld with a protective case</li> <li>• <b>Flight case:</b> included</li> </ul>		
Other Requirements	Warranty 12 months		

## 4. HMI panels (large)

Features	Minimum Requirement	Bidder's Response Complied (Yes/No)	If "No" Bidders Comments (Please attach the original brochures)
Make and Model			
Country of Origin			
Technical Specification and Minimum Requirements	<ul style="list-style-type: none"> <li>• <b>Power Options:</b> 1200W</li> <li>• <b>Ballast supports:</b> 220–240V input</li> <li>• <b>Color Temperature:</b> 5600K (Daylight) with optional CTO filters for warm tones</li> <li>• <b>Beam Angle:</b> PAR reflector options</li> <li>• <b>Dimmability:</b> Compatible with electronic or magnetic ballasts for smooth dimming</li> <li>• <b>Light Quality:</b> High CRI (90+) for accurate color rendering</li> <li>• <b>Flicker-Free Operation:</b> High-frequency electronic ballasts for film and video applications</li> <li>• <b>Mounting Compatibility:</b> Junior Pin (28mm spigot)</li> </ul>		

	<ul style="list-style-type: none"> <li>• <b>Cooling System:</b> Active fan cooling / Passive heat dissipation</li> <li>• <b>IP Rating:</b> Weather-resistant options available for outdoor use</li> <li>• <b>Connectivity:</b> DMX-controlled ballasts for remote dimming and flicker-free operation</li> <li>• <b>Flight case:</b> included</li> </ul>		
Other Requirements	Warranty 12 months		

## 5. HMI panels (small)

Features	Minimum Requirement	Bidder's Response Complied (Yes/No)	If "No" Bidders Comments (Please attach the original brochures)
Make and Model			
Country of Origin			
Technical Specification and Minimum Requirements	<ul style="list-style-type: none"> <li>• <b>Power Options:</b> 1200W</li> <li>• <b>Ballast supports:</b> 220–240V input</li> <li>• <b>Color Temperature:</b> 5600K (Daylight) with optional CTO filters for warm tones</li> <li>• <b>Beam Angle:</b> PAR reflector options</li> <li>• <b>Dimmability:</b> Compatible with electronic or magnetic ballasts for smooth dimming</li> <li>• <b>Light Quality:</b> High CRI (90+) for accurate color rendering</li> <li>• <b>Flicker-Free Operation:</b> High-frequency electronic ballasts for film and video applications</li> </ul>		

	<ul style="list-style-type: none"> <li>• <b>Mounting Compatibility:</b> Baby Pin (16mm spigot)</li> <li>• <b>Cooling System:</b> Active fan cooling / Passive heat dissipation</li> <li>• <b>IP Rating:</b> Weather-resistant options available for outdoor use</li> <li>• <b>Connectivity:</b> DMX-controlled ballasts for remote dimming and flicker-free operation</li> <li>• <b>Flight case:</b> included</li> <li>• Power: 225-240V, Frequency-50Hz</li> </ul>		
Other Requirements	Warranty period 6 months		

## 6. LED panels

Features	Minimum Requirement	Bidder's Response Complied (Yes/No)	If "No" Bidders Comments (Please attach the original brochures)
Make and Model			
Country of Origin			
Technical Specification and Minimum Requirements	<ul style="list-style-type: none"> <li>• <b>Power Rating: 100W - 300W</b> (Battery-powered)</li> <li>• <b>Color Temperature:</b> Bi-color (2700K - 6500K) or RGBWW for creative lighting</li> <li>• <b>Dimming:</b> 0-100% flicker-free</li> <li>• <b>Control:</b> App-controlled</li> <li>• <b>Mounting:</b> Standard yoke with <b>Barn Doors</b></li> <li>• <b>IP Rating:</b> Weather-resistant options available for outdoor use</li> <li>• <b>Flight case:</b> included</li> <li>• Power: 225-240V, Frequency-50Hz</li> </ul>		
Other Requirements	Warranty 6 months		

7. Fresnel lights

<b>Features</b>	<b>Minimum Requirement</b>	<b>Bidder's Response Complied (Yes/No)</b>	<b>If "No" Bidders Comments (Please attach the original brochures)</b>
Make and Model			
Country of Origin			
Technical Specification and Minimum Requirements	<ul style="list-style-type: none"> <li>• <b>Power Rating: Tungsten Fresnel: 650W - 5000W</b> (230V AC, high output)</li> <li>• <b>Beam Angle:</b> Adjustable from spot to flood</li> <li>• <b>Dimming:</b> DMX control</li> <li>• <b>Mounting:</b> Junior (28mm) or Baby (16mm) pin with <b>Barn Doors</b></li> <li>• <b>IP Rating:</b> Weather-resistant options available for outdoor use</li> <li>• <b>Flight case:</b> included</li> <li>• Power: 225-240V, Frequency-50Hz</li> </ul>		
Other Requirements	Warranty 6 months		

8. Tungsten light

<b>Features</b>	<b>Minimum Requirement</b>	<b>Bidder's Response Complied (Yes/No)</b>	<b>If "No" Bidders Comments (Please attach the original brochures)</b>
Make and Model			
Country of Origin			
Technical Specification and Minimum Requirements	<ul style="list-style-type: none"> <li>• <b>Power Rating: 650W - 5000W</b> (230V AC)</li> <li>• <b>Color Temperature:</b> 3200K (Warm Tungsten)</li> <li>• <b>Beam Angle:</b> Open-face or Fresnel versions</li> <li>• <b>Dimming:</b> Manual or DMX-controlled</li> <li>• <b>Mounting:</b> Standard yoke with <b>Barn Doors</b></li> <li>• <b>IP Rating:</b> Weather-resistant options available for outdoor use</li> </ul>		



	<ul style="list-style-type: none"> <li>• <b>Flight case:</b> included</li> <li>• Power: 225-240V, Frequency-50Hz</li> </ul>		
Other Requirements	Warranty 6 months		

9. Softbox

<b>Features</b>	<b>Minimum Requirement</b>	<b>Bidder's Response Complied (Yes/No)</b>	<b>If "No" Bidders Comments (Please attach the original brochures)</b>
Make and Model			
Country of Origin			
Technical Specification and Minimum Requirements	<ul style="list-style-type: none"> <li>• <b>Power Rating: 100W - 300W</b> (LED)</li> <li>• <b>Color Temperature:</b> Bi-color (2700K-6500K)</li> <li>• <b>Shape:</b> Octagonal</li> <li>• <b>Mounting:</b> Bowens mount for LED compatibility</li> <li>• <b>Flight case:</b> included</li> <li>• Power: 225-240V, Frequency-50Hz</li> </ul>		
Other Requirements	Warranty 6 months		

10. Strobe

<b>Features</b>	<b>Minimum Requirement</b>	<b>Bidder's Response Complied (Yes/No)</b>	<b>If "No" Bidders Comments (Please attach the original brochures)</b>
Make and Model			
Country of Origin			

Technical Specification and Minimum Requirements	<ul style="list-style-type: none"> <li>• <b>Power Rating: 200Ws - 1200Ws</b> (230V AC)</li> <li>• <b>Color Temperature: 5500K ±200K</b></li> <li>• <b>Flash Duration: 1/2000s – 1/8000s</b></li> <li>• <b>Flight case: included</b></li> </ul>		
Other Requirements	Warranty 6 months		

## 11. Fluorescent lights

<b>Features</b>	<b>Minimum Requirement</b>	<b>Bidder's Response Complied (Yes/No)</b>	<b>If "No" Bidders Comments (Please attach the original brochures)</b>
Make and Model			
Country of Origin			
Technical Specification and Minimum Requirements	<ul style="list-style-type: none"> <li>• <b>Power Rating: 55W - 330W</b> (230V AC)</li> <li>• <b>Color Temperature: 5600K</b> tubes</li> <li>• <b>Dimming: Manual dimmer</b></li> <li>• <b>Barn Doors: Included</b></li> <li>• <b>Flight case: included</b></li> <li>• Power: 225-240V, Frequency- 50Hz</li> </ul>		
Other Requirements	Warranty period 6 months		

## 12. Moving head light

<b>Features</b>	<b>Minimum Requirement</b>	<b>Bidder's Response Complied (Yes/No)</b>	<b>If "No" Bidders Comments (Please attach the original brochures)</b>
Make and Model			
Country of Origin			

Technical Specification and Minimum Requirements	<ul style="list-style-type: none"> <li>• <b>Power Rating: 150W - 1000W LED</b></li> <li>• <b>Light Type: Hybrid</b></li> <li>• <b>Beam Angle: 2° - 5°</b></li> <li>• <b>Color Mixing:</b> CMY / RGBW Color Mixing</li> <li>• <b>Gobos:</b> Rotating &amp; Fixed Gobos for Texture Effects</li> <li>• <b>Prism Effects:</b> 8-16 Facet Prism for Beam Splitting</li> <li>• <b>DMX Channels:</b> 8 / 16 / 24 DMX Modes</li> <li>• <b>Control Protocols:</b> DMX512, ArtNet, RDM, Sound-activated, Auto Mode</li> <li>• <b>Pan/Tilt Movement:</b> 540° Pan, 270° Tilt</li> <li>• <b>Dimming:</b> 0-100% Smooth Dimming</li> <li>• <b>Strobe Speed:</b> 1-25Hz Variable Strobe</li> <li>• <b>Cooling System:</b> High-Speed Fan with Overheat Protection</li> <li>• <b>IP Rating:</b> Weather-resistant 65</li> <li>• <b>Flight case:</b> included</li> </ul>		
Other Requirements	Warranty period 12 months		

## 13. Color gels

Features	Minimum Requirement	Bidder's Response Complied (Yes/No)	If "No" Bidders Comments (Please attach the original brochures)
Make and Model			
Country of Origin			
Technical Specification and Minimum Requirements	<ul style="list-style-type: none"> <li>• <b>Material:</b> Heat-resistant polyester</li> <li>• <b>Colors:</b> CTB (Cool Blue), CTO (Warm Orange), ND (Neutral Density), Party Colors (Green, Purple) – quantity 2 each</li> <li>• <b>Size Options:</b></li> <li>• <b>Rolls:</b> 24" x 7.5m (for cutting custom sizes)</li> <li>• <b>Mounting:</b> Clips or gel frames</li> </ul>		

## 14. Gobos

<b>Features</b>	<b>Minimum Requirement</b>	<b>Bidder's Response Complied (Yes/No)</b>	<b>If "No" Bidders Comments (Please attach the original brochures)</b>
Make and Model			
Country of Origin			
Technical Specification and Minimum Requirements	<ul style="list-style-type: none"> <li>• <b>Material:</b> Metal (stainless steel)</li> <li>• <b>Size:</b></li> <li>• <b>Stage Lighting:</b> 86mm - 100mm diameter</li> <li><b>Types:</b> <ul style="list-style-type: none"> <li>• <b>Patterned Gobos:</b> Star (2 quantity) and dragon (2 quantity)</li> <li>• <b>Compatibility:</b> Moving head spotlights and Parcans</li> </ul> </li> </ul>		
Other Requirements			

## 15. Color effect gels

<b>Features</b>	<b>Minimum Requirement</b>	<b>Bidder's Response Complied (Yes/No)</b>	<b>If "No" Bidders Comments (Please attach the original brochures)</b>
Make and Model			
Country of Origin			
Technical Specification and Minimum Requirements	<ul style="list-style-type: none"> <li>• <b>Material:</b> High-temperature-resistant polyester</li> <li>• <b>Colors:</b> Deep red, electric blue, lime green, magenta, cyan, lavender</li> <li>• <b>Size Options:</b> 24" x 7.5m rolls</li> </ul>		

Other Requirements			
--------------------	--	--	--

16. Reflector

Features	Minimum Requirement	Bidder's Response Complied (Yes/No)	If "No" Bidders Comments (Please attach the original brochures)
Make and Model			
Country of Origin			
Technical Specification and Minimum Requirements	<ul style="list-style-type: none"> <li>• <b>Material:</b> Aluminum-coated fabric</li> <li>• <b>Size Options:</b> 42"(collapsible)</li> <li><b>Types:</b> <ul style="list-style-type: none"> <li>• <b>Silver:</b> High contrast, strong reflections</li> <li>• <b>Gold:</b> Warm tones for skin enhancement</li> <li>• <b>White:</b> Soft fill light, neutral reflection</li> <li>• <b>Black:</b> Negative fill</li> </ul> </li> </ul>		

17. Umbrella

Features	Minimum Requirement	Bidder's Response Complied (Yes/No)	If "No" Bidders Comments (Please attach the original brochures)
Make and Model			
Country of Origin			
Technical Specification and Minimum Requirements	<ul style="list-style-type: none"> <li>• <b>Material:</b> Nylon with reflective inner coating</li> <li>• <b>Size:</b> 43" diameter</li> <li>• <b>Types:</b> <ul style="list-style-type: none"> <li>• <b>Shoot-Through (White):</b> Soft diffused light</li> </ul> </li> </ul>		

## 18. Dimmers

<b>Features</b>	<b>Minimum Requirement</b>	<b>Bidder's Response Complied (Yes/No)</b>	<b>If "No" Bidders Comments (Please attach the original brochures)</b>
Make and Model			
Country of Origin			
Technical Specification and Minimum Requirements	<ul style="list-style-type: none"> <li>• <b>Type: DMX-Controlled Dimmer:</b> 12-Channel</li> <li>• <b>Voltage Compatibility:</b> 230V</li> <li>• <b>Compatibility:</b> LED, Tungsten, Fluorescent (non-ballast), some moving heads</li> <li>• <b>Power:</b> 225-240V, Frequency-50Hz</li> </ul>		
Other Requirements	Warranty 6 months		

## 19. Grey Card

<b>Features</b>	<b>Minimum Requirement</b>	<b>Bidder's Response Complied (Yes/No)</b>	<b>If "No" Bidders Comments (Please attach the original brochures)</b>
Make and Model			
Country of Origin			
Technical Specification and Minimum Requirements	<ul style="list-style-type: none"> <li>• <b>Material:</b> Matte neutral grey card</li> <li>• <b>Size:</b> 8" x 10"</li> <li>• <b>Grey Value:</b> 18% reflectance standard</li> </ul>		

## 20. Colour picker

<b>Features</b>	<b>Minimum Requirement</b>	<b>Bidder's Response Complied (Yes/No)</b>	<b>If "No" Bidders Comments (Please attach the original brochures)</b>
Make and Model			
Country of Origin			

Technical Specification and Minimum Requirements	<ul style="list-style-type: none"> <li>• Type: Swatch book</li> <li>• Dimension: 90 mm × 38 mm</li> <li>• Sheet should include: Transmission info Wavelength chart Colour identifiers</li> </ul>		
--	--	--	--

## 21 Diffuser

Features	Minimum Requirement	Bidder's Response Complied (Yes/No)	If "No" Bidders Comments (Please attach the original brochures)
Make and Model			
Country of Origin			
Technical Specification and Minimum Requirements	<ul style="list-style-type: none"> <li>• <b>Material:</b> Translucent fabric or frosted acrylic</li> <li>• <b>Types:</b> Acrylic Diffuser Panel: Rigid for panel lights</li> <li>• <b>Size:</b> 48" x 72"</li> </ul>		

## 22. Flags

Features	Minimum Requirement	Bidder's Response Complied (Yes/No)	If "No" Bidders Comments (Please attach the original brochures)
Make and Model			
Country of Origin			
Technical Specification and Minimum Requirements	<ul style="list-style-type: none"> <li>• <b>Material:</b> Black fabric stretched over metal frame</li> <li>• <b>Size Options:</b> 48" x 48"</li> <li>• <b>Mounting:</b> C-Stand with grip head</li> </ul>		

## 23. Scrim

Features	Minimum Requirement	Bidder's Response Complied (Yes/No)	If "No" Bidders Comments (Please attach the original brochures)
Make and Model			

Country of Origin			
Technical Specification and Minimum Requirements	<ul style="list-style-type: none"> <li>• <b>Material:</b> Stainless steel mesh</li> <li>• <b>Types: Half Scrim:</b> Covers part of the beam for gradient reduction</li> <li>• <b>Size:</b> 48" x 48" frame</li> </ul>		

## 24. Honey Comb

Features	Minimum Requirement	Bidder's Response Complied (Yes/No)	If "No" Bidders Comments (Please attach the original brochures)
Make and Model			
Country of Origin			
Technical Specification and Minimum Requirements	<ul style="list-style-type: none"> <li>• <b>Material:</b> Rigid aluminum honeycomb grid</li> <li>• <b>Finish:</b> Matte black (no reflective surfaces)</li> <li>• <b>Grid cell size (aperture):15° (medium)</b></li> <li>• Works with clip-on designs</li> </ul>		

## 25. Light Stand

Features	Minimum Requirement	Bidder's Response Complied (Yes/No)	If "No" Bidders Comments (Please attach the original brochures)
Make and Model			
Country of Origin			
Technical Specification and Minimum Requirements	<ul style="list-style-type: none"> <li>• <b>Material:</b> Aluminum or Steel</li> <li>• <b>Mounting:</b> 5/8" Baby Pin</li> <li>• <b>Height Range:</b> 6ft - 12ft</li> <li>• <b>Weight Capacity:</b> 30kg</li> </ul>		

## 26. Boom arm

Features	Minimum Requirement	Bidder's Response Complied	If "No" Bidders Comments (Please attach the original brochures)



		(Yes/No)	
Make and Model			
Country of Origin			
Technical Specification and Minimum Requirements	<ul style="list-style-type: none"> <li>• <b>Material:</b> Steel</li> <li>• <b>Length:</b> 2ft - 6ft extendable</li> <li>• <b>Counterweight:</b> 5-10kg</li> </ul>		

## 27. T-bar stand

<b>Features</b>	<b>Minimum Requirement</b>	<b>Bidder's Response Complied (Yes/No)</b>	<b>If "No" Bidders Comments (Please attach the original brochures)</b>
Make and Model			
Country of Origin			
Technical Specification and Minimum Requirements	<ul style="list-style-type: none"> <li>• <b>Material:</b> Steel</li> <li>• <b>Height:</b> 8ft - 12ft</li> <li>• <b>Weight Capacity:</b> 30kg</li> </ul>		

## 28. Extension drum

<b>Features</b>	<b>Minimum Requirement</b>	<b>Bidder's Response Complied (Yes/No)</b>	<b>If "No" Bidders Comments (Please attach the original brochures)</b>
Make and Model			
Country of Origin			
Technical Specification and Minimum Requirements	<ul style="list-style-type: none"> <li>• <b>Cable Length:</b> 25m - 50m</li> <li>• <b>Wire Gauge:</b> 2.5mm<sup>2</sup> Copper Core</li> <li>• <b>Sockets:</b> 6-way outlets</li> <li>• <b>Voltage:</b> 230V AC, 50Hz</li> </ul>		

## 29. Light meter

<b>Features</b>	<b>Minimum Requirement</b>	<b>Bidder's Response Complied (Yes/No)</b>	<b>If "No" Bidders Comments (Please attach the original brochures)</b>

Make and Model			
Country of Origin			
Technical Specification and Minimum Requirements	<ul style="list-style-type: none"> <li>• <b>Range:</b> 0 - 200,000 lux</li> <li>• <b>Sensor Type:</b> Silicon photodiode</li> <li>• <b>Accuracy:</b> <math>\pm 3\%</math></li> </ul>		
Other Requirements	Warranty 18 months		

## 30. Colour meter

<b>Features</b>	<b>Minimum Requirement</b>	<b>Bidder's Response Complied (Yes/No)</b>	<b>If "No" Bidders Comments (Please attach the original brochures)</b>
Make and Model			
Country of Origin			
Technical Specification and Minimum Requirements	<ul style="list-style-type: none"> <li>• <b>Measurement Range:</b> 1,500K - 10,000K</li> <li>• <b>Accuracy:</b> <math>\pm 100K</math></li> <li>• <b>CRI Measurement:</b> 0-100 Ra</li> </ul>		
Other Requirements	Warranty 12 months		

## 31. Truss sections

<b>Features</b>	<b>Minimum Requirement</b>	<b>Bidder's Response Complied (Yes/No)</b>	<b>If "No" Bidders Comments (Please attach the original brochures)</b>
Make and Model			
Country of Origin			

Technical Specification and Minimum Requirements	<ul style="list-style-type: none"> <li>● <b>Material:</b> Aluminum (6061-T6)</li> <li>● <b>Size:</b> 290mm x 290mm (Square Truss)</li> <li>● <b>Length Options:</b> 1m (20 quantity)</li> <li>● 2m(16)</li> <li>● <b>Load Capacity:</b>800kg</li> <li>● Design: Box truss system</li> </ul>		
--	---	--	--

## 32. Truss tower

Features	Minimum Requirement	Bidder's Response Complied (Yes/No)	If "No" Bidders Comments (Please attach the original brochures)
Make and Model			
Country of Origin			
Technical Specification and Minimum Requirements	<ul style="list-style-type: none"> <li>● <b>Height:</b> 5m</li> <li>● <b>Base:</b> Heavy-duty steel or aluminum with adjustable feet</li> <li>● <b>Load Rating:</b>1500kg</li> <li>● Design: Box truss system</li> <li>● Material: Aluminium</li> </ul>		

## 33. Truss junction

Features	Minimum Requirement	Bidder's Response Complied (Yes/No)	If "No" Bidders Comments (Please attach the original brochures)
Make and Model			
Country of Origin			
Technical Specification and Minimum Requirements	<ul style="list-style-type: none"> <li>● <b>Types:</b> Corner junction (90°)</li> <li>● <b>Connector:</b> Conical coupler system</li> <li>● 4-Way Truss Junction (Cross pattern)</li> <li>● Design: Box truss system</li> <li>● Material: Aluminium</li> </ul>		

## 34. Bass plate

Features	Minimum Requirement	Bidder's Response Complied (Yes/No)	If "No" Bidders Comments (Please attach the original brochures)
Make and Model			

Country of Origin			
Technical Specification and Minimum Requirements	<ul style="list-style-type: none"> <li>• <b>Material:</b> Steel or Aluminum</li> <li>• <b>Size:</b> 600mm x 600mm</li> <li>• <b>Weight:</b> 20kg - 50kg</li> </ul>		

## 35. Shackles

Features	Minimum Requirement	Bidder's Response Complied (Yes/No)	If "No" Bidders Comments (Please attach the original brochures)
Make and Model			
Country of Origin			
Technical Specification and Minimum Requirements	<ul style="list-style-type: none"> <li>• <b>Type:</b> Bow shackle</li> <li>• <b>Load Capacity:</b> 2000kg</li> <li>• <b>Material:</b> Galvanized steel</li> </ul>		

## 36. Fly rails

Features	Minimum Requirement	Bidder's Response Complied (Yes/No)	If "No" Bidders Comments (Please attach the original brochures)
Make and Model			
Country of Origin			
Technical Specification and Minimum Requirements	<ul style="list-style-type: none"> <li>• <b>Type:</b> Manual counterweight fly rail</li> <li>• <b>Purpose:</b> Raise/lower lighting bars, scenery, and drapes safely</li> <li>• <b>Construction:</b> Structural steel frame, black powder-coated; steel guide rails</li> <li>• <b>Pipe/Batten Length:</b> 6–12 m</li> <li>• <b>Load Capacity:</b> SWL per line set 300–500 kg;</li> <li>• Safety factor <math>\geq 8:1</math></li> <li>• <b>Components:</b> Fly rail frame, counterweight arbor, head/loft blocks, operating ropes, rope locks, steel battens</li> <li>• <b>Ropes:</b> Galvanized steel wire</li> <li>• <b>Safety Features:</b> Locking pins</li> </ul>	<ul style="list-style-type: none"> <li>•</li> </ul>	

## 37. Electric chain motor

<b>Features</b>	<b>Minimum Requirement</b>	<b>Bidder's Response Complied (Yes/No)</b>	<b>If "No" Bidders Comments (Please attach the original brochures)</b>
Make and Model			
Country of Origin			
Technical Specification and Minimum Requirements	<ul style="list-style-type: none"> <li>• <b>Load Capacity:</b> 1000–2,000 kg</li> <li>• <b>Lifting Height / Chain Length:</b> 6–12 m, adjustable</li> <li>• <b>Power Supply:</b> 220–240 V AC, 50 Hz</li> <li>• <b>Control:</b> Pendant + wireless remote</li> <li>• <b>Safety Features:</b> Overload protection, emergency stop, upper/lower limit switches, mechanical/electromagnetic brake</li> <li>• <b>Chain:</b> Alloy steel, grade 80</li> <li>• <b>Mounting:</b> Truss-compatible hooks/clamps with safety cables</li> <li>• <b>Standards:</b> CE / ISO certified</li> </ul>		
Other Requirements	Warranty 18 months		

## 38. C-clamps

<b>Features</b>	<b>Minimum Requirement</b>	<b>Bidder's Response Complied (Yes/No)</b>	<b>If "No" Bidders Comments (Please attach the original brochures)</b>
Make and Model			
Country of Origin			
Technical Specification and Minimum Requirements	<ul style="list-style-type: none"> <li>• <b>Material:</b> High-strength steel, black powder-coated</li> <li>• <b>Load Capacity:</b> 50–200 kg depending on size</li> <li>• <b>Compatibility:</b> Fits standard 12"/10"/6" truss chords</li> <li>• <input type="checkbox"/> <b>Safety:</b> Includes bolt for tightening</li> </ul>		

39. Safety chains

<b>Features</b>	<b>Minimum Requirement</b>	<b>Bidder's Response Complied (Yes/No)</b>	<b>If "No" Bidders Comments (Please attach the original brochures)</b>
Make and Model			
Country of Origin			
Technical Specification and Minimum Requirements	<ul style="list-style-type: none"> <li>• <b>Purpose:</b> Secondary attachment to prevent fixture fall</li> <li>• <b>Material:</b> Steel alloy, galvanized or black finish</li> <li>• <b>Load Capacity:</b> 10kg-20kg</li> <li>• <b>Length:</b> 1–2 m adjustable</li> </ul>		

40. Eggs and pins

<b>Features</b>	<b>Minimum Requirement</b>	<b>Bidder's Response Complied (Yes/No)</b>	<b>If "No" Bidders Comments (Please attach the original brochures)</b>
Make and Model			
Country of Origin			
Technical Specification and Minimum Requirements	<p style="text-align: center;">Eggs</p> <ul style="list-style-type: none"> <li>• <b>Purpose:</b> Connect truss sections, fixtures, and clamps safely</li> <li>• <b>Material:</b> Forged steel, black or galvanized</li> <li>• <b>Load Capacity:</b> 500–2,000 kg</li> <li>• <b>Type:</b> Bolt</li> <li>• <b>Standards:</b> Rated per industry rigging safety norms</li> </ul> <p style="text-align: center;">Pins</p> <ul style="list-style-type: none"> <li>• <b>Purpose:</b> Lock truss sections together or secure clamps</li> <li>• <b>Material:</b> Steel, sbolt type</li> <li>• <b>Diameter:</b> 10–16 mm typical</li> <li>• <b>Safety:</b> Includes cotter pin or locking mechanism</li> <li>• <b>Use:</b> Supports truss integrity during load and setup</li> </ul>		

## 41. Truss pin and clip set (eggs, pins and R-clips)

Features	Minimum Requirement	Bidder's Response Complied (Yes/No)	If "No" Bidders Comments (Please attach the original brochures)
Make and Model			
Country of Origin			
Technical Specification and Minimum Requirements	<p>1. Conical Couplers (Eggs)</p> <ul style="list-style-type: none"> <li>• <b>Material:</b> High-grade aluminum alloy (6061-T6 or equivalent)</li> <li>• <b>Finish:</b> Anodized or polished corrosion-resistant surface</li> <li>• <b>Diameter:</b> Standard Ø 50 mm (compatible with most 290mm / 300mm box truss)</li> <li>• <b>Features:</b> Precision-machined for tight fit, reduces truss flexing and vibration</li> </ul> <p>2. Truss Pins</p> <ul style="list-style-type: none"> <li>• <b>Material:</b> Hardened steel or stainless steel</li> </ul>		

	<ul style="list-style-type: none"> <li>• <b>Length:</b> 75–80 mm (standard)</li> <li>• <b>Diameter:</b> Ø 12–13 mm (compatible with coupler holes)</li> <li>• <b>Finish:</b> Zinc-plated or galvanized (anti-rust protection)</li> <li>• <b>Features:</b> Smooth edges for easy insertion, high load-bearing capacity</li> </ul> <p>3. R-Clips (Safety Clips / Cotter Pins)</p> <ul style="list-style-type: none"> <li>• <b>Material:</b> Spring steel, stainless steel (anti-rust)</li> <li>• <b>Diameter:</b> Ø 3–4 mm</li> <li>• <b>Finish:</b> Zinc-plated or polished</li> <li>• <b>Features:</b> Easy to insert/remove by hand, reusable, high tensile strength</li> </ul>		
--	--	--	--



## 42. Winch stands

<b>Features</b>	<b>Minimum Requirement</b>	<b>Bidders Response Complied (Yes/No)</b>	<b>If “No” Bidders Comments (Please attach the original brochures)</b>
Make and Model			
Country of Origin			
Technical Specification and Minimum Requirements	<ul style="list-style-type: none"> <li>• <b>Type:</b> Adjustable tripod</li> <li>• <b>Material:</b> High-strength steel or aluminum alloy, black powder-coated</li> <li>• <b>Height Adjustment:</b> Typically, <b>2 m – 5 m</b>, adjustable via locking pins</li> <li>• <b>Load Capacity:</b> 250–1,000 kg</li> <li>• <b>Base:</b> Tripod with wide stance for stability</li> <li><input type="checkbox"/> <b>Safety Features:</b> Locking pins, rubber feet for floor grip</li> </ul>		
Other Requirements	Warranty period 12 months		

## 43. LED dance floor

<b>Features</b>	<b>Minimum Requirement</b>	<b>Bidder’s Response Complied (Yes/No)</b>	<b>If “No” Bidders Comments (Please attach the original brochures)</b>
Make and Model			
Country of Origin			
Technical Specification and Minimum Requirements	<b>Panel size</b> -50 cm × 50 cm × 7 cm <b>weight</b> ~8.5 kg per panel <b>surface material</b> -10 mm tempered glass <b>LED Source</b> -SMD5050, RGB, 64 LEDs per tile <b>Power</b> -20 W per panel, 24V, ~0.83A <b>Load Capacity</b> -The related models (like TP-877A/B) support <b>500–600 kg</b>		

	<b>Connection Method-</b> Magnetic — panels “snap” together <b>Control Methods-</b> DMX, mobile app, remote control <b>Effects / Modes-</b> Solid colours, mixed RGB effects, 3D “infinite” effect		
Other requirement	Warranty period 18 months		

## 44. Flame lamp

Features	Minimum Requirement	Bidder's Response Complied (Yes/No)	If “No” Bidders Comments (Please attach the original brochures)
Make and Model			
Country of Origin			
Technical Specification and Minimum Requirements	<ul style="list-style-type: none"> <li>• <b>Voltage:</b> 230V AC, 50Hz</li> <li>• <b>Effect:</b> Silk flame with RGB LED</li> <li>• <b>Control:</b> DMX/manual</li> <li>• <b>Height:</b> ~1.5ft flame look</li> <li>• <b>Safety:</b> Cold flame (no fire)</li> </ul>		
Other requirement	Warranty period 6 months		

## 45. 16 Eyes Strobe DJ Lights

Features	Minimum Requirement	Bidder's Response Complied (Yes/No)	If “No” Bidders Comments (Please attach the original brochures)
Make and Model			
Country of Origin			
Technical Specification and Minimum	LED bulb, power-AC (Alternating Current) adapter, Floor Mount		

Requirements	type, Remote Control, DMX512 Master/Slave, included components Stage light, Remote, cable, Manual,		
Other requirement	Warranty period 6 months		

## 46. Headset with microphone

Features	Minimum Requirement	Bidder's Response Complied (Yes/No)	If "No" Bidders Comments (Please attach the original brochures)
Make and Model			
Country of Origin			
Technical Specification and Minimum Requirements	<ul style="list-style-type: none"> <li>• <b>Type:</b> Wireless intercom</li> <li>• <b>Range:</b> Up to 400m</li> <li>• <b>Voltage:</b> Battery-powered (charging dock 230V AC, 50Hz)</li> <li>• <b>Runtime:</b> 6–8 hrs</li> <li>• <b>Mic:</b> Noise cancelling, over-ear</li> </ul>		
Other requirement	Warranty period 12 months		

## 47. DMX cable

Features	Minimum Requirement	Bidder's Response Complied (Yes/No)	If "No" Bidders Comments (Please attach the original brochures)
Make and Model			
Country of Origin			
Technical Specification and	<ul style="list-style-type: none"> <li>• <b>Type:</b> Shielded twisted pair (XLR)</li> <li>• <b>Pin Configuration:</b> 3-pin (250 quantity) &amp; 5-</li> </ul>		

Minimum Requirements	pin (250 quantity) DMX compatible • <b>Length:</b> 3m		
----------------------	--	--	--

## 48. 3pin to 5pin converter

<b>Features</b>	<b>Minimum Requirement</b>	<b>Bidders Response Complied (Yes/No)</b>	<b>If “No” Bidders Comments (Please attach the original brochures)</b>
Make and Model			
Country of Origin			
Technical Specification and Minimum Requirements	<ul style="list-style-type: none"> <li>• <b>Input:</b> 3-pin XLR</li> <li>• <b>Output:</b> 5-pin XLR</li> <li>• <b>Type:</b> DMX signal converter</li> <li>• <b>Compatibility:</b> Works with standard <b>DMX512 controllers and lighting fixtures</b></li> <li>• <b>Housing:</b> Durable plastic or metal shell, strain relief for cables</li> <li>• <b>Length:</b> Typically 15 cm – 30 cm (adapter style)</li> <li>• <input type="checkbox"/> <b>Standards:</b> Complies with DMX512 protocol, low-resistance signal transfer</li> </ul>		
Other Requirements	Warranty period 6 months		

## 49. 5pin to 3 pin converter

<b>Features</b>	<b>Minimum Requirement</b>	<b>Bidders Response Complied (Yes/No)</b>	<b>If “No” Bidders Comments (Please attach the original brochures)</b>
Make and Model			
Country of Origin			
Technical Specification and Minimum Requirements	<ul style="list-style-type: none"> <li>• <b>Input:</b> 5-pin XLR</li> <li>• <b>Output:</b> 3-pin XLR</li> <li>• <b>Type:</b> DMX signal converter</li> <li>• <b>Compatibility:</b> Works with standard <b>DMX512 controllers and lighting fixtures</b></li> <li>• <b>Housing:</b> Durable plastic or metal shell, strain relief for cables</li> <li>• <b>Length:</b> Typically, 15 cm – 30 cm (adapter style)</li> </ul>		

	<ul style="list-style-type: none"> <li><input type="checkbox"/> <b>Standards:</b> Complies with DMX512 protocol, low-resistance signal transfer</li> </ul>		
Other Requirements	Warranty period 6 months		

## 50. Powercon

Features	Minimum Requirement	Bidders Response Complied (Yes/No)	If “No” Bidders Comments (Please attach the original brochures)
Make and Model			
Country of Origin			
Technical Specification and Minimum Requirements	<ul style="list-style-type: none"> <li><b>Type:</b> Locking AC power connector (male/female)</li> <li><b>Current Rating:</b> 20 A / 250 V AC (fits Bhutan grid)</li> <li><b>Connector Type:</b> 3-pin locking (Line, Neutral, Earth)</li> <li><b>Housing:</b> Rugged plastic/metal, keyed to prevent misconnection</li> <li><input type="checkbox"/> <b>Safety Features:</b> Locking prevents accidental unplug; CE/IEC certified</li> </ul>		
Other Requirements	Warranty period 6 months		

## 51. Truecon

Features	Minimum Requirement	Bidders Response Complied (Yes/No)	If “No” Bidders Comments (Please attach the original brochures)
Make and Model			
Country of Origin			
Technical Specification and Minimum Requirements	<ul style="list-style-type: none"> <li><b>Type:</b> Multi-pin signal/power locking connector for truss and stage equipment</li> </ul>		

	<ul style="list-style-type: none"> <li>• <b>Purpose:</b> Safe multi-conductor connections for DMX, power, or combined systems</li> <li>• <b>Current Rating:</b> 16 A per contact / 250 V AC (fits Bhutan power)</li> <li>• <b>Pins:</b> 4-pin, 6-pin, or 8-pin (model dependent)</li> <li>• <b>Housing:</b> Rugged metal shell, keyed, vibration and impact resistant</li> <li>• <input type="checkbox"/> <b>Safety Features:</b> Locking mechanism prevents accidental disconnection; CE/IEC certified</li> </ul>		
Other Requirements	Warranty period 6 months		

## 52. Artnet

Features	Minimum Requirement	Bidders Response Complied (Yes/No)	If “No” Bidders Comments (Please attach the original brochures)
Make and Model			
Country of Origin			
Technical Specification and Minimum Requirements	<ul style="list-style-type: none"> <li>• <b>Protocol:</b> ArtNet (supports ArtNet I, II, III, IV)</li> <li>• <b>DMX Universes:</b> 1 – 8 universes (512 – 4096 channels)</li> <li>• <b>Connectivity:</b> <ul style="list-style-type: none"> <li>• RJ45 Ethernet (10/100Mbps)</li> <li>• 3-pin or 5-pin DMX output ports</li> </ul> </li> <li>• <b>Power Supply:</b> 230V AC or PoE (Power over Ethernet)</li> <li>• <b>Configuration:</b> Web-based or software-controlled settings</li> <li>• <b>Latency:</b> Low-latency real-time DMX transmission</li> <li>• <b>Mounting:</b> Rack-mountable or standalone compact unit</li> <li>• <b>Compatibility:</b> Works with lighting consoles, media servers, and stage lighting software</li> </ul>		
Other Requirements	Warranty period 12 months		

53. Snake cable

<b>Features</b>	<b>Minimum Requirement</b>	<b>Bidders Response Complied (Yes/No)</b>	<b>If “No” Bidders Comments (Please attach the original brochures)</b>
Make and Model			
Country of Origin			
Technical Specification and Minimum Requirements	<ul style="list-style-type: none"> <li>• <b>Number of Channels:</b> 31</li> <li>• <b>Length:</b> 30m</li> <li>• <b>Shielding:</b> Foil and braided shielding for noise reduction</li> <li>• <b>Durability:</b> Heavy-duty PVC or rubber jacket for stage use</li> </ul>		
Other Requirements	Warranty period 6 months		

54. MIDI controller

<b>Features</b>	<b>Minimum Requirement</b>	<b>Bidders Response Complied (Yes/No)</b>	<b>If “No” Bidders Comments (Please attach the original brochures)</b>
Make and Model			
Country of Origin			

Technical Specification and Minimum Requirements	<ul style="list-style-type: none"> <li>• <b>Keys:</b> 25,</li> <li>• <b>Pads:</b> 8 – 16 backlit, velocity-sensitive drum pads</li> <li>• <b>Knobs &amp; Faders:</b> 8 – 16 assignable rotary knobs and faders</li> <li>• <b>Connectivity:</b> USB-MIDI, 5-pin DIN MIDI in/out, sustain pedal input</li> <li>• <b>Display:</b> OLED or LCD screen for parameter feedback</li> <li>• <b>Power Source:</b> USB bus-powered or external adapter (9V DC)</li> <li>• <b>Software Compatibility:</b> Works with DAWs like QLab</li> <li>• <b>Built-in Controls:</b> Transport buttons, pitch bend/modulation wheels, octave shift</li> <li>• <b>Build Quality:</b> Compact, durable design with rubberized surface for grip</li> </ul>		
Other Requirements	Warranty period 12 months		

## 55. Lighting console

Features	Minimum Requirement	Bidders Response Complied (Yes/No)	If “No” Bidders Comments (Please attach the original brochures)
Make and Model			
Country of Origin			
Technical Specification and Minimum Requirements	<p>like to get 2 of different kind each:</p> <ol style="list-style-type: none"> <li>1. Hardware Specifications <ul style="list-style-type: none"> <li>• <b>Faders:</b> 24 faders (10 configurable for playbacks)</li> <li>• <b>Encoders:</b> 4 rotary encoders for parameter control</li> <li>• <b>Screen:</b> 7” Multi-touch Color Display</li> <li>• <b>DMX Output:</b> 1 Universe (512 channels), expandable to 2 Universes</li> </ul> </li> </ol>		



	<ul style="list-style-type: none"> <li>● <b>Ethernet:</b> Yes (supports ArtNet, sACN)</li> <li>● <b>MIDI Support:</b> Yes (MIDI In/Out)</li> <li>● <b>USB Ports:</b> 2x USB (for external storage and show backup)</li> <li>● <b>External Monitor Support:</b> Yes (via VGA)</li> <li>● <b>Case included</b></li> </ul> <p>re &amp; Control</p> <ul style="list-style-type: none"> <li>● <b>Fixture Library:</b> Pre-loaded fixture profiles, easily expandable</li> <li>● <b>Effects Engine:</b> Built-in effects, palettes, and groups for faster programming</li> <li>● <b>Networking:</b> Can be controlled remotely using FLX Remote App</li> <li>● <b>Show Storage:</b> Internal and external USB storage</li> <li>● <b>Power:</b> 225-240V, Frequency-50Hz</li> </ul> <p>2. Hardware Specifications</p> <ul style="list-style-type: none"> <li>● <b>Faders:</b> 15 motorized faders</li> <li>● <b>Encoders:</b> 5 dual-axis rotary encoders</li> <li>● <b>Buttons:</b> 60 configurable buttons</li> <li>● <b>Screens:</b> 2x Large Multi-touch Screens + External Monitor Support</li> <li>● <b>DMX Output:</b> 8 Universes (up to 250 Universes with additional hardware)</li> <li>● <b>Ethernet:</b> Yes (supports ArtNet, sACN, MA-Net)</li> <li>● <b>MIDI Support:</b> Yes (MIDI In/Out)</li> <li>● <b>USB Ports:</b> 5x USB for storage and hardware expansion</li> <li>● <b>Case included</b></li> </ul> <p><b>Software &amp; Control</b></p> <ul style="list-style-type: none"> <li>● <b>Fixture Library:</b> Largest fixture library database available</li> <li>● <b>Effects Engine:</b> Advanced effects control for complex programming</li> <li>● <b>Networking:</b> Supports advanced remote operation &amp; backup syncing</li> </ul>		
--	--	--	--

	<ul style="list-style-type: none"> <li>• <b>Show Storage:</b> Internal SSD with USB backup support</li> <li>• <b>Power:</b> 225-240V, Frequency- 50Hz</li> </ul>		
Other Requirements	Warranty period 18 months		

## 56. LED kinetic ring light

Features	Minimum Requirement	Bidders Response Complied (Yes/No)	If “No” Bidders Comments (Please attach the original brochures)
Make and Model			
Country of Origin			
Technical Specification and Minimum Requirements	<ul style="list-style-type: none"> <li>• <b>Power:</b> 225-240V, Frequency- 50Hz (per motor)</li> <li>• <b>Diameter:</b> 1m– 2m</li> <li>• <b>Motor:</b> DMX-controlled winch</li> <li>• <b>Control:</b> ArtNet/DMX</li> <li>• <b>Effect:</b> Pixel mapped chase / aerial</li> </ul>		
Other requirement	Warranty period 12 months		

## 57. Bracelet DMX lights

Features	Minimum Requirement	Bidders Response Complied (Yes/No)	If “No” Bidders Comments (Please attach the original brochures)
Make and Model			
Country of Origin			
Technical Specification and Minimum Requirements	<ul style="list-style-type: none"> <li>• <b>Control:</b> RF / DMX console sync</li> <li>• <b>Power:</b> Coin cell battery (~8 hrs)</li> <li>• <b>Coverage:</b> 400m radius</li> <li>• <b>Voltage:</b> Controller 230V AC, 50Hz</li> </ul>		
Other requirement	Warranty period 6 months		

## 58. Stage floodlight

<b>Features</b>	<b>Minimum Requirement</b>	<b>Bidders Response Complied (Yes/No)</b>	<b>If “No” Bidders Comments (Please attach the original brochures)</b>
Make and Model			
Country of Origin			
Technical Specification and Minimum Requirements	<ul style="list-style-type: none"> <li>• <b>Light Source:</b> LED</li> <li>• <b>Power Supply:</b> 230V AC</li> <li>• <b>Wattage:</b> 200W – 500W</li> <li>• <b>Color Temperature:</b> 3200K (warm white) – 5600K (daylight)</li> <li>• <b>Beam Angle:</b> 60° – 120° for wide stage coverage</li> <li>• <b>Dimming:</b> DMX512 or manual dimming control</li> <li>• <b>Housing Material:</b> Aluminium alloy with heat dissipation design</li> <li>• <b>IP Rating:</b> IP65</li> <li>• <b>Mounting:</b> Yoke bracket for floor-standing or truss mounting</li> <li>• <b>Control Mode:</b> <ul style="list-style-type: none"> <li>• DMX512 (3-pin or 5-pin)</li> <li>• Manual adjustment</li> </ul> </li> <li>• <b>Cooling System:</b> Built-in fan cooling</li> <li>• <b>Flight case:</b> Included</li> </ul>		
Other Requirements	Warranty period 6 months		

## 59. Spot light

<b>Features</b>	<b>Minimum Requirement</b>	<b>Bidders Response Complied (Yes/No)</b>	<b>If “No” Bidders Comments (Please attach the original brochures)</b>
Make and Model			
Country of Origin			
Technical Specification and Minimum Requirements	<b>Light Source:</b> LED <ul style="list-style-type: none"> <li>• <b>Power Supply:</b> 230V AC</li> <li>• <b>Wattage:</b> 200W – 1000W</li> <li>• <b>Color Temperature:</b></li> </ul>		

	<ul style="list-style-type: none"> <li>• LED Models: 3200K warm white to 5600K daylight</li> <li>• Tungsten Models: 3200K traditional warm stage lighting</li> <li>• <b>Beam Angle:</b> 5° to 50° adjustable zoom for tight or wide beam</li> <li>• <b>Dimming:</b> DMX512 control or manual dimming knob</li> <li>• <b>Control Mode:</b> <ul style="list-style-type: none"> <li>• DMX512 3-pin or 5-pin</li> <li>• Local manual control</li> </ul> </li> <li>• <b>Lens Type:</b> Fresnel or Plano-Convex for sharp beam focus</li> <li>• <b>Shaping Tools:</b> Includes barn doors for beam control</li> <li>• <b>Mounting:</b> C-Clamp or yoke bracket for truss and stand mounting</li> <li>• <b>Cooling System:</b> <ul style="list-style-type: none"> <li>• LED Models: Silent passive cooling or fan-assisted</li> <li>• Tungsten Models: Natural heat dissipation with vents</li> </ul> </li> <li>• <b>IP Rating:</b> IP20</li> <li>• <b>Flight case:</b> Included</li> </ul>		
Other Requirements	Warranty period 12 months		

## 60. Lighting Bars

Features	Minimum Requirement	Bidders Response Complied (Yes/No)	If “No” Bidders Comments (Please attach the original brochures)
Make and Model			
Country of Origin			
Technical Specification and Minimum Requirements	<ul style="list-style-type: none"> <li>• <b>Light Source:</b> RGBWA+UV (Red, Green, Blue, White, Amber, Ultraviolet)</li> <li>• <b>LED Count:</b> 48-72 High-Output LEDs (15W - 30W per LED)</li> <li>• <b>Beam Angle:</b> 15° - 60° (Adjustable Lenses)</li> <li>• <b>Color Effects:</b> Advanced Pixel Mapping &amp; Individual LED Control</li> </ul>		

	<ul style="list-style-type: none"> <li>• <b>Dimming:</b> 16-bit Smooth Dimming Curve</li> <li>• <b>Strobe &amp; Effects:</b> Variable Speed Strobe, Pulse Effects, Chases</li> <li>• <b>DMX Channels:</b> 8 / 16 / 32 Channel Modes</li> <li>• <b>Control:</b> DMX512, RDM, ArtNet, sACN, Sound-activated, Wireless DMX</li> <li>• <b>Power Supply:</b> AC 100-240V, 50/60Hz (Compatible with Bhutan's 230V)</li> <li>• <b>Power Consumption:</b> 200W - 600W</li> <li>• <b>Cooling:</b> Advanced Heat Sink &amp; Silent Fans</li> <li>• <b>Mounting:</b> Adjustable Yoke Mount, Truss Brackets</li> <li>• <b>IP Rating:</b> IP65</li> <li>• <b>Flight case:</b> included</li> </ul>		
Other Requirements	Warranty period 12 months		

## 61. Blinders

Features	Minimum Requirement	Bidders Response Complied (Yes/No)	If "No" Bidders Comments (Please attach the original brochures)
Make and Model			
Country of Origin			

Technical Specification and Minimum Requirements	<ul style="list-style-type: none"> <li>• <b>Light Source:</b> LED or Tungsten Halogen</li> <li>• <b>Power Supply:</b> 230V AC</li> <li>• <b>Wattage:</b> 100W to 1000W</li> <li>• <b>Color Temperature:</b> 2800K to 3200K warm white for audience blinding effect</li> <li>• <b>Beam Angle:</b> 25° to 60° wide beam for maximum coverage</li> <li>• <b>Dimming:</b> DMX512 control or manual dimming knob</li> <li>• <b>Control Mode:</b> DMX512 with 3-pin or 5-pin connection</li> <li>• <b>LED Models:</b> RGBW or warm white options for color effects</li> <li>• <b>Cooling System:</b> Silent fan cooling or heat dissipation vents</li> <li>• <b>Mounting:</b> Yoke bracket or C-Clamp for truss and stand mounting</li> <li>• <b>IP Rating:</b> IP20</li> <li>• <b>Flight case:</b> Included</li> </ul>		
Other Requirements	Warranty period 12 months		

## 62. Follow spot

Features	Minimum Requirement	Bidders Response Complied (Yes/No)	If “No” Bidders Comments (Please attach the original brochures)
Make and Model			
Country of Origin			

Technical Specification and Minimum Requirements	<ul style="list-style-type: none"> <li>• <b>Light Source:</b> LED</li> <li>• <b>Power Supply:</b> 230V AC</li> <li>• <b>Wattage:</b> 300W to 1200W for long-distance throw</li> <li>• <b>Color Temperature:</b> 3200K warm white to 6000K daylight</li> <li>• <b>Beam Angle:</b> 5° to 15° narrow beam for precise subject highlighting</li> <li>• <b>Dimming:</b> Manual dimmer or DMX control</li> <li>• <b>Color Features:</b> Built-in color filters or color wheels with red, blue, yellow, and white</li> <li>• <b>Control Mode:</b> Manual focus and zoom with adjustable iris</li> <li>• <b>Mounting:</b> Heavy-duty stand with pan and tilt adjustments</li> <li>• <b>Cooling System:</b> Active fan cooling for long operation</li> <li>• <b>IP Rating:</b> IP20</li> <li>• <b>Flight case:</b> Included</li> </ul>		
Other Requirements	Warranty period 12 months		

## 63. LED moving wash light

Features	Minimum Requirement	Bidders Response Complied (Yes/No)	If “No” Bidders Comments (Please attach the original brochures)
Make and Model			
Country of Origin			

Technical Specification and Minimum Requirements	<ul style="list-style-type: none"> <li>• <b>Light Source:</b> High-power LED</li> <li>• <b>Power Supply:</b> 230V AC</li> <li>• <b>Wattage:</b> 150W to 600W</li> <li>• <b>LED Configuration:</b> RGBW, RGBA, or RGBWA+UV for full-color mixing</li> <li>• <b>Beam Angle:</b> 6° to 60° zoom for narrow beam or wide wash effects</li> <li>• <b>Pan and Tilt:</b> 540° pan and 270° tilt for flexible movement</li> <li>• <b>Control Mode:</b> <ul style="list-style-type: none"> <li>• DMX512 with 3-pin or 5-pin connection</li> <li>• RDM, Master-Slave, or Sound-Activated modes</li> </ul> </li> <li>• <b>Dimming:</b> 0-100% smooth dimming via DMX</li> <li>• <b>Strobe Effect:</b> Adjustable speed for flashing effects</li> <li>• <b>Cooling System:</b> Fan cooling with temperature control</li> <li>• <b>IP rating:</b> 65</li> <li>• <b>Flight case:</b> included</li> </ul>		
Other Requirements	Warranty period 12 months		

## 64. Parcans

Features	Minimum Requirement	Bidders Response Complied (Yes/No)	If “No” Bidders Comments (Please attach the original brochures)
Make and Model			
Country of Origin			



Technical Specification and Minimum Requirements	<ul style="list-style-type: none"> <li>• <b>Light Source:</b> Halogen</li> <li>• <b>Power Supply:</b> 230V AC</li> <li>• <b>Wattage:</b> 100W to 1000W</li> <li>• <b>Color Temperature:</b> <ul style="list-style-type: none"> <li>• Halogen: 2800K to 3200K warm white</li> <li>• LED: RGB, RGBW, or 5600K daylight</li> </ul> </li> <li>• <b>Beam Angle:</b> 15° to 45° medium to wide beam coverage</li> <li>• <b>Dimming:</b> DMX512 control or manual dimming knob</li> <li>• <b>Control Mode:</b> DMX512 with 3-pin or 5-pin connection</li> <li>• <b>Housing Material:</b> Aluminum alloy for heat dissipation</li> <li>• <b>Cooling System:</b> Natural cooling for halogen, fan cooling for LED</li> <li>• <b>Mounting:</b> Yoke bracket for floor-standing or truss mounting</li> <li>• <b>Accessories:</b> Includes barn doors for beam shaping</li> <li>• <b>IP Rating:</b> IP20</li> <li>• <b>Flight case:</b> Included</li> </ul>		
Other Requirements	Warranty period 12 months		

## 65. Mini fog machine

Features	Minimum Requirement	Bidders Response Complied (Yes/No)	If “No” Bidders Comments (Please attach the original brochures)
Make and Model			
Country of Origin			
Technical Specification and Minimum Requirements	Handheld mini fog machine- 2 AA batteries required, 3.6 Volts (DC), 30 Watts, size-62mm x 34mm x 138mm,		
Other Requirements	Warranty period 12 months		

## 66. Haze/Fog liquid

Features	Minimum Requirement	Bidders Response Complied	If “No” Bidders Comments
----------	---------------------	---------------------------	--------------------------

		(Yes/No)	(Please attach the original brochures)
Make and Model			
Country of Origin			
Technical Specification and Minimum Requirements	Density: 1.05–1.10 g/cm <sup>3</sup> Dispersion: uniform particle size (~1–5 µm) Stability: Remains suspended in air for 5–20 minutes and safe for indoor use Colour of Fluid: Clear Fog Colour: White		

## 67. LED Fog machine

Features	Minimum Requirement	Bidders Response Complied (Yes/No)	If “No” Bidders Comments (Please attach the original brochures)
Make and Model			
Country of Origin			
Technical Specification and Minimum Requirements	<ul style="list-style-type: none"> <li>Power: 225-240V, Frequency- 50Hz</li> <li><b>Warm-up Time:</b> 5-10 min</li> <li><b>Tank Capacity:</b> 2L - 5L</li> <li><b>Case:</b> included</li> <li><b>Remote and DMX control</b></li> </ul>		
Other Requirements	Warranty period 12 months		

## 68. Haze machine

Features	Minimum Requirement	Bidders Response Complied (Yes/No)	If “No” Bidders Comments (Please attach the original brochures)
Make and Model			
Country of Origin			

Technical Specification and Minimum Requirements	Control mode: remote control Heating time: about 2-3 minutes for the first heating, and about 20 seconds for subsequent cycle heating Smoke spraying time: 17-22 seconds Smoke spraying distance: 2-3 meters Oil pot capacity: 260 ml Smoke spraying time: about 1 hour Protection level: IP30 Working environment: -10°C-45°C RGB LED lights		
Other Requirements	Warranty period 12 months		

## 69. Confetti machine

Features	Minimum Requirement	Bidders Response Complied (Yes/No)	If “No” Bidders Comments (Please attach the original brochures)
Make and Model			
Country of Origin			
Technical Specification and Minimum Requirements	<ul style="list-style-type: none"> <li>Power: 225-240V, Frequency-50Hz</li> <li><b>Throw Distance:</b> 8m</li> <li><b>Case:</b> included</li> <li><b>Remote and DMX control</b></li> </ul>		
Other Requirements	Warranty period 12 months		

## 70. PDU (Power Distribution Unit)

Features	Minimum Requirement	Bidders Response Complied (Yes/No)	If “No” Bidders Comments (Please attach the original brochures)
Make and Model			
Country of Origin			

Technical Specification and Minimum Requirements	<ul style="list-style-type: none"> <li>• <b>Input Voltage:</b> 230V AC per phase (Three-phase 400V AC total)</li> <li>• <b>Phase:</b> Three-phase (L1, L2, L3, Neutral, Earth)</li> <li>• <b>Output Sockets:</b> 6 – 12 power outlets (PowerCON, IEC C19, or CEE-form connectors)</li> <li>• <b>Load Capacity:</b> 32A per phase (Total 96A)</li> <li>• <b>Protection:</b> <ul style="list-style-type: none"> <li>• Individual <b>MCB (Miniature Circuit Breakers)</b> for each phase</li> <li>• <b>RCD (Residual Current Device)</b> for leakage protection</li> <li>• Built-in <b>surge protection</b></li> <li>• <b>Monitoring:</b> Digital <b>LED or LCD display</b> for real-time voltage, current, and load monitoring</li> <li>• <b>Connectivity:</b> PowerCON, IEC, or direct terminal block input/output</li> <li>• <b>Mounting:</b> <b>19-inch rack-mountable</b> or <b>flight case design</b> for easy transport</li> </ul> </li> </ul>		
Other Requirements	Warranty period 12 months		

## 71. Battery powered LED tube

Features	Minimum Requirement	Bidders Response Complied (Yes/No)	If “No” Bidders Comments (Please attach the original brochures)
Make and Model			
Country of Origin			
Technical Specification and Minimum Requirements	<ul style="list-style-type: none"> <li>• <b>Form factor:</b> 1 m / 4 ft (also 2 ft &amp; 8 ft exist)</li> <li>• <b>Output:</b> ~1,400–5,000 lm (model dependent)</li> <li>• <b>Power draw:</b> ~20–70 W</li> <li>• <b>CCT:</b> 2,700–6,500 K (better: 1,800–10,000 K)</li> </ul>		

	<ul style="list-style-type: none"> <li>• <b>Color:</b> RGBWW/RGBAW with HSI, gels, effects</li> <li>• <b>CRI/TLCI:</b> <math>\geq 95</math> (target <math>\geq 96/96</math>)</li> <li>• <b>Battery:</b> 14.4–14.8 V, 3–10 Ah (typ. 43–148 Wh)</li> <li>• <b>Run time:</b> 1.5–20 h (depends on brightness; ask for LUX@1 m at 5600 K 100%)</li> <li>• <b>Charge time:</b> ~3–5 h</li> <li>• <b>Charging:</b> DC brick or multi-tube charger; Power: 225-240V, Frequency- 50Hz</li> <li>• <b>Control:</b> On-body + <b>wired DMX</b> (via injector) and/or <b>wireless DMX</b> (CRMX/W-DMX), <b>Bluetooth/App</b>, sACN via bridge</li> <li>• <b>DMX profile:</b> 8/16-bit, CCT/HSI/XY, pixel modes (for 1–8 zones on longer tubes)</li> <li>• <b>Conn/Mounting:</b> 1/4-20, magnets, clips; DC barrel or proprietary charge port</li> <li>• <b>IP rating:</b> Indoor IP20; outdoor show spec is <b>IP65</b> (or sleeves/rain covers)</li> <li>• <b>Flicker:</b> “Flicker-free” up to <math>\geq 2,000</math> fps preferred</li> <li>• <input type="checkbox"/> <b>Accessories:</b> Grid, barn doors, mounting clips, safety lanyards</li> </ul>		
Other Requirements	Warranty period 12 months		

## 72. Battery powered LED par

Features	Minimum Requirement	Bidders Response Complied (Yes/No)	If “No” Bidders Comments (Please attach the original brochures)
Make and Model			
Country of Origin			
Technical Specification and Minimum Requirements	<ul style="list-style-type: none"> <li>• <b>LED engine:</b> RGBW or RGBAW+UV (6-in-1 gives better whites/ambers/UV looks)</li> </ul>		

	<ul style="list-style-type: none"> <li>• <b>Output:</b> ~1,000–4,000+ lm (ask for LUX@5 m with beam angle)</li> <li>• <b>Beam:</b> 15–25° fixed; or <b>motorized zoom</b> 10–45° on pro units</li> <li>• <b>Power draw:</b> ~30–150 W</li> <li>• <b>Battery:</b> 14.8 V, 6–16 Ah (≈90–240 Wh typical)</li> <li>• <b>Run time:</b> 4–20 h (program dependent; spec at full white and at typical show levels)</li> <li>• <b>Charging:</b> Flight-case or IEC/powerCON on fixture; <b>AC input</b> Power: 225-240V, Frequency- 50Hz</li> <li>• <b>Control:</b> On-board, <b>wired DMX (3-pin/5-pin)</b>, <b>wireless DMX</b> (CRMX/W-DMX), IR/Bluetooth/App on some</li> <li>• <b>DMX modes:</b> 8/16-bit dim, CCT emulation, HSI, FX/macros; strobe 0–20 Hz</li> <li>• <b>Dimming curve:</b> 16-bit with selectable curves (linear, square, S-curve)</li> <li>• <b>Refresh/PWM:</b> ≥1.2 kHz (prefer 3.6–25 kHz for camera-safe)</li> <li>• <b>IP rating: IP65</b> recommended for outdoor Bhutan gigs</li> <li>• <b>Connectors:</b> powerCON True1 (charging), 3-pin/5-pin XLR for DMX</li> <li>• <b>Physical:</b> Floor plate/omega clamp; ≤8–10 kg for easy battery uplights</li> <li>• <input type="checkbox"/> <b>Safety:</b> Eyelet for safety wire; thermal management &amp; battery BMS</li> </ul>		
Other Requirements	Warranty period 12 months		

## 73. Parcan lamp

Features	Minimum Requirement	Bidders Response Complied (Yes/No)	If “No” Bidders Comments (Please attach

			the original brochures)
Make and Model			
Country of Origin			
Technical Specification and Minimum Requirements	Bulb Type: PAR64 Tungsten Halogen Lamp Code: CP60 / CP61 / CP62 Voltage: 230 V Power: 1000 W Base: GX16d Colour Temp: 3200 K Application: PAR CAN 64		

## 74. Bulb holder

Features	Minimum Requirement	Bidders Response Complied (Yes/No)	If “No” Bidders Comments (Please attach the original brochures)
Make and Model			
Country of Origin			
Technical Specification and Minimum Requirements	Lamp Holder Type: GX16d Ceramic Voltage Rating: 230 V AC, 50 Hz Max Power: 1000 W Lamp Compatibility: PAR64 (CP60/61/62) Material: Ceramic body, brass contacts Cable Rating: Silicone, 200 °C Application: PAR CAN Stage Lighting Fixture		

## 75. Fixture Fan

Features	Minimum Requirement	Bidders Response Complied (Yes/No)	If “No” Bidders Comments (Please attach the original brochures)
Make and Model			
Country of Origin			

Technical Specification and Minimum Requirements	Fan Type: Axial Cooling Fan Voltage: 230 V AC / 12 V DC Frequency: 50 Hz (AC) Power: 10–25 W Size: 80×80×25 mm Airflow: 25–50 CFM Bearing: Ball bearing Application: PAR CAN Stage Fixture		
Other Requirements	Warranty period 12 months		

## 76. Fixture LED

Features	Minimum Requirement	Bidders Response Complied (Yes/No)	If “No” Bidders Comments (Please attach the original brochures)
Make and Model			
Country of Origin			
Technical Specification and Minimum Requirements	LED Type: High-Power COB / SMD Power: 10–600 W Voltage: 12–24 V DC Beam Angle: 10°–60° Color Options: RGB, RGBW, RGBA, White Colour Temp: 3200–6500 K CRI: ≥80 Dimming: DMX / PWM Lifespan: 30,000–50,000 hours Application: LED Stage Fixture (PAR, Profile, Wash)		

## 77. Sound speaker

Features	Minimum Requirement	Bidders Response Complied (Yes/No)	If “No” Bidders Comments (Please attach the original brochures)
Make and Model			
Country of Origin			
Technical Specification and Minimum Requirements	<ul style="list-style-type: none"> <li>• <b>Type:</b> Wireless/Bluetooth enabled, portable PA speakers</li> <li>• <b>Frequency Response:</b> 40 Hz – 18 kHz</li> </ul>		



	<ul style="list-style-type: none"> <li>• <b>Power Output:</b> 300–1000W RMS (depending on venue size)</li> <li>• <b>Inputs:</b> XLR, 1/4" TRS, 3.5mm AUX, Bluetooth</li> <li>• <b>Features:</b></li> <li>• Rechargeable battery (8+ hrs runtime) or AC power</li> <li>• Built-in mixer (2–4 channels)</li> <li>• Optional wireless mic receiver integration</li> <li>• Durable casing with handles &amp; stands</li> <li>• Power: 225-240V, Frequency- 50Hz</li> </ul>		
Other requirement	Warranty period 18 months		

## 78. Laser tape measure

<b>Features</b>	<b>Minimum Requirement</b>	<b>Bidders Response Complied (Yes/No)</b>	<b>If “No” Bidders Comments (Please attach the original brochures)</b>
Make and Model			
Country of Origin			
Technical Specification and Minimum Requirements	<ul style="list-style-type: none"> <li>• <b>Range:</b> 50 meters</li> <li>• <b>Accuracy:</b> ±2mm</li> <li>• <b>Display:</b> Backlit LCD screen</li> <li>• <b>Units:</b> Meters, inches, feet</li> <li>• <b>Power Source:</b> Rechargeable lithium battery</li> <li>• <b>Functions:</b> Single measurement, continuous measurement, area/volume calculation</li> <li>• <b>Casing:</b> Impact-resistant ABS plastic</li> </ul>		
Other Requirements	Warranty period 12 months		

## 79. Ratchet straps

<b>Features</b>	<b>Minimum Requirement</b>	<b>Bidders Response Complied (Yes/No)</b>	<b>If “No” Bidders Comments (Please attach the original brochures)</b>
Make and Model			
Country of Origin			
Technical Specification and Minimum Requirements	<ul style="list-style-type: none"> <li>• <b>Length:</b> 5 meters</li> <li>• <b>Width:</b> 50mm</li> <li>• <b>Material:</b> Heavy-duty polyester webbing</li> <li>• <b>Breaking Strength:</b> 2,500kg</li> <li>• <b>Ratchet Type:</b> Steel with locking mechanism</li> <li>• <b>Hooks:</b> J-hooks, coated for rust resistance</li> </ul>		

## 80. Battery power LED mini panel

<b>Features</b>	<b>Minimum Requirement</b>	<b>Bidders Response Complied (Yes/No)</b>	<b>If “No” Bidders Comments (Please attach the original brochures)</b>
Make and Model			
Country of Origin			
Technical Specification and Minimum Requirements	<ul style="list-style-type: none"> <li>• <b>Power Source:</b> Internal rechargeable lithium-ion battery (7.4V–14.8V depending on model)</li> <li>• <b>Input (Charging):</b> USB-C 5V/2A or DC 9–16V (check model)</li> <li>• <b>Brightness:</b> 800–1500 lux at 0.5m (typical)</li> <li>• <b>Color Temp:</b> 3200K–5600K (bi-color) or RGB full spectrum</li> <li>• <b>CRI/TLCI:</b> <math>\geq 95</math> (for accurate colors)</li> <li>• <b>Output:</b> LED light, no direct data connection – works stand-alone</li> </ul>		
Other Requirements	Warranty period 12 months		

## 81. LED wireless parcan

<b>Features</b>	<b>Minimum Requirement</b>	<b>Bidders Response Complied (Yes/No)</b>	<b>If “No” Bidders Comments (Please attach the original brochures)</b>
Make and Model			
Country of Origin			
Technical Specification and Minimum Requirements	App controllable, IP24 <b>Colour</b> B-1 <b>Shape</b> Rectangular <b>Material</b> Aluminium, Polyvinyl Chloride (PVC) <b>Light source type</b> LED RGBWAUV		
Other Requirements	Warranty period 12 months		

## 82. LED display sign

<b>Features</b>	<b>Minimum Requirement</b>	<b>Bidders Response Complied (Yes/No)</b>	<b>If “No” Bidders Comments (Please attach the original brochures)</b>
Make and Model			
Country of Origin			
Technical Specification and Minimum Requirements	App controllable, Using LAN APP WIFI control, it can be operated on both mobile phones and computers. Scanning the product's built-in APP QR code  <b>Material</b> Metal <b>Mounting type</b> Wall Mount <b>Item weight</b> 3 Kilograms <b>Light type</b> LED <b>Orientation</b> Landscape, Portrait		

	<b>Product dimensions</b> 70L x 20W centimetres		
Other Requirements	Warranty period 12 months		

## 83. CRO

<b>Features</b>	<b>Minimum Requirement</b>	<b>Bidders Response Complied (Yes/No)</b>	<b>If “No” Bidders Comments (Please attach the original brochures)</b>
Make and Model			
Country of Origin			
Technical Specification and Minimum Requirements	<ul style="list-style-type: none"> <li>• <b>Bandwidth:</b> 20MHz - 100MHz</li> <li>• <b>Input Channels:</b> 2 or 4</li> <li>• <b>Voltage Input Range:</b> <math>\pm 10\text{mV}</math> to <math>\pm 50\text{V}</math></li> <li>• <b>Power Supply:</b> 230V AC, 50Hz</li> </ul>		
Other Requirements	Warranty period 12 months		

## 84. DC power kit

<b>Features</b>	<b>Minimum Requirement</b>	<b>Bidders Response Complied (Yes/No)</b>	<b>If “No” Bidders Comments (Please attach the original brochures)</b>
Make and Model			
Country of Origin			
Technical Specification and Minimum Requirements	<ul style="list-style-type: none"> <li>• <b>Voltage Output:</b> 0-30V DC</li> <li>• <b>Current Output:</b> 0-5A</li> <li>• <b>Regulation:</b> Adjustable with digital display</li> </ul>		
Other Requirements	Warranty 12 months		

## 85. Allen key set

<b>Features</b>	<b>Minimum Requirement</b>	<b>Bidders Response Complied</b>	<b>If “No” Bidders Comments (Please attach the original brochures)</b>

		(Yes/No)	
Make and Model			
Country of Origin			
Technical Specification and Minimum Requirements	<ul style="list-style-type: none"> <li>• <b>Type:</b> Hex key set</li> <li>• <b>Sizes:</b> 1.5mm – 10mm</li> <li>• <b>Material:</b> Hardened steel</li> <li>• <b>Finish:</b> Black oxide coating for durability</li> </ul>		

## 86. Multimeter

Features	Minimum Requirement	Bidders Response Complied (Yes/No)	If “No” Comments (Please attach the original brochures)	Bidders (Please attach original)
Make and Model				
Country of Origin				
Technical Specification and Minimum Requirements	<ul style="list-style-type: none"> <li>• <b>Type:</b> Digital Auto-Ranging Multimeter</li> <li>• <b>Display:</b> LCD with backlight</li> <li>• <b>Voltage Measurement:</b> <ul style="list-style-type: none"> <li>• DC Voltage: 0 – 1000V</li> <li>• AC Voltage: 0 – 750V</li> </ul> </li> <li>• <b>Current Measurement:</b> <ul style="list-style-type: none"> <li>• DC Current: 0 – 10A</li> <li>• AC Current: 0 – 10A</li> </ul> </li> <li>• <b>Resistance Measurement:</b> 0Ω – 40MΩ</li> <li>• <b>Capacitance Measurement:</b> 10nF – 100mF</li> <li>• <b>Frequency Measurement:</b> 10Hz – 10MHz</li> <li>• <b>Temperature Measurement:</b> -40°C to 1000°C (with K-type thermocouple)</li> <li>• <b>Continuity Test:</b> Yes, with buzzer</li> <li>• <b>Diode Test:</b> Yes</li> <li>• <b>Safety Rating:</b> CAT III 600V / CAT IV 300V</li> <li>• <b>Power Source:</b> 9V battery or rechargeable lithium battery</li> </ul>			
Other Requirements	Warranty period 12 months			

## 87. Phase sequence meter

<b>Features</b>	<b>Minimum Requirement</b>	<b>Bidders Response Complied (Yes/No)</b>	<b>If “No” Bidders Comments (Please attach the original brochures)</b>
Make and Model			
Country of Origin			
Technical Specification and Minimum Requirements	<ul style="list-style-type: none"> <li>• <b>Type:</b> Digital Phase Sequence Indicator</li> <li>• <b>Voltage Range:</b> 100V – 600V AC</li> <li>• <b>Frequency Range:</b> 45Hz – 65Hz</li> <li>• <b>Display:</b> LED or LCD with phase rotation direction indication</li> <li>• <b>Indicators:</b> <ul style="list-style-type: none"> <li>• <b>Clockwise (Correct Sequence):</b> Green LED</li> <li>• <b>Counterclockwise (Incorrect Sequence):</b> Red LED</li> </ul> </li> <li>• <b>Probes:</b> Three color-coded test leads with insulated alligator clips</li> <li>• <b>Power Source:</b> Self-powered (operates from measured voltage)</li> </ul>		
Other Requirements	Warranty period 18 months		

## 88 AC function generator

<b>Features</b>	<b>Minimum Requirement</b>	<b>Bidders Response Complied (Yes/No)</b>	<b>If “No” Bidders Comments (Please attach the original brochures)</b>
Make and Model			
Country of Origin			

Technical Specification and Minimum Requirements	<ul style="list-style-type: none"> <li>● <b>Frequency Range:</b> 1Hz – 1MHz</li> <li>● <b>Waveforms:</b> Sine, Square, Triangle, Sawtooth</li> <li>● <b>Output Voltage:</b> 0 – 10V RMS</li> <li>● <b>Output Impedance:</b> 50Ω</li> <li>● <b>Frequency Accuracy:</b> ±0.1%</li> <li>● <b>Modulation:</b> AM/FM</li> <li>● <b>Power Source:</b> 230V AC</li> <li>● <b>Display:</b> Digital LCD</li> </ul>		
Other Requirements	Warranty period 18 months		

## 89. DC function generator

Features	Minimum Requirement	Bidders Response Complied (Yes/No)	If “No” Bidders Comments (Please attach the original brochures)
Make and Model			
Country of Origin			
Technical Specification and Minimum Requirements	<ul style="list-style-type: none"> <li>● <b>Frequency Range:</b> 0.1Hz – 1MHz</li> <li>● <b>Waveforms:</b> DC, Pulse, Square, Triangle, Sine</li> <li>● <b>Output Voltage:</b> 0 – 10V DC</li> <li>● <b>Output Impedance:</b> 50Ω</li> <li>● <b>Duty Cycle:</b> 1% – 99% adjustable</li> <li>● <b>Power Source:</b> 12V DC Adapter or Battery Operated</li> <li>● <b>Display:</b> Digital LCD</li> </ul>		
Other Requirements	Warranty period 18 months		

## 90. Laptop

Features	Minimum Requirement	Bidders Response Complied (Yes/No)	If “No” Bidders Comments (Please attach the original brochures)
Make and Model			
Country of Origin			
Technical Specification and Minimum Requirements	Processor (CPU) <ul style="list-style-type: none"> <li>● <b>Intel:</b> Core i9-13900H / i9-13980HX (13th Gen) or newer</li> </ul>		

	<ul style="list-style-type: none"> <li>● <b>AMD:</b> Ryzen 9 7945HX / 7845HX</li> <li>Graphics Card (GPU) <ul style="list-style-type: none"> <li>● <b>NVIDIA RTX 3080 Ti / RTX A5000 (Minimum for 3D Rendering)</b></li> <li>● <b>Minimum VRAM:</b> 8GB GDDR6 (Recommended 16GB)</li> </ul> </li> <li>Memory) <ul style="list-style-type: none"> <li>● 64GB DDR5</li> <li>● <b>Upgradable Slots:</b> Yes</li> </ul> </li> <li>(SSD - Solid State Drive) <ul style="list-style-type: none"> <li>● <b>Primary Drive:</b> 1TB NVMe PCIe 4.0 SSD</li> <li>● <b>Secondary Drive (Optional):</b> 2TB NVMe PCIe 4.0 SSD (</li> </ul> </li> <li> <ul style="list-style-type: none"> <li>● <b>Screen Size:</b> 17-inch / 16-inch</li> <li>● <b>Resolution:</b> 4K UHD (3840 x 2160) or 2560 x 1600 (QHD)</li> <li>● <b>Refresh Rate:</b> 120Hz or higher (</li> <li>● <b>Panel Type:</b> IPS or Mini-LED</li> </ul> </li> <li>Connectivity <ul style="list-style-type: none"> <li>● USB-C / Thunderbolt 4 (x2 or more) – For external storage &amp; peripherals</li> <li>● USB-A 3.2 (x2 or more) – For standard devices</li> <li>● HDMI 2.1 / DisplayPort – For external monitors</li> <li>● Ethernet (RJ-45) – For stable network connection in live setups</li> <li>● SD Card Reader – For importing project files</li> </ul> </li> <li>Life <ul style="list-style-type: none"> <li>● 8-12 Hours (Varies with workload)</li> <li>● Laptop should support 230W - 330W power adapter for high GPU performance</li> </ul> </li> <li>Cooling System <ul style="list-style-type: none"> <li>● Dual-fan cooling with vapor chamber for thermal efficiency</li> </ul> </li> </ul> <p>Advanced heat dissipation required for heavy rendering</p>		
Other Requirements	Warranty period 18 months		



## 91. USB to DMX converter

<b>Features</b>	<b>Minimum Requirement</b>	<b>Bidders Response Complied (Yes/No)</b>	<b>If “No” Bidders Comments (Please attach the original brochures)</b>
Make and Model			
Country of Origin			
Technical Specification and Minimum Requirements	Interface: <ul style="list-style-type: none"> <li>• <b>Connector:</b> USB</li> <li>• <b>USB Version:</b> USB 2.0</li> </ul> X Output: <ul style="list-style-type: none"> <li>• <b>Connector:</b> XLR 3-pin</li> <li>• <b>Protocol:</b> DMX512</li> <li>• <b>DMX Universe:</b> 1 (512 channels) per device</li> </ul> Electrical & Safety Features: <ul style="list-style-type: none"> <li>• <b>Signal Voltage:</b> Standard DMX512</li> </ul> Software Compatibility: <ul style="list-style-type: none"> <li>• <b>Operating Systems:</b> Windows, macOS, Linux</li> <li>• <b>Communication Protocol:</b> Often uses FTDI or HID drivers</li> </ul>		
Other Requirements	Warranty period 12 months		

## 92. Flight cases

<b>Features</b>	<b>Minimum Requirement</b>	<b>Complied</b>	<b>Bidder's specifications</b>
		<b>(Yes/No)</b>	<b>(Please attach the original brochures)</b>
Make and Model			
Country of Origin			
Technical Specification and Minimum Requirements	<ul style="list-style-type: none"> <li>• <b>Construction:</b> Laminated plywood + aluminium</li> <li>• <b>Voltage:</b> Not applicable (transport only)</li> <li>• <b>Features:</b> Foam lining, lockable, heavy-duty casters</li> <li>• <b>Sizes:</b> Mixed</li> </ul>		

Other requirement	Warranty period 12 months		
-------------------	---------------------------	--	--

## 93. DMX splitter

Features	Minimum Requirement	Bidders Response Complied (Yes/No)	If “No” Bidders Comments (Please attach the original brochures)
Make and Model			
Country of Origin			
Technical Specification and Minimum Requirements	<ul style="list-style-type: none"> <li>1 DMX input → <b>4 isolated DMX outputs + 1 DMX Thru</b></li> <li>Supports <b>3-pin &amp; 5-pin XLR</b></li> <li><b>Optically isolated</b></li> <li><b>Rack-mountable (1U, 19”)</b></li> <li>Auto-ranging <b>240V</b></li> <li>Power draw: <b>around 3–5W</b></li> <li>Size: <b>483 × 134 × 46 mm</b></li> <li>Weight: <b>approx. 2.6 kg</b></li> <li>DMX-512 protocol compatible</li> </ul>		
Other Requirements	Warranty period 12 months		

## 94. Computer

Features	Minimum Requirement	Bidders Response Complied (Yes/No)	If “No” Bidders Comments (Please attach the original brochures)
Make and Model			
Country of Origin			
Technical Specification and Minimum Requirements	<ul style="list-style-type: none"> <li><b>Operating System:</b> Windows 10 / 11 Pro 64-bit</li> <li><b>Processor (CPU):</b> Intel Core i9 12th Gen or newer</li> <li><b>RAM (Memory):</b> 32GB / 64GB+</li> <li><b>Storage:</b> 2TB SSD <b>Minimum</b> 1TB SSD + 1TB HDD</li> <li><b>Graphics Card (GPU):</b> NVIDIA GeForce RTX 3070 / RTX 4060 / NVIDIA GeForce RTX 4080 / Quadro RTX /</li> </ul>		

	AMD Radeon RX 6700 XT / Radeon Pro W6800 <ul style="list-style-type: none"> <li>● <b>Display &amp; Resolution:</b>  <b>Minimum:</b> 15.6" Full HD            (1920x1080) <b>Recommended</b>            17" 4K UHD 3840x2160 /            Multiple external monitors /            120Hz+ refresh rate</li> <li>● <b>Ports &amp; Connectivity:</b> USB: 2x            USB-A, 1x USB-C / Video            Output: HDMI, DisplayPort /            Networking: Ethernet, Wi-Fi 6            or newer, Bluetooth 5.0+</li> <li>● <b>Other Features:</b> Backlit            keyboard / High-performance            cooling system / Fingerprint            reader, TPM 2.0</li> <li>● Power: 225-240V, Frequency-            50Hz</li> </ul>		
Other Requirements	Warranty period 12 months		

## 95.Truss cover

Features	Minimum Requirement	Complied	Bidder's specifications
		(Yes/No)	(Please attach the original brochures)
Make and Model			
Country of Origin			
Technical Specification and Minimum Requirements	<ul style="list-style-type: none"> <li>● <b>Material:</b> Stretch lycra</li> <li>● <b>Colors:</b> Black</li> <li>● <b>Fire Retardant:</b> Yes</li> <li>● <b>Fit:</b> For 290x290mm truss</li> <li>● <b>Voltage:</b> N/A</li> </ul>		

## 96. Large monitor

Features	Minimum Requirement	Bidders Response Complied (Yes/No)	If "No" Bidders Comments (Please attach the original brochures)
Make and Model			
Country of Origin			

Technical Specification and Minimum Requirements	<ul style="list-style-type: none"> <li>• Power: 225-240V, Frequency- 50Hz</li> <li>• Size: 40–55”</li> <li>• Inputs: HDMI / SDI</li> <li>• Resolution: 4K UHD HDR</li> <li>• Mounting: VESA-compatible, case protected</li> </ul>		
Other requirement	Warranty period 12 months		

## 97. Projector

Features	Minimum Requirement	Bidders Response Complied (Yes/No)	If “No” Comments attach the brochures)	Bidders (Please original)
Make and Model				
Country of Origin				

Technical Specification and Minimum Requirements	<ul style="list-style-type: none"> <li>• <b>Projection Technology:</b> 3LCD or DLP</li> <li>• <b>Resolution:</b> Full HD (1920 x 1080) or 4K UHD (3840 x 2160)</li> <li>• <b>Brightness:</b> 5000 – 8000 lumens</li> <li>• <b>Contrast Ratio:</b> 10,000:1 or higher</li> <li>• <b>Throw Ratio:</b> 1.3 – 2.5 (adjustable zoom lens)</li> <li>• <b>Keystone Correction:</b> Vertical and horizontal adjustment <math>\pm 30^\circ</math></li> <li>• <b>Lens Shift:</b> Manual or motorized for precise image alignment</li> <li>• <b>Connectivity:</b> HDMI, DisplayPort, USB, VGA, RJ45 (LAN), and wireless options</li> <li>• <b>Lamp Life:</b> 15,000 – 20,000 hours (laser or LED light source)</li> <li>• <b>Aspect Ratio:</b> 16:9 (supports 4:3 and 21:9)</li> <li>• <b>Speakers:</b> Built-in 10W – 20W stereo speakers</li> <li>• <b>Cooling System:</b> Advanced fan cooling with noise reduction</li> <li>• <b>Power Supply:</b> 230V AC</li> <li>• <b>Screen:</b> white screen included size- 3m*2m</li> </ul>		
Other Requirements	Warranty period 12 months		

## 98. Equipment rack cabinet

Features	Minimum Requirement	Complied	Bidder's specifications
		(Yes/No)	(Please attach the original brochures)
Make and Model			
Country of Origin			
Technical Specification and Minimum Requirements	-Dimension: 65 x 65 x 150 cm -Material: Alloy Steel -Sturdy Welded - Frame Structure -External Depth: 24-inch / 21-Inch -Usable Depth; -External Width - 23.5-Inch		

	-Static Weight capacity: Up to 200 Lbs. -Ventilation: Active – cooling network rack fan, Passive – air flow circulation due Perforation -Color: Black -Coating: Powder paint with degreasing and anti-corrosive phosphate		
Other requirement	Warranty period 12 months		

## 99. Center Stage Complete Drumkit

Features	Minimum Requirement	Complied	Bidder's specifications
		(Yes/No)	(Please attach the original brochures)
Make and Model			
Country of Origin			
Technical Specification and Minimum Requirements	<b>Contents:</b> Kick Drum Pedal, Hi-Hat Stand, Cymbal Snare Throne, 13" Hi-Hats, and 15" Crash/Ride. Drums: 7x10, 8x12, 14x16 Floor, 16x22 Kick, 5x14 Snare. <b>Item size:</b> 30 x 25 x 24 inches		
Other requirement	Warranty period 18 months		

## 100. Digital Piano 88 Key Full Size Weighted Keyboard

Features	Minimum Requirement	Complied	Bidder's specifications
		(Yes/No)	(Please attach the original brochures)
Make and Model			
Country of Origin			
Technical Specification and Minimum Requirements	<b>Power sources:</b> Power Adapter: 12V/DC, 3A, 50/60Hz <b>Features:</b> 3-Pedal Unit <b>Specifications:</b>		

	52’’*11.2’’*29.9’’  <b>Contents:</b> - DEP-20 Digital Piano X 1 - Piano Stand X 1 - 3-Pedal Unit X 1 - Power Adapter X 1		
Other requirement	Warranty period 12 months		

## 101. Bass Guitar

Features	Minimum Requirement	Complied	Bidder’s specifications
		(Yes/No)	(Please attach the original brochures)
Make and Model			
Country of Origin			
Technical Specification and Minimum Requirements	<b>Features:</b> 4 string  <b>Specifications:</b> 10.25x27x50.5 inches  <b>Contents:</b> One Squier Affinity Series Precision bass guitar, a padded gig bag, Rumble 15 bass amp, a 10-inch cable, a guitar strap and a free 3-month subscription to Fender Play		
Other requirement	Warranty period 18 months		

## 102. Acoustic Guitar

Features	Minimum Requirement	Complied	Bidder’s specifications
		(Yes/No)	(Please attach the original brochures)
Make and Model			
Country of Origin			
Technical Specification and Minimum Requirements	<b>Features:</b> 6 String  <b>Specifications:</b> 40.51 x 16.22 x 4.65 inches  Right hand orientation		
Other requirement	Warranty period 12 months		

## 103. Electric Guitar

Features	Minimum Requirement	Complied	Bidder's specifications
		(Yes/No)	(Please attach the original brochures)
Make and Model			
Country of Origin			
Technical Specification and Minimum Requirements	<b>Features:</b> 6 String <b>Contents:</b> - Electric guitar kit w/ amp comes with (1) guitar cable, (1) Allan key, (1) tremolo rod, (1) gig bag, (6) spare electric guitar strings, (1) guitar strap,& (3) 0.96mm celluloid picks for precision - INCLUDED 10W AMPLIFIER: <b>Specifications:</b> 36.5 x 12.6 x 2.8 inches Size: Standard		
Other requirement	Warranty period 12 months		

## 104. Wireless in-Ear Monitor System

Features	Minimum Requirement	Complied	Bidder's specifications
		(Yes/No)	(Please attach the original brochures)
Make and Model			
Country of Origin			
Technical Specification and Minimum Requirements	<b>Power:</b> Lithium Ion battery- 5V <b>Contents:</b> U4 system, 1/4 TS adapter, Charging cable, User manual <b>size:</b> U4		
Other requirement	Warranty period: 18 months		

## 105. Wired Earbuds

Features	Minimum Requirement	Complied	Bidder's specifications
		(Yes/No)	(Please attach the original brochures)



Make and Model			
Country of Origin			
Technical Specification and Minimum Requirements	<b>Connector type:</b> 3.5 mm Jack <b>Contents:</b> Includes a free two-year warranty, SE215 PRO Detachable Sound Isolating Earphones, 3.5mm cable, fit kit with a variety of sleeves for the perfect fit, 1/4" adapter, and a carrying case. <b>Specification:</b> Blocks up to 37 dB of noise Impedance of 10 Ohm		
Other requirement	Warranty period 12 months		

## 106. Analog Mixer

Features	Minimum Requirement	Complied	Bidder's specifications
		(Yes/No)	(Please attach the original brochures)
Make and Model			
Country of Origin			
Technical Specification and Minimum Requirements	<b>Power:</b> Corded Electric - 225-230v AC <b>Contents:</b> SM58 cardioid dynamic vocal microphone, A25D swivel stand adapter and storage bag <b>Numbers of channels:</b> 10		
Other requirement	Warranty period: 18 months		

## 107. Condenser Microphone

Features	Minimum Requirement	Complied	Bidder's specifications
		(Yes/No)	(Please attach the original brochures)
Make and Model			
Country of Origin			
Technical Specification and Minimum Requirements	<b>Connector type:</b> XLR <b>Contents:</b> MPM-1000, XLR cable, tripod with shock mount and wind shield Frequency range:20 hz - 20 khz Noise level: 77 dB Audio sensitivity : 38 dB		
Other requirement	Warranty period: 18 months		

## 108. Acoustic Panels

Features	Minimum Requirement	Complied	Bidder's specifications
		(Yes/No)	(Please attach the original brochures)
Make and Model			
Country of Origin			
Technical Specification and Minimum Requirements	<b>Colour:</b> Black <b>Contents:</b> 12 piece of hexagon acoustic panels <b>Item size:</b> 12X10.23X0.4 Inch <b>Feature:</b> Self Adhesive		
Other requirement	Warranty period 18 months		

## 109. Front Speaker

Features	Minimum Requirement	Complied	Bidder's specifications
		(Yes/No)	(Please attach the original brochures)
Make and Model			
Country of Origin			
Technical Specification and Minimum Requirements	Frequency range: 30 Hz - 20 kHz Impedance: 4Ω Power; 600W		
Other requirement	Warranty period 18 months		

## 110. Loud Speaker

Features	Minimum Requirement	Complied	Bidder's specifications
		(Yes/No)	(Please attach the original brochures)
Make and Model			
Country of Origin			
Technical Specification and Minimum Requirements	<b>Features:</b> <b>Transducer:</b> (x8) 2.75 in (69.8 mm) weather treated paper cone woofer		

	<p><b>Effective Frequency Range:</b> 90 Hz - 17 kHz</p> <p><b>Rated Noise Power / Voltage:</b> 120 watts / 31 volts (rms)</p> <p><b>Sensitivity [dB]:</b> Rated @1W, 1m 2, 3, 4, 8 : 87, EN54-24 @1W, 4m 9 : TBD</p> <p><b>Coverage (-6 dB) [°] Horizontal x Vertical:</b> 160 x 20, 500Hz: 180 x 90, 1kHz: 180 x 35, 2kHz: 160 x 22, 4kHz: 180 x 20</p> <p><b>Declared values of SPL, 1/3rd octave band CPB, 1W, 4m, EN54-24 eq applied [Hz : dB]:</b> 500: TBD; 630: TBD; 800: TBD; 1000: TBD, 1250: TBD; 1600: TBD; 2000: TBD; 2500: TBD, 3150: TBD; 4000: TBD</p> <p><b>Directivity Factor:</b> TBD</p> <p><b>Directivity Index [dB]:</b> 12</p> <p><b>Maximum SPL [dB]:</b> Rated, 1m (continuous / peak): 108 / 114, EN54-24, 4m (low-Z / Highest-tap) 9 : TBD / TBD</p> <p><b>Recommended Amplifier:</b> 120 watts</p> <p><b>Transformer Taps / Impedance</b></p> <p>Bypass 8Ω</p> <p>7.5W (70V); 15W (100V) Tap: 666Ω</p> <p>15W (70V); 30W (100V) Tap: 333Ω</p> <p>30W (70V); 60W (100V) Tap: 167Ω</p> <p>60W (70V); N/A (100V) Tap: 83Ω</p> <p><b>Input Connector Type:</b> Euroblock connector with parallel output</p> <p><b>Enclosure Material:</b> Powder coated aluminum</p>		
--	---	--	--

	<b>Grille Material:</b> Powder coated aluminum  <b>Ingress Protection:</b> IP-54  <b>Operating Environment:</b> Designed for indoor or outdoor use  <b>Operating Temperature Range:</b> -4 to 122° F (-20 to 50° C)  <b>Net Weight:</b> 13.7 lb (6.2 kg)  <b>Product Dimensions (H x W x D):</b> 23.4 x 5.2 x 5-inch (595 x 131 x 126 mm)  <b>Shipping Weight:</b> 19.4 lb (8.8 kg)  <b>Shipping Dimensions (H x W x D):</b> 12.3 x 9.9 x 32.4-inch (312 x 251 x 823 mm)		
Other requirement	Warranty period 12 months		

## 111. Midi Keyboard

Features	Minimum Requirement	Complied	Bidder's specifications
		(Yes/No)	(Please attach the original brochures)
Make and Model			
Country of Origin			
Technical Specification and Minimum Requirements	<b>Connector type:</b> USB <b>Contents:</b> User Manual, MPK Mini MK3, Software Download Card, Safety and Warranty Manual, USB Cable <b>Item size:</b> MPK Mini		
Other requirement	Warranty period 12 months		

## 112. All-in-one Powered Portable Bluetooth Speaker Wireless PA System

Features	Minimum Requirement	Complied	Bidder's specifications
		(Yes/No)	(Please attach the original brochures)
Make and Model			
Country of Origin			
Technical Specification	<b>Connector type:</b>		

and Minimum Requirements	XLR input and XLR line out  <b>Power:</b> 100-240v AC and 50-60Hz  Battery Powered (inbuilt) <b>Item size:</b> S1 Pro+ Other: Integrated 3-channel mixer features two channels for microphones and instruments and one dedicated to music playback		
Other requirement	Warranty period 12 months		

## 113. Wireless microphone system kit

Features	Minimum Requirement	Complied	Bidder's specifications
		(Yes/No)	(Please attach the original brochures)
Make and Model			
Country of Origin			
Technical Specification and Minimum Requirements	<b>Power:</b> 225-240v AC <b>Contents:</b> HDMI Cable DisplayPort Cable Power Cable <b>Specifications:</b> Display size: 34 inches Display tech: LCD Screen resolution: 3440x1440		
Other requirement	Warranty period 12 months		

## 114. Digital audio mixing console

Features	Minimum Requirement	Complied	Bidder's specifications
		(Yes/No)	(Please attach the original brochures)
Make and Model			
Country of Origin			
Technical Specification and Minimum Requirements	<ul style="list-style-type: none"> <li><b>Input Channels:</b> 32 XLR mic/line inputs (fully programmable)</li> <li><b>Mix Buses:</b> 16 mix buses, 6 matrix buses with inserts</li> </ul>		

	<ul style="list-style-type: none"> <li>• <b>Outputs:</b> 16 XLR outputs, 6 AUX inputs (6.3 mm jack), 6 AUX outputs (6.3 mm jack), AES/EBU stereo digital output</li> <li>• <b>FX Returns:</b> 8 stereo FX returns</li> <li>• <b>DCA Groups:</b> 8 DCA groups</li> <li>• <b>Mute Groups:</b> 6 mute groups</li> <li>• <b>Faders:</b> 25 motorized 100 mm faders</li> <li>• <b>Display:</b> 7" TFT color display (800 x 480), channel LCDs with RGB color backlight</li> <li>• <b>USB Audio Interface:</b> 32 inputs and 32 outputs</li> <li>• <b>Power Supply:</b> 100V–240V (50/60Hz), auto-sensing</li> <li>• <b>Dimensions:</b> 900 mm (W) x 528 mm (D) x 200 mm (H)</li> <li>• <b>Weight:</b> 20.6 kg (45.4 lbs)</li> <li>• <b>Phantom Power:</b> +48V switchable per channel</li> </ul>		
Other requirement	Warranty period 12 months		

## 115. Equipment rack cabinet

Features	Minimum Requirement	Complied	Bidder's specifications
		(Yes/No)	(Please attach the original brochures)
Make and Model			
Country of Origin			
Technical Specification and Minimum Requirements	-Dimension: 65 x 65 x 150 cm -Material: Alloy Steel -Sturdy Welded -Frame Structure -External Depth: 24-inch / 21-Inch -Usable Depth; -External Width - 23.5-Inch -Static Weight capacity: Up to 200 Lbs. -Ventilation: Active – cooling network rack fan, Passive – air flow circulation due Perforation -Color: Black		

	-Coating: Powder paint with degreasing and anti-corrosive phosphate		
Other requirement	Warranty period 12 months		

## 116. Reflectors

Features	Minimum Requirement	Complied	Bidder's specifications
		(Yes/No)	(Please attach the original brochures)
Make and Model			
Country of Origin			
Technical Specification and Minimum Requirements	<input type="checkbox"/> Reflective <b>Efficiency:</b> 70–90% (Silver highest, White lowest) <input type="checkbox"/> Surface <b>Finish:</b> <ul style="list-style-type: none"> <li>• Specular (silver)</li> </ul> <input type="checkbox"/> Material <b>Composition:</b> <ul style="list-style-type: none"> <li>• Mylar / laminated reflective fabric</li> </ul> <input type="checkbox"/> Size <b>Range:</b> 300 mm – 1800 mm (diameter) <input type="checkbox"/> Shape <b>Tolerance:</b> Circular / oval / rectangular ( $\pm 5$ mm) <input type="checkbox"/> Beam <b>Spread (Reflected):</b> Approx. 60°–120° (surface dependent) <input type="checkbox"/> Mounting <b>Interface:</b> <ul style="list-style-type: none"> <li>• Handheld grip</li> </ul> <input type="checkbox"/> Weight: 0.5 – 2.0 kg <input type="checkbox"/> Portability: Foldable (spring steel frame), carry pouch included <input type="checkbox"/> Operating <b>Environment:</b> Indoor / outdoor, non-electrical <input type="checkbox"/> Durability: Tear-resistant fabric, wrinkle tolerance $\leq 5\%$ <input type="checkbox"/> <b>Safety:</b> No heat generation; safe for continuous light sources		
Other requirement	Warranty period 6 months		

## 117. Portable LED lights

Features	Minimum Requirement	Complied	Bidder's specifications
		(Yes/No)	(Please attach the original brochures)
Make and Model			
Country of Origin			
Technical Specification and Minimum	Battery Life: 1.5 Hours Connectivity Technology: USB Flash Modes Description: Adjustable brightness, adjustable		

Requirements	color temperature, and special effects scenes (CCT, RGB, HSI, SCENE) Adjustable brightness, adjustable color temperature, and special effects scenes (CCT, RGB, HSI, SCENE) Hardware Interface: USB Type C		
Other requirement	Warranty period 12 <b>months</b>		

## 118. Portable Audio Recorder

Features	Minimum Requirement	Complied	Bidder's specifications
		(Yes/No)	(Please attach the original brochures)
Make and Model			
Country of Origin			
Technical Specification and Minimum Requirements	Compatible Devices: Personal Computer Hardware Interface: SDHC, Secure Digital Card Microphone Form Factor: Built-In Format: WAV Headphones Jack: 3.5 millimeters Number of Batteries: 4 AA batteries required. (included) Memory Storage Capacity: 64 GB Item Weight: 1.2 Pounds Screen Size: 1.5 Capture: SD card, SDHC or SDXC media – with cards up to 128GB supported		
Other requirement	Warranty period 12 <b>months</b>		

## 119. Shotgun Mic

Features	Minimum Requirement	Complied	Bidder's specifications
		(Yes/No)	(Please attach the original brochures)
Make and Model			
Country of Origin			
Technical Specification and Minimum Requirements	Connectivity Technology: XLR Connector Type: 3.5 mm Jack, XLR Special Feature: Stand Compatible Devices: Radio, Amplifier, Speaker, Camera Color: Black Included Components: battery		



	Polar Pattern: Super Cardioid		
Other requirement	Warranty period 12 <b>months</b>		

## 120. Boom Pole

Features	Minimum Requirement	Complied	Bidder's specifications
		(Yes/No)	(Please attach the original brochures)
Make and Model			
Country of Origin			
Technical Specification and Minimum Requirements	Color: Black Material: Aluminum Item Weight: 1.16 Kilograms Style: 9.8-foot		
Other requirement	Warranty period 12 <b>months</b>		

## 121. Windjammer

Features	Minimum Requirement	Complied	Bidder's specifications
		(Yes/No)	(Please attach the original brochures)
Make and Model			
Country of Origin			
Technical Specification and Minimum Requirements	Connectivity Technology: XLR Connector Type: XLR Special Feature: XLR Compatible Devices: Camera Color: Black Polar Pattern: Unidirectional Audio Sensitivity: 40 dB		

## 122. XLR Cable

Features	Minimum Requirement	Complied	Bidder's specifications
		(Yes/No)	(Please attach the original brochures)
Make and Model			
Country of Origin			
Technical Specification and Minimum Requirements	Connector Type: xlr female, XLR Cable Type: XLR Compatible Devices: microphone cable Special Feature: Weatherproof Length: 30ft long		
Other requirement	Warranty period 12 <b>months</b>		

## 123. Camera lenses (RF mount set)

Features	Minimum Requirement	Complied	Bidder's specifications
		(Yes/No)	(Please attach the original brochures)
Make and Model			
Country of Origin			
Technical Specification and Minimum Requirements	<b>RF 8mm</b> <ul style="list-style-type: none"> <li>Type: Ultra-wide / fisheye lens</li> <li>Aperture: f/2.8 or wider</li> </ul> Use: Extreme wide shots, creative cinematography, landscape		

## 124. Camera lenses (RF mount set)

Features	Minimum Requirement	Complied	Bidder's specifications
		(Yes/No)	(Please attach the original brochures)
Make and Model			
Country of Origin			
Technical Specification and Minimum Requirements	<b>RF 18mm</b> <ul style="list-style-type: none"> <li>Type: Ultra-wide prime lens</li> <li>Aperture: f/1.8 – f/2.8</li> </ul> Use: Wide establishing shots, interiors, architecture		

## 125. Camera lenses (RF mount set)

Features	Minimum Requirement	Complied	Bidder's specifications
		(Yes/No)	(Please attach the original brochures)
Make and Model			
Country of Origin			

Technical Specification and Minimum Requirements	<ul style="list-style-type: none"> <li>• <b>RF 24mm</b></li> <li>• Type: Wide-angle prime lens</li> <li>• Aperture: f/1.4 – f/2.8</li> <li>• Use: Environmental shots, interviews, handheld run-and-gun</li> <li>• <b>RF 105mm Macro</b></li> <li>• Telephoto/macro option for close-ups, detail shots, product filming</li> </ul>		
--	--	--	--

## 126. Camera lenses (RF mount set)

Features	Minimum Requirement	Complied	Bidder's specifications
		(Yes/No)	(Please attach the original brochures)
Make and Model			
Country of Origin			
Technical Specification and Minimum Requirements	<ul style="list-style-type: none"> <li>• <b>RF 35mm</b></li> <li>• Type: Standard prime lens</li> <li>• Aperture: f/1.4 – f/2.0</li> <li>• Use: Portraits, cinematic storytelling shots</li> <li>• <b>Paired Lens: RF 70mm</b></li> <li>• Mid-telephoto for portrait and medium-close-up framing</li> </ul>		

## 127. Camera lenses (RF mount set)

Features	Minimum Requirement	Complied	Bidder's specifications
		(Yes/No)	(Please attach the original brochures)
Make and Model			
Country of Origin			
Technical Specification and Minimum Requirements	<ul style="list-style-type: none"> <li>• <b>RF 50mm</b></li> <li>Type: Standard/portrait prime lens</li> <li>Aperture: f/1.2 – f/1.8</li> </ul>		

	Use: Classic cinematic look, natural perspective		
--	--	--	--

## 128. Clip on mic

Features	Minimum Requirement	Complied	Bidder's specifications
		(Yes/No)	(Please attach the original brochures)
Make and Model			
Country of Origin			
Technical Specification and Minimum Requirements	Polar Pattern: Omnidirectional <ul style="list-style-type: none"> <li>Frequency Range: 20 Hz – 20 kHz</li> <li>Connection: XLR or 3.5mm TRS (depending on camera/recorder)</li> </ul> Use: Dialogue/interviews		
Other requirement	Warranty period 12 months		

## 129. Camera cleaning kit

Features	Minimum Requirement	Complied	Bidder's specifications
		(Yes/No)	(Please attach the original brochures)
Make and Model			
Country of Origin			
Technical Specification and Minimum Requirements	<ul style="list-style-type: none"> <li>Air Blower</li> <li>Lens Cleaning Pen (brush + carbon tip)</li> <li>Microfiber Cloths</li> <li>Lens Cleaning Solution (alcohol-free)</li> <li>Sensor Swabs</li> </ul>		

## 130. PC cleaning kit

Features	Minimum Requirement	Complied	Bidder's specifications
		(Yes/No)	(Please attach the original brochures)
Make and Model			
Country of Origin			

Technical Specification and Minimum Requirements	<ul style="list-style-type: none"> <li>• Compressed Air / Mini Vacuum</li> <li>• Anti-static Brush</li> <li>• Microfiber Cloth</li> <li>• Isopropyl Alcohol (99%)</li> <li>• Keyboard Cleaning Gel</li> </ul>		
--	---	--	--

## 131. Heavy duty extension cord

Features	Minimum Requirement	Complied	Bidder's specifications
		(Yes/No)	(Please attach the original brochures)
Make and Model			
Country of Origin			
Technical Specification and Minimum Requirements	<ul style="list-style-type: none"> <li>• Length: 10–20m, surge-protected, industrial build</li> <li>• Rating: 16A, 250V minimum</li> </ul>		
Other requirement	Warranty period <b>12 months</b>		

## 132. Lenses Adaptor (RF Camera body to EF/EF-S lens)

Features	Minimum Requirement	Complied	Bidder's specifications
		(Yes/No)	(Please attach the original brochures)
Make and Model			
Country of Origin			
Technical Specification and Minimum Requirements	Material: Aluminum Photo Filter Thread Size: 1 Millimeters Coating Description: Antireflection Coating Photo Filter Effect Type: Enhancing Water Resistance Level: Not Water Resistant Product Dimensions: 3.15"L x 3.15"W		
Other requirement	Warranty period 12 months		

**Important Note:**

- The bidders are requested to submit the brochures/catalogues containing technical specifications and model numbers of the items. Any item without catalogues with the technical specification and model number of the item would form enough basis for rejection of the item.

#### 4. Drawings