

Section 6: Schedule of Supply

Contents

1. List of Goods and Related Services.....	6-2
2. Delivery and Completion Schedule	6-6
3. Technical Specifications.....	6-6
4. Drawings.....	6-12

1. List of (Equipment) Goods and Related Services

Package G-15(a)			
G-15(a)Procurement of Equipment for TVET Premier Schools and Vocational Clubs			
Sl.No	Items	Unit	Qty
1	Sash clamp	Nos.	8
2	Measuring tape	Nos.	30
3	Honing Guide	Nos.	20
4	Jack plane	Nos.	8
5	Steering wheel	Nos.	2
6	Heavy Duty workbench with drawer	Nos.	1
7	Water dispenser	Nos.	14
8	Multi function Printer	Nos.	7
9	Welding machine single phase	Nos.	6
10	Bench wise	Nos.	10
11	Heavy Duty Table with wheel	Nos.	10
12	Students chair	Nos.	20
13	Router WIFI,	Nos.	2
14	File cabinet	Nos.	2
15	Angle grinder	Nos.	7
16	Cordless drill machine set	Nos.	6
17	Stone hammer	Nos.	15
18	Shovel	Nos.	10
19	Cordless portable circular saw	Nos.	4
20	Cordless hand planer machine	Nos.	4
21	Cordless orbital sander	Nos.	2
22	Palm router machine	Nos.	2
23	Extension Cable Drum	Nos.	5
24	Woodworking Bench Vise	Nos.	5
25	Glass cutter	Nos.	5
26	Fiber Optic SC/UPC	Nos.	2
27	Visual Fault Locator Fiber	Nos.	2
28	SFP Transceiver	Nos.	10
29	Single Mode Dual Fiber LC SFP	Nos.	10
30	Cable Stripper	Nos.	15
31	Fiber Optic drop cable stripper	Nos.	4
32	Plastic Stackable Storage Box	Nos.	2
33	Plastic Storage Container	Nos.	4
34	Plastic Storage Container	Nos.	4
35	Bio-hazard box	Nos.	5
36	USB to RJ45 Console cable	Nos.	5
37	Angle Rack	Nos.	2
38	Computer Work station Table	Nos.	15

39	Mouse	Nos.	15
40	Keyboard	Nos.	15
41	Bus bar heavy duty	Nos.	3
42	CCTV Camera	Nos.	6
43	CCTV Camera	Nos.	6
44	CCTV Camera	Nos.	6
45	NVR	Nos.	3
46	Saw dust collectors	Nos.	1
47	Energy meter	Nos.	30
48	RCCB(DP)	Nos.	30
49	Changeover Switch	Nos.	3
50	Screw driver set	Nos.	7
51	Collapsible Steering column assembly	Nos.	2
52	Rack and Pinion Assembly	Nos.	2
53	Knuckle(Left and Right)	Nos.	2
54	wheel	Nos.	2
55	Rotor(Left and Right)	Nos.	2
56	Heavy Duty workbench with drawer	Nos.	1
57	Wheel speed sensor	Nos.	8
58	Brake Master cylinder	Nos.	10
59	Computer workstation (Desktop, Monitor and speaker)	Nos.	10
60	IT Equipment (Supply and installation)	Set	20
	Structured Cabling of Local Area Network (LAN) includes installation work and supply of materials.		14
	Cat6 Patch Cord Factory Crimped 0.5m		14
	Cat6 Patch Cord Factory Crimped 5m		1
	19" 1U Power Distribution Unit (PDU) un-managed, C13, 10 ports, 230V, 20A.		1
	6U Wall mountable Switch Rack 550x600mm		28
	Fourway socket 10A (Gold Medal)		14
	Wiring of electric power socket line to Switch Rack/Desktop Computer.		100
	Campus Network for Stringing:- using Optic fiber cable 24F ADSS Fiber. Cable includes supply & installation.		1
	12 ports FODP		1
	Tension clamp set (LT/HT)		1
	Cross Arm		1
	Dome OutDoor Fiber Optic Splice Closure (Materials strength Polymer Plastic)		1
	24 Ports Cat6 Patch Panel		1
	Cisco C1000-24T-4G-L: Ports -24x 10/100/1000 Ethernet ports, 4x 1G SFP		1
	Access Point WiFi Long-Range with PoE Injector		1
61	Computer table	Nos.	20
62	Computer Chair	Nos.	20
63	ASUS TUF A15	Nos.	1
64	Ladder	Nos.	3
65	Pedestal Grinding Blade	Nos.	4
66	Hand sleeve	Nos.	30
67	Leg Guard	Nos.	30
68	Wiring board	Nos.	5

Section 6: Schedule of Supply

69	Interactive smart board	Nos.	7
70	Concrete drilling machine/heavy duty	Nos.	3
71	Ladder	Nos.	4
72	Bevel gauge	Nos.	10
73	Anvil	Nos.	1
74	I/O box	Nos.	40
75	Crack Snake	Nos.	1
76	Open end wrench	Nos.	2
77	PPR welding machine	Nos.	2
78	PEX pipe	Nos.	2
79	PVC Gang Box (4 ways)	Nos.	100
80	PVC Square Box/Ceiling base	Nos.	100
81	Socket outlet (6A)	Nos.	50
82	Socket outlet (16A)	Nos.	100
83	PVC casing capping nail	Nos.	250
84	Miter circular saw blade	Nos.	10
85	Table circular saw blade	Nos.	10
86	Compressor machine pressure Manifold Regulator, needle & nozzle	Nos.	3
87	Combination sharpening stone	Nos.	30
88	Distribution board	Nos.	30
89	Drill socket	Nos.	6
90	Double deck oven	Nos.	1
91	Mixer	Nos.	2
92	Display refrigerator (cakes and pastries)	Nos.	1
93	Digital scale	Nos.	1
94	Small Mixing Bowl	Nos.	5
95	Medium mixing bowl	Nos.	5
97	Measuring Cups (Dry & Liquid Ingredients)	Nos.	2
97	Measuring Spoons (Small Quantities & Precise Ingredients)	Nos.	3
98	Rolling Pins	Nos.	2
99	Whisks	Nos.	2
100	Sieves	Nos.	4
101	Dough cutter	Nos.	4
102	Pastry brushes	Nos.	8
103	Nozzles	Nos.	7
104	Piping Bags	Nos.	20
105	Cake Pans	Nos.	6
106	Cake Pans	Nos.	6
107	Muffin trays	Nos.	6
108	Baking Sheets	Nos.	3
109	Cooling Racks	Nos.	1
110	Air conditioners(AC)	Nos.	10
111	Gas welding torch with set	Set	4

112	gas welding cylinder	Nos.	4
113	frequency meter	Nos.	20
114	wattmeter	Nos.	20
115	Changeover Switch	Nos.	2
116	Inductor	Nos.	200
117	Zener diode	Nos.	200
118	Transistor	Nos.	200
119	Microphone	Nos.	4
120	Amplifier	Nos.	2
121	speaker	Nos.	4
122	Audio process/equalizer	Nos.	4
123	audio interface	Nos.	5
124	Mic stand	Nos.	4
125	sound cable(Speaker wire)	Nos.	2
126	Auxiliary jack	Nos.	5
127	Mono Jack	Nos.	5
128	Patch cable mono jack	Nos.	10
129	Mixers	Nos.	2
130	Extension cord	Nos.	8
131	Compressor 30 L	Nos.	1

2. Delivery and Completion Schedule

The delivery period shall start as of the date of supply order (Equipment).

Sl.No	Items Description	Qty	Delivery Schedule	Delivery Location
1	Sash clamp	8	90 days from the date of supply order	Rangjung HSS
2	Measuring tape	30		Rangjung HSS - 10 nos. Punakha HSS - 10 nos. Khuruthang MSS - 10 nos.
3	Honing Guide	20		Rangjung HSS
4	Jack plane	8		Rangjung HSS
5	Steering wheel	2		Bajo HSS -1 no. Babesa HSS -1 no.
6	Heavy Duty workbench with drawer	1		Babesa HSS -1 no.
7	Water dispenser	14		Rangjung HSS - 3 nos. Punakha HSS - 2 nos, Khuruthang MSS - 2 nos. Bayling CS - 2 nos, Chumey CS - 2 nos, Bajo HSS - 1 no. Babesa HSS - 2nos.
8	Multi function Printer	7		Rangjung HSS - 1 no. Punakha HSS - 1 no, Khuruthang MSS - 1 no. Bayling CS - 1 no, Chumey CS - 1 no, Bajo HSS - 1 no. Babesa HSS - 1no.
9	Welding machine single phase	6		Khuruthang MSS - 3 nos. Punakha CS - 3 nos
10	Bench wise	10		Khuruthang MSS - 5 nos. Punakha CS - 5 nos
11	Heavy Duty Table with wheel	10		Khuruthang MSS - 5 nos. Punakha CS - 5 nos
12	Students chair	20		Punakha HSS and Khuruthang MSS
13	Router WIFI,	2		Chumey CS - 1 no. Punakha CS -1 no.
14	File cabinet	2		Chumey CS
15	Angle grinder	7		Chumey CS
16	Cordless drill machine set	6		Chumey CS - 2no. Punakha CS -2 nos. Khuruthang MSS -2 nos
17	Stone hammer	15		Chumey CS
18	Shovel	10		Chumey CS
19	Cordless portable circular saw	4		Rangjung CS
20	Cordless hand planer machine	4		Rangjung CS
21	Cordless orbital sander	2		Rangjung CS

22	Palm router machine	2		Rangjung CS
23	Extension Cable Drum	5		Chumey CS -2 nos. Babesa HSS - 2 nos, Bajo HSS - 2nos.
24	Woodworking Bench Vise	5		Rangjung CS
25	Glass cutter	5		Rangjung CS
26	Fiber Optic SC/UPC	2		Rangjung CS
27	Visual Fault Locator Fiber	2		Rangjung CS
28	SFP Transceiver	10		Rangjung CS
29	Single Mode Dual Fiber LC SFP	10		Rangjung CS
30	Cable Stripper	15		Rangjung CS - 10 nos, Punakha CS 5 nos.
31	Fiber Optic drop cable stripper	4		Rangjung CS - 2 nos, Punakha CS 2 nos.
32	Plastic Stackable Storage Box	2		Rangjung CS
33	Plastic Storage Container	4		Rangjung CS
34	Plastic Storage Container	4		Rangjung CS
35	Bio-hazard box	5		Rangjung CS
36	USB to RJ45 Console cable	5		Rangjung CS
37	Angle Rack	2		Rangjung CS
38	Computer Work station Table	15		Babesa HSS - 10 nos, Rangjung CS - 5nos.
39	Mouse	15		Babesa HSS - 10 nos, Rangjung CS - 5nos.
40	Keyboard	15		Babesa HSS - 10 nos, Rangjung CS - 5nos.
41	Bus bar heavy duty	3		Rangjung CS - 1 no, Punakha CS - 1 no. Khuruthang MSS -1 no.
42	CCTV Camera	6		Punakha CS - 2 nos. Rangjung CS - 4 nos.
43	CCTV Camera	6		Punakha CS - 2 nos. Rangjung CS - 4 nos.
44	CCTV Camera	6		Punakha CS - 2 nos. Rangjung CS - 4 nos.
45	NVR	3		Punakha CS - 1 no. Rangjung CS - 2nos.
46	Saw dust collectors	1		Rangjung CS
47	Energy meter	30		Rangjung CS - 10 nos, Punakha CS - 10 NOS, Khuruthang MSS - 10 nos.
48	RCCB(DP)	30		Rangjung CS - 10 nos, Punakha CS - 10 NOS, Khuruthang MSS - 10 nos.
49	Changeover Switch	3		Rangjung CS - 1 no, Punakha CS - 1no., Khuruthang MSS - 1no.
50	Screw driver set	7		Chumey CS

51	Collapsible Steering column assembly	2		Bajo HSS -1 no. Babesa HSS -1 no.
52	Rack and Pinion Assembly	2		Bajo HSS -1 no. Babesa HSS -1 no.
53	Knuckle(Left and Right)	2		Bajo HSS -1 no. Babesa HSS -1 no.
54	wheel	2		Bajo HSS -1 pair. Babesa HSS -1 pair.
55	Rotor(Left and Right)	2		Bajo HSS -1 no. Babesa HSS -1 no.
56	Heavy Duty workbench with drawer	1		Babesa HSS
57	Wheel speed sensor	8		Babesa HSS - 4 nos, Bajo HSS - 4 nos.
58	Brake Master cylinder	10		Babesa HSS - 5 nos, Bajo HSS - 5 nos.
59	Computer workstation (Desktop, Monitor and speaker)	10		Babesa HSS
60	IT Equipment (Supply and installation)	20		Babesa HSS
	Structured Cabling of Local Area Network (LAN) includes installation work and supply of materials.	20		
	Cat6 Patch Cord Factory Crimped 0.5m	14		
	Cat6 Patch Cord Factory Crimped 5m	14		
	19" 1U Power Distribution Unit (PDU) un-managed, C13, 10 ports, 230V, 20A.	1		
	6U Wall mountable Switch Rack 550x600mm	1		
	Fourway socket 10A (Gold Medal)	28		
	Wiring of electric power socket line to Switch Rack/Desktop Computer.	14		
	Campus Network for Stringing- using Optic fiber cable 24F ADSS Fiber Cable includes supply & installation.	100		
	12 ports FODP	1		
	Tension clamp set (LT/HT)	1		
	Cross Arm	1		
	Dome OutDoor Fiber Optic Splice Closure (Materials strength Polymer Plastic)	1		
	24 Ports Cat6 Patch Panel	1		
	Cisco C1000-24T-4G-L: Ports -24x 10/100/1000 Ethernet ports, 4x 1G SFP	1		
	Access Point WiFi Long-Range with PoE Injector	1		
61	Computer table	20		Babesa HSS
62	Computer Chair	20		Babesa HSS
63	ASUS TUF A15	1		Babesa HSS
64	Ladder	3		Punakha CS - 1 no.Rangjung CS - 1no, Chumey CS - 1 no.
65	Pedestal Grinding Blade	4		Punakha CS
66	Hand sleeve	30		Punakha CS
67	Leg Guard	30		Punakha CS
68	Wiring board	5		Punakha CS
69	Interactive smart board	7		Babesa HSS - 1no, Chumey CS - 1 no, Rangjung CS - 2 nos, Bayling CS

				- 1 no. Punakha CS - 1 no. Khuruthang MSS - 1 no.
70	Concrete drilling machine/heavy duty	3		Khuruthang MSS -1 no. Punakha CS -1 no. Rangjung CS - 1 no.
71	Ladder	4		Khuruthang MSS -1 no. Punakha CS -1 no. Rangjung CS - 1 no. Chumey CS - 1no.
72	Bevel gauge	10		Khuruthang MSS - 5 nos, Punakha CS - 5 nos.
73	Anvil	1		Khuruthang MSS
74	I/O box	40		Rangjung CS-20, Punakha CS -20 nos
75	Crack Snake	1		Chumey CS
76	Open end wrench	2		Chumey CS
77	PPR welding machine	2		Chumey CS
78	PEX pipe	2		Chumey CS
79	PVC Gang Box (4 ways)	100		Punakha CS - 50 nos, Rangjung CS - 50 nos.
80	PVC Square Box/Ceiling base	100		Punakha CS - 50 nos, Rangjung CS - 50 nos.
81	Socket outlet (6A)	50		Punakha CS - 25 nos, Rangjung CS - 25 nos.
82	Socket outlet (16A)	100		Punakha CS - 40 nos, Rangjung CS - 40 nos. Bayling CS - 20 nos.
83	PVC casing capping nail	250		Punakha CS - 100 pieces, Rangjung CS -100 pieces. Bayling CS - 50 pieces.
84	Miter circular saw blade	10		Rangjung CS
85	Table circular saw blade	10		Rangjung CS
86	Compressor machine pressure Manifold Regulator, needle & nozzel	3		Rangjung CS
87	Combination sharpening stone	30		Rangjung CS
88	Distribution board	30		Rangjung CS- 10nos. Khuruthang MSS - 10 nos, Punakha CS - 10 nos.
89	Drill socket	6		Bajo HSS - 3 nos, Babesa HSS - 3 nos
90	Double deck oven	1		Bartsham HSS, Trashigang
91	Mixer	2		
92	Display refrigerator (cakes and pastries)	1		
93	Digital scale	1		
94	Small Mixing Bowl	5		
95	Medium mixing bowl	5		

97	Measuring Cups (Dry & Liquid Ingredients)	2		
97	Measuring Spoons (Small Quantities & Precise Ingredients)	3		
98	Rolling Pins	2		
99	Whisks	2		
10	Sieves	4		
101	Dough cutter	4		
102	Pastry brushes	8		
103	Nozzles	7		
104	Piping Bags	20		
105	Cake Pans	6		
106	Cake Pans	6		
107	Muffin trays	6		
108	Baking Sheets	3		
109	Cooling Racks	1		
110	Air conditioners(AC)	10		
111	Gas welding torch with set	4		
112	gas welding cylinder	4		
113	frequency meter	30		
114	wattmeter	30		
115	Changeover Switch	4		
116	Inductor	400		
117	Zener diode	400		
118	Transistor	400		
119	Microphone	8		
120	Amplifier	4		
121	speaker	8		
122	Audio process/equalizer	8		
123	audio interface	10		
124	Mic stand	8		
125	sound cable(Speaker wire)	4		
126	Auxiliary jack	10		
127	Mono Jack	10		
128	Patch cable mono jack	20		
129	Mixers	4		
130	Extension cord	16		
				Budashi PS
				Gas welding torch with set: Khuruthang MSS: 4 nos
				gas welding cylinder: Khuruthang MSS: 4 nos
				frequency meter: Khuruthang MSS: 20, Rangjung HSS: 10
				wattmeter: Khuruthang MSS: 20, Rangjung HSS: 10
				Changeover Switch: Khuruthang MSS: 2, Rangjung HSS: 2
				Inductor: Khuruthang MSS and Rangjung HSS: 200 each
				Zener diode: Khuruthang MSS and Rangjung HSS: 200 each
				Transistor: Khuruthang MSS and Rangjung HSS: 200 each
				Microphone: Khuruthang MSS and Rangjung HSS: 4 each
				Amplifier: 2 each
				Speaker: Khuruthang MSS and Rangjung HSS: 4 each
				Audio process/equalizer: Khuruthang MSS and Rangjung HSS: 4 each
				audio interface: Khuruthang MSS and Rangjung HSS: 5 each
				Mic stand: Khuruthang MSS and Rangjung HSS: 4 each
				sound cable (Speaker wire): Khuruthang MSS and Rangjung HSS: 2 each

				Auxiliary jack: Khuruthang MSS and Rangjung HSS: 5 each Mono Jack: Khuruthang MSS and Rangjung HSS: 5 each Patch cable mono jack: 10 each Mixers: Khuruthang MSS and Rangjung HSS: 2 each Extension cord: Khuruthang MSS and Rangjung HSS: 08 each
131	Compressor 30 L	1		Khuruthang MSS

3. Technical Specifications for Equipment

1. Sash clamp

Description	Minimum Requirement	Bidder's Response Complied (Yes/No)	If "No" Bidders Comments. Please attach brochures.
Make			
Model			
Country of Origin			
Specification	Length Options:1200mm Material: Alloy steel Jaw Width: ~40mm Clamping Capacity: ~1120mm for 1200mm clamp Features: Acme thread screw, spring-loaded adjustment, pads for protection		

2. Measuring tape

Description	Minimum Requirement	Bidder's Response Complied (Yes/No)	If "No" Bidders Comments. Please attach brochures.
Make			
Model			
Country of Origin			

Specification	<p>Length: 5 meters (16 feet)</p> <p>Blade Width: Typically 25 mm</p> <p>Units: Metric (mm/cm/m) and Imperial (inches/feet)</p> <p>Accuracy Class: MID Class II (± 0.7 mm over 2 m)</p> <p>Auto-lock mechanism, ergonomic grip, durable ABS case</p> <p>Blade Material: Steel with nylon coating (for abrasion resistance)</p>		
---------------	---	--	--

3. Honing Guide

Description	Minimum Requirement	Bidder's Response Complied (Yes/No)	If "No" Bidders Comments. Please attach brochures.
Make			
Model			
Country of Origin			
Specification	<p>Angle Settings: 20°, 25°, 30°, 35° (includes micro-bevels)</p> <p>Blade Width Compatibility: 20mm to 75mm Minimum</p> <p>Blade Lengths: 75mm to 200mm</p>		

	Clamping Range: 20mm to 100mm Materials: Stainless steel body, brass roller Features: Precision-machined aluminum gauge, Oversized 3.5" roller, Contoured grip, Fixed angle guide Dimensions: 270 x 180 x 50 mm Weight: 1 kg Compatible Tools: Chisels, plane irons, spokeshave irons		
--	--	--	--

4. Jack plane

Description	Minimum Requirement	Bidder's Response Complied (Yes/No)	If "No" Bidders Comments. Please attach brochures.
Make			
Model			
Country of Origin			
Specification	Type: Bench plane Length: about 18 inches Blade Width: 3 inches Body Material: Cast iron		

	<p>Blade Material: A2 steel (durable) or O1 steel (easier to sharpen)</p> <p>Sole (Bottom): Must be dead flat for optimal performance</p> <p>Mouth Opening: Adjustable; tight mouth helps reduce tear-out</p> <p>Handle Design: Rear tote and front knob for two-handed control</p>		
--	---	--	--

5. Steering wheel

Description	Minimum Requirement	Bidder's Response Complied (Yes/No)	If "No" Bidders Comments. Please attach brochures.
Make			
Model			
Country of Origin			
Specification	<p>Steering wheel diameter: ~ 365 mm for the Alto 800 (manual).</p> <p>Steering ratio: ~ 33.05 (for Rane) or ~ 39 (for Sona Koyo) for the Alto 800.</p>		

	Steering type: Rack and pinion (manual)in the Alto 800.		
--	---	--	--

6. Heavy Duty workbench with drawer

Description	Minimum Requirement	Bidder's Response Complied (Yes/No)	If "No" Bidders Comments. Please attach brochures.
Make			
Model			
Country of Origin			
Specification	Top Surface: hardwood (typically 38–40 mm thick), Material: Industrial-grade steel (powder-coated for corrosion and chemical resistance), Load Capacity: ~250 kg total; Height: 86.5 cm (standard working height) Length:1600 mm to 2500 mm (≈ 63" to 98"),		

7. Water dispenser

Description	Minimum Requirement	Bidder's Response Complied (Yes/No)	If "No" Bidders Comments. Please attach brochures.

Make			
Model			
Country of Origin			
Specification	<p>Water dispenser</p> <p>Dimensions -31 × 33 × 97 cm or 38.5 × 37 × 101 cm</p> <p>Weight -15 kg</p> <p>Water Outlets - Hot, Cold, Normal (3 taps)</p> <p>Cold Storage -3.2 L</p> <p>Hot Storage -0.9–1.0 L</p> <p>Cooling Rate-2.5 L/hour</p> <p>Cooling Power -80–86 W</p> <p>Heating Rate -5 L/hour</p> <p>Heating Power -500 W</p> <p>Refrigerant - Non-CFC (R-134a)</p> <p>Cooling Cabinet -15–18 L capacity, ≤12 °C</p> <p>Safety & Convenience - Child lock, LED indicators</p> <p>Body & Build -Anti-corrosive, UV plastic, SS304</p> <p>Noise Level - Silent operation</p>		

8. Multi function Printer

Description	Minimum Requirement	Bidder's Response Complied (Yes/No)	If "No" Bidders Comments. Please attach brochures.
Make			
Model			
Country of Origin			
Specification	1. Multi function Printer (Back and front) 2. Print Speed-5-100 PPM 3. Print Resolution-600 x 600 DPI to 9600 x 2400 DPI 4. Connectivity-USB, Ethernet, Wi-Fi, Bluetooth, NFC 5. Operating System Support-Windows, macOS, Linux, iOS, Android 6. Memory-16 MB to 2 GB 7. Monthly Duty Cycle-500 to 1000 pages/month 8. Power Consumption-1-600 watts 9. Toner/Ink-Ink Cartridges (Inkjet) 10. Noise Level-50-70 dB 11. Dimensions-30-60 cm width, 40-80 cm depth		

9. Welding machine single phase

Description	Minimum Requirement	Bidder's Response Complied (Yes/No)	If "No" Bidders Comments. Please attach brochures.
Make			
Model			
Country of Origin			
Specification	Single phase Amperage range: highest- 300amp and lowest- 10amp Voltage: 230 V (Max) Polarity: DCEN (Electrode Negative) / DCEP (Electrode Positive) Controls: Main On/Off Switch Digital Current Amperage Display Amperage Control Knob Hot Start Control Knob Arc Force Control Knob Thermal Overload Protection: Automatic shutdown with indicator light if the internal temperature exceeds safe limits.		

	<p>Dimensions (L x W x H): 310 mm x 130 mm x 240 mm (12.2" x 5.1" x 9.4")</p> <p>Weight (Net) 5.5 kg (12.1 lbs)</p> <p>Cooling System: Temperature-controlled variable speed fan.</p> <p>Cable Connections: Two 35 mm² DINse connectors (or lugs) for electrode holder and ground clamp.</p>		
--	---	--	--

10. Bench wise

Description	Minimum Requirement	Bidder's Response Complied (Yes/No)	If "No" Bidders Comments. Please attach brochures.
Make			
Model			
Country of Origin			
Specification	<p>Jaw Width: 150 mm (6 inches)</p> <p>Jaw Opening: 200 mm (8 inches)</p> <p>Jaw Depth: 60 mm (2.5 inches)</p> <p>Throat Depth: 100 mm (4 inches)</p>		

	<p>Overall Length: ~400 mm (16 inches)</p> <p>Weight: ~25 kg (77 lbs)</p> <p>Body Material: High-Grade Gray Cast Iron (GG25)</p> <p>Jaw Plates: Heat-Treated Tool Steel (HRC 45-50)</p> <p>Mounting: Base with 4x Mounting Holes</p> <p>Mounting Hole Size: 14 mm (for M12 bolts)</p> <p>Handle: Solid Steel Bar, 12mm diameter</p> <p>Swivel Base: 360° rotation, with locking lever</p> <p>Anvil: 100 cm² (16 sq. in.) flat, machined surface</p>		
--	--	--	--

11. Heavy Duty Table with wheel

Description	Minimum Requirement	Bidder's Response Complied (Yes/No)	If "No" Bidders Comments. Please attach brochures.
Make			
Model			
Country of Origin			
Specification	Length (L) : 1800 mm (72 inches)		

	<p>Height (H): 900 mm (36 inches)</p> <p>width: 750 mm (30 inches)</p> <p>Leg Design: 4x Vertical Legs integrated into a full perimeter base frame.</p> <p>Leveling Feet: Four (4) heavy-duty, self-leveling, forged steel feet with a minimum load rating of 450 kg (1000 lbs) each</p> <p>Stability: The bench shall not rock, flex, or "walk" under maximum vise loading, hammering, or sawing.</p> <p>Weight (Approx.):60 - 80 kg</p> <p>Bracing:</p> <p>Horizontal: Full perimeter frame at top and bottom.</p> <p>Vertical: Cross-bracing or gusseting at all leg-to-frame joints.</p> <p>Table TopThickness: 10 mm wooden (3/8") minimum; 12-15 mm (1/2") recommended.</p>		
--	---	--	--

12. Students chair

Description	Minimum Requirement	Bidder's Response Complied (Yes/No)	If "No" Bidders Comments. Please attach brochures.
Make			
Model			
Country of Origin			
Specification	<p>Type: Fixed or Stacking Side Chair</p> <p>Tablet Style - Right-Arm Mounted (LH available)</p> <p>Seating Capacity - (Single Unit)</p> <p>Frame Material -1.8mm - 2.0mm thick 16-gauge square or round steel tube.</p> <p>Base Type -Fixed: Stationary legs. Stacking: Curved, cantilevered design for secure stacking.</p> <p>Leg Tips/Glides -Non-marking, anti-slip PVC glides.</p> <p>Tablet Size -(L x D) 400mm x 300mm (16" x 12") minimum.</p> <p>Seat Height - 455 mm (18")</p> <p>Seat Width - 500 mm (20")</p> <p>Seat Depth - 400 mm (16")</p>		

	Backrest Height - 450 mm (18") Overall Width - 550 - 600 mm (22" - 24") (arm to arm)		
--	---	--	--

13. Router WIFI

Description	Minimum Requirement	Bidder's Response Complied (Yes/No)	If "No" Bidders Comments. Please attach brochures.
Make			
Model			
Country of Origin			
Specification	Dual Band Wireless Cable Router, Wi-Fi Speed Up to 867 Mbps/5 GHz + 300 Mbps/2.4 GHz, Supports Parental Control, Guest Wi-Fi, VPN		

14. File cabinet

Description	Minimum Requirement	Bidder's Response Complied (Yes/No)	If "No" Bidders Comments. Please attach brochures.
Make			
Model			
Country of Origin			

Specification	<p>Dimension: H1850*W900*D400mm</p> <p>Thickness: 0.5mm regular, 0.4-1.0mm</p> <p>Color: RAL 7035, Pantone, or Customized</p> <p>Inch Size: H73"*W36"*D16"</p> <p>Material: Cold rolled steel plate</p> <p>Surface: Environmental Electrostatic Powder Coating</p> <p>Structure: Knock-down</p> <p>Packing Volume: 0.14cbm</p> <p>G. Weight: 47kg</p>		
---------------	---	--	--

15. Angle grinder

Description	Minimum Requirement	Bidder's Response Complied (Yes/No)	If "No" Bidders Comments. Please attach brochures.
Make			
Model			
Country of Origin			
Specification	<p>Corded Electric Angle Grinder,</p> <p>Power input: 230v,50Hz,670W,</p> <p>Disc Dia: M14, 125 mm</p>		

	RPM: 11,000 rpm, Ergonomic, Spindle Lock, Protection Guard, 1.9 kg		
--	--	--	--

16. Cordless drill machine set

Description	Minimum Requirement	Bidder's Response Complied (Yes/No)	If "No" Bidders Comments. Please attach brochures.
Make			
Model			
Country of Origin			
Specification	Drilling Diameter: 10 mm Bosch GSB Cordless Impact Drill Power Consumption: 48 Volt		

17. Stone hammer

Description	Minimum Requirement	Bidder's Response Complied (Yes/No)	If "No" Bidders Comments. Please attach brochures.
Make			
Model			
Country of Origin			
Specification	Weight: 20 oz (approx. 570 g)		

	<p>Head: Large, smooth, flat striking face</p> <p>End Type: Chisel end for breaking brick, block, and stone</p> <p>Material: Drop-forged, heat-treated steel head</p> <p>Handle: Rugged steel handle with reinforced construction</p> <p>Grip: Cushion grip, shock-absorbing, anti-slip design</p> <p>Application: Masonry, stone breaking, and general construction work</p> <p>Finish: Corrosion-resistant coating</p>		
--	---	--	--

18. Shovel

Description	Minimum Requirement	Bidder's Response Complied (Yes/No)	If "No" Bidders Comments. Please attach brochures.
Make			
Model			
Country of Origin			
Specification	<p>Material: Stainless steel</p> <p>Handle material: Metal</p> <p>Blade width: 9 3/4 inch</p>		

19. Cordless portable circular saw

Description	Minimum Requirement	Bidder's Response Complied (Yes/No)	If "No" Bidders Comments. Please attach brochures.
Make			
Model			
Country of Origin			
Specification	<p>Saw blade diameter: 165 mm</p> <p>Battery voltage: 36V</p> <p>Blade Material: High Speed Steel</p> <p>Special Feature: Brake, Brushless</p> <p>Included Components: Ultra-Coated C.T. Saw Blade, Wrench</p> <p>Product Dimensions: 18.8"L x 8.9"W x 12"H</p> <p>Speed: 5100 RPM</p> <p>Cutting Angle: 90 Degrees(adjustable)</p> <p>Batteries: Lithium Ion batteries required Including*</p> <p>10 numbers of blade</p>		

20. Cordless hand planer machine

Description	Minimum Requirement	Bidder's Response Complied (Yes/No)	If "No" Bidders Comments. Please attach brochures.
Make			
Model			
Country of Origin			
Specification	Power Source: 36V LXT Lithium-Ion battery Cutting Width: 3-1/4 inches Maximum Cutting Depth: 0.08 inches Blades: 2-blade cutter head with double-edge carbide blades. Including* 10 numbers of blade		

21. Cordless orbital sander

Description	Minimum Requirement	Bidder's Response Complied (Yes/No)	If "No" Bidders Comments. Please attach brochures.
Make			
Model			
Country of Origin			

Specification	<p>Power: 36V cordless operation.</p> <p>Sanding Pad Diameter: 125 mm (5 in).</p> <p>No-Load Speed: 6,000 – 10,000 rpm.</p> <p>Orbit Diameter (Eccentricity): 2.5 mm (1.25 mm eccentricity).</p> <p>Weight: Approximately 1.1 kg (without battery)</p> <p>Sanding Plate: 101 mm x 113 mm.</p> <p>Orbit Diameter: 1.6 mm.</p> <p>Number of holes: 8 Including*</p>		
---------------	---	--	--

22. Palm router machine

Description	Minimum Requirement	Bidder's Response Complied (Yes/No)	If "No" Bidders Comments. Please attach brochures.
Make			
Model			
Country of Origin			
Specification	<p>Motor Power: 530 W</p> <p>No-Load Speed: 30,000 RPM</p>		

	<p>Vibration (no load): ≤ 2.5 m/s²</p> <p>Sound Level: 80 dB(A)</p> <p>Dimensions (L×W×H): 102 × 122 × 302 mm (4" × 4-13/16" × 11-7/8")</p> <p>Net Weight: 1.5 kg (3.3 lbs)</p> <p>Power Cord Length: 2.5 m (8.2 ft)</p> <p>Shank Size: 12.7mm</p> <p>3 nos socket (6mm,8mm,10mm)</p>		
--	--	--	--

23. Extension Cable Drum

Description	Minimum Requirement	Bidder's Response Complied (Yes/No)	If "No" Bidders Comments. Please attach brochures.
Make			
Model			
Country of Origin			
Specification	<p>Length:25 Meter Wire (2.5sq.MM, 3 Core Cable) </p> <p>16 Amps sockets</p> <p>32 Amp MCB Switch and with Indicator</p> <p>Cable Reel Heavy Duty </p> <p>3 Pin Sockets</p> <p>Number Of Socket 4</p>		

	Single Phase Socket:16A		
--	-------------------------	--	--

24. Woodworking Bench Vise

Description	Minimum Requirement	Bidder's Response Complied (Yes/No)	If "No" Bidders Comments. Please attach brochures.
Make			
Model			
Country of Origin			
Specification	Material: HardWood Color: Natural Wood Style: Portable Clamp Opening: 20cm Maximum Clamping Size: 50cm Woodworking Table Size: 53x28x7cm Package Included* 1x Woodworking Workbench 4x Stainless Steel Bench Dogs 2x G Fix Clamp 1x Fix Wood		

25. Glass cutter

Description	Minimum Requirement	Bidder's Response Complied	If "No" Bidders Comments.
--------------------	----------------------------	-----------------------------------	----------------------------------

		(Yes/No)	Please attach brochures.
Make			
Model			
Country of Origin			
Specification	<p>cutting thickness: 0.5 mm to 25 mm (\ (~1/48\) inch to 1 inch).</p> <p>material: tungsten carbide or diamond cutting wheel</p> <p>Special features: an oil-feeding system for automatic lubrication of the wheel.</p> <p>Other tools: glass breaking pliers or markers.</p>		

26. Fiber Optic SC/UPC

Description	Minimum Requirement	Bidder's Response Complied (Yes/No)	If "No" Bidders Comments. Please attach brochures.
Make			
Model			
Country of Origin			
Specification	Type: SC/UPC		

	<p>Dimensions LxWxH: 10x 10x 10 Cm</p> <p>Generic Name: SC OTDR Adapter</p> <p>Features:</p> <ul style="list-style-type: none"> -Low insertion loss with ceramic sleeve -Supports single-mode & multi-mode fibers -Compact, durable, and easy to use 		
--	---	--	--

27. Visual Fault Locator Fiber

Description	Minimum Requirement	Bidder's Response Complied (Yes/No)	If "No" Bidders Comments. Please attach brochures.
Make			
Model			
Country of Origin			
Specification	<p>Connector type: Optical</p> <p>Cable Type: Fiber Optic</p> <p>Compatible Devices: Mini OTDR charging adapter</p>		

28. SFP Transceiver

Description	Minimum Requirement	Bidder's Response Complied (Yes/No)	If "No" Bidders Comments. Please attach brochures.

Make			
Model			
Country of Origin			
Specification	1.25 G Multi-mode duplex LC connectors 850 wavelength 550m transmission distance DDM support compatible device: cisco catalyst switch, cisco router		

29. Single Mode Dual Fiber LC SFP

Description	Minimum Requirement	Bidder's Response Complied (Yes/No)	If "No" Bidders Comments. Please attach brochures.
Make			
Model			
Country of Origin			
Specification	Up to 1.25Gb/s Data Links -Duplex LC connector Up to 20km on 9/125µm SMF -1310nm FP laser B9transmitter -compatible devices: cisco catalyst switch, cisco router		

30. Cable Stripper

Description	Minimum Requirement	Bidder's Response Complied (Yes/No)	If "No" Bidders Comments. Please attach brochures.
Make			
Model			
Country of Origin			
Specification	Material: Manganese Steel Product Dimensions: 9L x 2W Centimeters For RJ45 RJ11 RJ12 Cat5/Cat6A		

31. Fiber Optic drop cable stripper

Description	Minimum Requirement	Bidder's Response Complied (Yes/No)	If "No" Bidders Comments. Please attach brochures.
Make			
Model			
Country of Origin			
Specification	Cable size: Adapts to indoor drop cables, commonly 3.0mm x 2.0mm or 3.1mm x 2.0mm.		

	<p>Fiber capacity: Typically designed for 1 to 2 core optical fibers.</p> <p>Fiber specifications:</p> <p>Coating diameter: Handles both</p> <p>0.25mm0.25 m m</p> <p>0.25mm and</p> <p>0.9mm0.9 m m</p> <p>0.9mm fiber coatings.</p> <p>Cladding diameter:</p> <p>Supports the standard</p> <p>125µm125 mu m</p> <p>125µm cladding diameter.</p>		
--	---	--	--

32. Plastic Stackable Storage Box

Description	Minimum Requirement	Bidder's Response Complied (Yes/No)	If "No" Bidders Comments. Please attach brochures.
Make			
Model			
Country of Origin			
Specification	<p>Colour: Grey and Black</p> <p>Material: Resin</p> <p>Recommended Uses for Product: storage</p>		

	Product Dimensions: 15.5D x 36.5W x 22.5H Centimeters Removable Cups 1 Year Warranty		
--	---	--	--

33. Plastic Storage Container

Description	Minimum Requirement	Bidder's Response Complied (Yes/No)	If "No" Bidders Comments. Please attach brochures.
Make			
Model			
Country of Origin			
Specification	Colour: clear Material: Polypropylene (PP, #5) Capacity: 45L Closure type: Clip on		

34. Plastic Storage Container

Description	Minimum Requirement	Bidder's Response Complied (Yes/No)	If "No" Bidders Comments. Please attach brochures.
Make			
Model			
Country of Origin			

Specification	<p>Colour: clear</p> <p>Material: Polypropylene</p> <p>Capacity: 25L</p> <p>Closure type: Clip on</p>		
---------------	---	--	--

35. Bio-hazard box

Description	Minimum Requirement	Bidder's Response Complied (Yes/No)	If "No" Bidders Comments. Please attach brochures.
Make			
Model			
Country of Origin			
Specification	<p>Colour: White</p> <p>Capacity: 1.5 litres</p> <p>Internal Volume: 1.5 L</p> <p>Product Dimensions: 12 (D) × 15 (W) × 12 (H) cm</p> <p>Material: Rigid, puncture-resistant plastic (medical-grade)</p> <p>Design: Leak-proof, secure lid suitable for biohazard waste containment</p> <p>Application: Collection and temporary storage of biohazard/medical waste</p>		

	Compliance: Suitable for healthcare and laboratory use (as per standard infection-control practices)		
--	---	--	--

36. USB to RJ45 Console cable

Description	Minimum Requirement	Bidder's Response Complied (Yes/No)	If "No" Bidders Comments. Please attach brochures.
Make			
Model			
Country of Origin			
Specification	colour: Blue Connector type: RJ45, USB Cable Length: 1.8M Compatible devices: Cisco routers, switch, windows 10/11		

37. Angle Rack

Description	Minimum Requirement	Bidder's Response Complied (Yes/No)	If "No" Bidders Comments. Please attach brochures.
Make			
Model			

Country of Origin			
Specification	Color: Black Material : Iron Maximum weight capacity: 100kg foldable: no Length: 4ft Height: 4ft Width: 16 inch Shelves: 3 Gap between shelves: 20 inches		

38. Computer Work station Table

Description	Minimum Requirement	Bidder's Response Complied (Yes/No)	If "No" Bidders Comments. Please attach brochures.
Make			
Model			
Country of Origin			
Specification	Materials: Top: 18mm Laminated particle board Frame: 1" ms square pipe Drawer: No Wood Color: walnut		

	<p>Table Frame color: milky white</p> <p>Height: 30 inch</p> <p>Length: 5 ft</p> <p>Width: 2ft</p>		
--	--	--	--

39. Mouse

Description	Minimum Requirement	Bidder's Response Complied (Yes/No)	If "No" Bidders Comments. Please attach brochures.
Make			
Model			
Country of Origin			
Specification	<p>Connector: USB-A</p> <p>Power: Receives power directly from the USB port (5V, 100mA)</p> <p>Cable length: Varies, but often around 1.5-1.8 meters (5-6 feet)</p>		

40. Keyboard

Description	Minimum Requirement	Bidder's Response Complied (Yes/No)	If "No" Bidders Comments. Please attach brochures.
Make			
Model			

Country of Origin			
Specification	Standard keyboard key count: 101/104 keys connectivity: usb		

41. Bus bar heavy duty

Description	Minimum Requirement	Bidder's Response Complied (Yes/No)	If "No" Bidders Comments. Please attach brochures.
Make			
Model			
Country of Origin			
Specification	Rating : starts at 100A for heavy-duty applications and Ranges can go up to 200A:Material: Copper: size: M8 (5/16") or M10 (3/8")		

42. CCTV Camera

Description	Minimum Requirement	Bidder's Response Complied (Yes/No)	If "No" Bidders Comments. Please attach brochures.
Make			
Model			

Country of Origin			
Specification	2MP VARIFOCAI Network Connectivity: wired Indoor/outdoor: Outdoor Weatherproof: IP67 Resolution:2MP (1080p) Power: PoE Lens: Varifocal (2.8-12mm) Night vision: IR Cut filter + IR LEDs Audio: Built-in Microphone Protocol: ONVIF Compliant		

43. CCTV Camera

Description	Minimum Requirement	Bidder's Response Complied (Yes/No)	If "No" Bidders Comments. Please attach brochures.
Make			
Model			
Country of Origin			
Specification	Connectivity: wired Indoor/outdoor: indoor Resolution:2MP (1080p) Power: PoE Lens: fixed 2.8mm Night vision: Built-in IR LEDs		

	Audio: Built-in Microphone Protocol: ONVIF Compliant		
--	---	--	--

44. CCTV Camera

Description	Minimum Requirement	Bidder's Response Complied (Yes/No)	If "No" Bidders Comments. Please attach brochures.
Make			
Model			
Country of Origin			
Specification	Connectivity: wired Indoor/outdoor: outdoor Resolution: 2MP (1080p) Power: PoE Lens: fixed 4mm~6mm Night vision: Built-in IR LEDs Audio: Built-in Microphone Protocol: ONVIF Compliant		

45. NVR

Description	Minimum Requirement	Bidder's Response Complied (Yes/No)	If "No" Bidders Comments. Please attach brochures.
Make			
Model			

Country of Origin			
Specification	channels: 8 channel Built-in PoE ports: Yes Compatibility: ONVIF Max. Recording Resolution: 4K Storage: 1 X SATA HDD Bay Remote Access: Support for mobile apps Video Output: HDMI & VGA		

46. Saw dust collectors

Description	Minimum Requirement	Bidder's Response Complied (Yes/No)	If "No" Bidders Comments. Please attach brochures.
Make			
Model			
Country of Origin			
Specification	Automation Grade: Fully Automatic Material: Mild Steel Type: double sink Dust Removal Efficiency (95%) Voltage: 220v Power: 10 HP		

	<p>Frequency: 50HZ</p> <p>Airflow: 1000m³/h</p> <p>Motor speed: 1400 RPM</p> <p>Including*</p> <p>Dust collection hose pipe(10m)4nos(as per size of inlet hole), thumbscrew clamp(6nos)</p>		
--	--	--	--

47. Energy meter

Description	Minimum Requirement	Bidder's Response Complied (Yes/No)	If "No" Bidders Comments. Please attach brochures.
Make			
Model			
Country of Origin			
Specification	<p>Voltage Rating: 230V</p> <p>Current Rating: Typically from 5A to 100A.</p> <p>Frequency: 50Hz</p> <p>Function: To measure energy consumption.</p> <p>Single Phase (BPC recommended meter for billing purpose)</p>		

48. RCCB(DP)

Description	Minimum Requirement	Bidder's Response Complied (Yes/No)	If "No" Bidders Comments. Please attach brochures.
Make			
Model			
Country of Origin			
Specification	40A, 230V, 50Hz Network frequency;50/60 Hz rated operational voltage;230 V rated insulation voltage;440 V AC 50 Hz rated impulse withstand voltage;4 kV		

49. Changeover Switch

Description	Minimum Requirement	Bidder's Response Complied (Yes/No)	If "No" Bidders Comments. Please attach brochures.
Make			
Model			
Country of Origin			

Specification	Automatic Changeover Switch / Dual Power Transfer Switch Type -Automatic with Manual Override pole -- 2 pole Rated Current (In) -- commonly 63A Rated Voltage AC 220–240 V (Single-phase)) Frequency 50 Hz Operation Modes - Automatic		
---------------	--	--	--

50. Screw driver set

Description	Minimum Requirement	Bidder's Response Complied (Yes/No)	If "No" Bidders Comments. Please attach brochures.
Make			
Model			
Country of Origin			
Specification	Brand Amartisan Number of Items 43 Head Style Flat Material Chrome Vanadium Steel Color Yellow		

	<p>Recommended Uses For Product Computers</p> <p>Special Feature Magnetic Tip</p> <p>Item dimensions L x W x H 11.8 x 2.4 x 9.1 inches</p> <p>Item Weight 3.4 Pounds</p> <p>Model Name Magnetic Screwdrivers Set</p> <p>UPC 738596446185</p> <p>Manufacturer AMARTISAN</p> <p>Part Number AM042</p> <p>Item Weight 3.43 pounds</p> <p>Product Dimensions 11.8 x 2.4 x 9.1 inches</p> <p>Item model number AM042</p> <p>Size</p> <p>Slotted/Phillips/Hex/Pozidriv/Torx</p> <p>Style 43-piece Screwdrivers Set</p> <p>Item Package Quantity 1</p> <p>Special Features Magnetic Tip</p> <p>Included Components Bit Holder, Sockets</p> <p>Slotted/Phillips/Hex/Pozidriv/Torx</p> <p>Style 43-piece Screwdrivers Set</p>		
--	--	--	--

	Item Package Quantity 1 Special Features Magnetic Tip Included Components Bit Holder, Sockets		
--	---	--	--

51. Collapsible Steering column assembly

Description	Minimum Requirement	Bidder's Response Complied (Yes/No)	If "No" Bidders Comments. Please attach brochures.
Make			
Model			
Country of Origin			
Specification	Part No: 48200 M 79GBO , BATCH.. AB2312S21100012177297 47. (Maruti Suzuki) Material: High-strength steel (typically mild steel with surface treatment for corrosion resistance) Outer Tube Diameter: ~25 mm , Inner Shaft Diameter: ~16 mm , Torque Transmission: Rated up to 56 Nm, Collapse Length: ~100– 150 mm axial travel during frontal impact. Alto Vehicle		

52. Rack and Pinion Assembly

Description	Minimum Requirement	Bidder's Response Complied (Yes/No)	If "No" Bidders Comments. Please attach brochures.
Make			
Model			
Country of Origin			
Specification	<p>High-strength steel housing; pinion gear hardened for wear resistance.</p> <p>Length: Approx. 800–850 mm,</p> <p>Pinion Gear Teeth: 12–16 teeth, matched to rack pitch for desired steering ratio, Steering Ratio: ~20:1, Mounting Points: 2–3 bolt mounts to subframe; rubber bushings for vibration isolation, Tie Rod End Compatibility: M10 or M12 thread size; ball joint type, Travel (Rack Stroke): 130–150 mm (determines max wheel angle), OEM Part Number: 48531M79G10</p>		

	Vehicle: Alto		
--	---------------	--	--

53. Knuckle (Left and Right)

Description	Minimum Requirement	Bidder's Response Complied (Yes/No)	If "No" Bidders Comments. Please attach brochures.
Make			
Model			
Country of Origin			
Specification	<p>- Material: Ductile cast iron (high strength and impact resistance). - Mounting: Horizontal position on the front suspension.OEM Part Numbers. Left: 45151M76G20; Right: 45111M68PB0</p> <p>Vehicle: Alto</p>		

54. Wheel

Description	Minimum Requirement	Bidder's Response Complied (Yes/No)	If "No" Bidders Comments. Please attach brochures.
Make			
Model			
Country of Origin			

Specification	Alto:145/80 R12(Left and Right)		
---------------	---------------------------------	--	--

55. Rotor (Left and Right)

Description	Minimum Requirement	Bidder's Response Complied (Yes/No)	If "No" Bidders Comments. Please attach brochures.
Make			
Model			
Country of Origin			
Specification	Solid or vented disc , Outer Diameter: ~210–220 mm, Thickness :~18–20 mm,Material:Cast iron,Bolt Pattern:4×100 mm, Runout Tolerance:≤ 0.05 mm		

56. Heavy Duty workbench with drawer

Description	Minimum Requirement	Bidder's Response Complied (Yes/No)	If "No" Bidders Comments. Please attach brochures.
Make			
Model			
Country of Origin			
Specification	.Top Surface: hardwood (38–40 mm thick),		

	Material: Industrial-grade steel (powder-coated for corrosion and chemical resistance), Load Capacity:~250 kg total; Height: Around 86.5 cm (standard working height) Length:1600 mm to 2500 mm (≈ 63" to 98"),		
--	--	--	--

57. Wheel speed sensor

Description	Minimum Requirement	Bidder's Response Complied (Yes/No)	If "No" Bidders Comments. Please attach brochures.
Make			
Model			
Country of Origin			
Specification	Diameter of sensor: 16mm Operating temperature: -40 degree to +125 degree C Vibration resistance: Yes Weight: 60g to 220g Electrical connection: Socket		

58. Brake Master cylinder

Description	Minimum Requirement	Bidder's Response Complied	If "No" Bidders Comments.

		(Yes/No)	Please attach brochures.
Make			
Model			
Country of Origin			
Specification	Weight: 1.1kg Dimension: 22 x 14 x 9cm Car make: Maruti Car model : Alto 800		

59. Computer workstation (Desktop, Monitor and speaker)

Description	Minimum Requirement	Bidder's Response Complied (Yes/No)	If "No" Bidders Comments. Please attach brochures.
Make			
Model			
Country of Origin			
Specification	Desktop Computer 13th Gen Intel Core i7 Processor 16GB DDR5 RAM 512GB M.2 PCIe SSD Integrated Intel UHD 770 Graphics		

	3 x DisplayPort 1.4a Video Outputs USB 3.2 Gen 1, Gen 2, Gen 2x2 Ports Wi-Fi 6E Bluetooth GbE LAN Wireless Mouse & Keyboard Included Windows 11 Pro Inbuilt desktop speaker Monitor In-Plane Switching (IPS) Panel HDMI 1.4 DisplayPort 1.2 VGA Full HD 1920 x 1080 Resolution 1000:1 Contrast Ratio 250 cd/m ² of Brightness 178°/178° Viewing Angles 5 ms Gray-to-Gray Fast Response Time 16.7 Million Colors 60 Hz Refresh Rate 4-Port USB Type-A Hub		
--	---	--	--

60. IT Equipment (Supply and installation)

Description	Minimum Requirement	Bidder's Response Complied	If "No" Bidders Comments.

		(Yes/No)	Please attach brochures.
Make			
Model			
Country of Origin			
Specification	<p>Structured Cabling of Local Area Network (LAN) includes installation work and supply of materials.</p> <p>Cat6 Patch Cord Factory Crimped 0.5m</p> <p>Cat6 Patch Cord Factory Crimped 5m</p> <p>19" 1U Power Distribution Unit (PDU) un-managed, C13, 10 ports, 230V, 20A.</p> <p>6U Wall mountable Switch Rack 550x600mm</p> <p>Fourway socket 10A (Gold Medal)</p> <p>Wiring of electric power socket line to Switch Rack/Desktop Computer.</p> <p>Campus Network for Stringing:- using Optic fiber cable 24F ADSS Fiber Cable includes supply & installation.</p>		

	12 ports FODP Tension clamp set (LT/HT) Cross Arm Dome OutDoor Fiber Optic Splice Closure (Materials strength Polymer Plastic) 24 Ports Cat6 Patch Panel Cisco C1000-24T-4G-L: Ports -24x 10/100/1000 Ethernet ports, 4x 1G SFP Access Point WiFi Long- Range with PoE Injector		
--	--	--	--

61. Computer table

Description	Minimum Requirement	Bidder's Response Complied (Yes/No)	If "No" Bidders Comments. Please attach brochures.
Make			
Model			
Country of Origin			
Specification	Type: Single-seater computer table for classroom / ICT lab use Material: Engineered wood (minimum 18 mm thick) with laminated top or powder-coated steel frame with laminated wooden top		

	<p>Dimensions: Approx. 1000 (L) × 600 (W) × 750 (H) mm</p> <p>Work Surface: Smooth, scratch-resistant, heat-resistant laminate finish</p> <p>Edge Finish: PVC edge banding (minimum 2 mm thickness) for safety</p> <p>CPU / Storage Space: Dedicated CPU holder or storage compartment</p> <p>Cable Management: Integrated cable grommet / wire management slot</p> <p>Load Capacity: Minimum 50 kg</p> <p>Safety: Rounded corners, child-safe design</p> <p>Colour: Neutral (grey / beech / white) suitable for school environment</p> <p>Application: Computer labs, classrooms, libraries</p>		
--	---	--	--

62. Computer Chair

Description	Minimum Requirement	Bidder's Response Complied (Yes/No)	If "No" Bidders Comments. Please attach brochures.
Make			

Model			
Country of Origin			
Specification	<p>Colour: Black</p> <p>Material: Powder-coated iron frame with durable, corrosion-resistant finish; seat and back made of high-quality molded polypropylene for comfort and longevity</p> <p>Dimensions (LxWxH): 40.6 cm × 40.6 cm × 91.4 cm</p> <p>Special Features:</p> <ul style="list-style-type: none"> • Height-adjustable seat to accommodate different student sizes • Ergonomically contoured backrest with lumbar support • Rounded seat front to reduce knee pressure • Stable 5-point base with optional glides or casters for easy mobility • Designed for heavy daily use in classrooms or computer labs 		

	Compliance & Safety: Meets educational furniture safety standards, non-toxic materials, fire-retardant		
--	--	--	--

63. ASUS TUF A15

Description	Minimum Requirement	Bidder's Response Complied (Yes/No)	If "No" Bidders Comments. Please attach brochures.
Make			
Model			
Country of Origin			
Specification	AMD Ryzen 7 7445HS Gaming Laptop(RTX 3050,75W TGP,16GB DDR5(Upgradeable Upto 64GB)512GB SSD,FHD,15.6",144Hz,RG B Keyboard,48Whrs,Windows 11,Graphite Black		

64. Ladder

Description	Minimum Requirement	Bidder's Response Complied (Yes/No)	If "No" Bidders Comments. Please attach brochures.

Make			
Model			
Country of Origin			
Specification	Type: Telescopic Ladder Material: Aluminum Extension Heavy Duty Folding Loft Ladder Accessories: 2 Detachable Roof Hooks Steps: 13 Interval: 15 inch /40 cm Width: 1.6feet Hook Height: 10cm / 4 Inch Max. Load: 150kg Extend Height: 20ft / 6.2m Folded Height: 3.58ft / 109cm Weight: 16.96 kg No. of steps: 13		

65. Pedestal Grinding Blade

Description	Minimum Requirement	Bidder's Response Complied (Yes/No)	If "No" Bidders Comments. Please attach brochures.
Make			
Model			
Country of Origin			

Specification	Wheel Diameter 205 mm (8") Wheel Width 19 mm (3/4") H.P. 3/4 Hole Diameter 15.88 mm (5/8") No Load Speed (RPM) 2,850 (50Hz) 3,450 (60Hz) Dimensions (L x W x H) 395 x 265 x 333 mm (15-9/16 x 10-7/16 x 13-7/64") Net Weight 19.91 - 19.63 kg (43.89 - 43.28 lbs.)		
---------------	--	--	--

66. Hand sleeve

Description	Minimum Requirement	Bidder's Response Complied (Yes/No)	If "No" Bidders Comments. Please attach brochures.
Make			
Model			
Country of Origin			
Specification	Material: Heat-resistant split leather (cowhide or goatskin) Thickness: 1.2–1.6 mm (3–4 oz)		

	<p>Reinforcement: Double-layer or thicker leather at forearm and inner wrist</p> <p>Elastic & Binding: Heat-resistant elastic at top/wrist; FR fabric binding</p> <p>Length: Standard 40 cm (16") from wrist to mid-bicep</p> <p>Protection:</p> <ul style="list-style-type: none"> • Resistant to radiant heat from welding arcs • Protects against small to medium molten metal spatter 		
--	---	--	--

67. Leg Guard

Description	Minimum Requirement	Bidder's Response Complied (Yes/No)	If "No" Bidders Comments. Please attach brochures.
Make			
Model			
Country of Origin			
Specification	<p>Material: Fire-resistant (FR) canvas or denim</p> <p>Weight/Thickness: 1.6–2.0 mm (4–5 oz)</p> <p>Stitching: High-temperature thread with</p>		

	<p>lockstitch construction for durability</p> <p>Size: Medium, 86–97 cm (34–38") length</p> <p>Protection:</p> <ul style="list-style-type: none"> • Shields against radiant heat from welding arcs • Resists small to medium molten metal spatter without burn-through 		
--	--	--	--

68. Wiring board

Description	Minimum Requirement	Bidder's Response Complied (Yes/No)	If "No" Bidders Comments. Please attach brochures.
Make			
Model			
Country of Origin			
Specification	<p>Size: 8 feet by 5 feet</p> <p>Frame: MS angle frame with wooden board and stand</p> <p>wood thickness : 10 x 2 inches</p>		

69. Interactive smart board

Description	Minimum Requirement	Bidder's Response Complied (Yes/No)	If "No" Bidders Comments. Please attach brochures.
Make			
Model			
Country of Origin			
Specification	<p>Type LED/LCD Interactive Flat Panel</p> <p>Touch Technology Infrared / Capacitive touch</p> <p>Screen Size 75" (typical range: 65"–86")</p> <p>Resolution 4K UHD (3840 × 2160)</p> <p>Aspect Ratio 16:9</p> <p>Brightness ≥ 350–450 nits</p> <p>Contrast Ratio ≥ 4000:1</p> <p>Viewing Angle 178° horizontal/vertical</p> <p>Refresh Rate 60 Hz (or higher)</p> <p>Anti-glare Glass Yes, tempered safety glass (≥4 mm)</p> <p>Response Time ≤ 8 ms</p> <p>Touch & Interaction Parameter Specification</p> <p>Touch Points 20–40 touch</p>		

	<p>points</p> <p>Writing Mode Stylus + Finger touch</p> <p>Handwriting Recognition Yes (Text/Shape recognition)</p> <p>Touch Accuracy $\leq \pm 2$ mm</p> <p>Palm Rejection Supported</p> <p>Built-in System</p> <p>Parameter Specification</p> <p>Operating System Android 11.0 or higher</p> <p>RAM ≥ 4 GB</p> <p>Internal Storage $\geq 32-64$ GB</p> <p>Processor Quad-core or better</p> <p>Optional PC Slot OPS (Intel i5/i7, 8GB RAM, 256GB SSD)</p> <p>Connectivity</p> <p>Parameter Specification</p> <p>HDMI 2-3 Ports (minimum 2 IN, 1 OUT)</p> <p>USB Ports Minimum 4 (USB-A/USB-C mix)</p> <p>VGA 1 (optional on new models)</p> <p>LAN 1 RJ-45</p> <p>Wi-Fi & Bluetooth Built-in</p> <p>Audio OUT 3.5mm +</p>		
--	---	--	--

	<p>Optical</p> <p>Touch USB Yes</p> <p>Screen Sharing Wireless</p> <p>screen mirroring for</p> <p>PC/Mobile</p> <p>Parameter Specification</p> <p>Power Supply AC 100–</p> <p>240V, 50/60Hz</p> <p>Power Consumption ≤</p> <p>300W (75")</p> <p>Operating Temp 0°C –</p> <p>40°C</p> <p>Humidity 10–90% (non-</p> <p>condensing)</p>		
--	--	--	--

70. Concrete drilling machine/heavy duty

Description	Minimum Requirement	Bidder's Response Complied (Yes/No)	If "No" Bidders Comments. Please attach brochures.
Make			
Model			
Country of Origin			
Specification	<p>Rated input power: 230V</p> <p>50Hz. 750-800W speed:</p> <p>1400 - 2400 RPM</p> <p>dimensions (length): 367</p> <p>mm Tool dimensions</p> <p>(height): 210 mm.</p>		

--	--	--	--

71. Ladder

Description	Minimum Requirement	Bidder's Response Complied (Yes/No)	If "No" Bidders Comments. Please attach brochures.
Make			
Model			
Country of Origin			
Specification	Type: Telescopic Ladder Material: Aluminum Extension Heavy Duty Folding Loft Ladder Assoceries: 2 Detachable Roof Hooks Steps: 13 Interval: 15 inch /40 cm Widgth: 1.6feet Hook Height: 10cm / 4 Inch Max. Load: 150kg Extend Height: 20ft / 6.2m Folded Height: 3.58ft / 109cm Weight: 16.96 kg No. of steps: 13		

72. Bevel gauge

Description	Minimum Requirement	Bidder's Response Complied (Yes/No)	If "No" Bidders Comments. Please attach brochures.
Make			
Model			
Country of Origin			
Specification	<p>Bevel Gauge / Sliding T-Bevel</p> <p>Blade: Stainless steel or hardened steel</p> <p>Handle: Hardwood, plastic, or metal (aluminum/brass)</p> <p>Blade Length: Commonly 150 mm (6"), 200 mm (8"), or 300 mm (12")</p> <p>Handle Length: 100 mm to 150 mm</p> <p>Locking Mechanism: Wing nut, thumbscrew, or lever lock for securing the blade at any angle</p> <p>Angle Range: 0° to 180° (adjustable to any desired angle)</p> <p>Graduations:</p> <p>Accuracy: $\pm 0.5^\circ$ (for high-quality models)</p> <p>Weight: 100–250 g,</p>		

	Finish: Polished or satin chrome finish to resist corrosion		
--	---	--	--

73. Anvil

Description	Minimum Requirement	Bidder's Response Complied (Yes/No)	If "No" Bidders Comments. Please attach brochures.
Make			
Model			
Country of Origin			
Specification	<p>Material: cast steel or wrought iron with a hardened steel face.</p> <p>Weight: anvils: 25 kg</p> <p>Dimensions (Typical Ratios)</p> <p>Length: ~4–6 times the width of the face</p> <p>Width of face: Depends on weight; e.g., 12–18 inches for medium anvils</p> <p>Height: ~7–12 inches for bench anvils; proportional for larger anvils</p> <p>Face :flat, hardened steel surface</p>		

	<p>Design :Horn: Rounded, for shaping curves</p> <p>Hardie hole: Square hole for holding tools</p> <p>Pritchel hole: Round hole for punching and shaping</p> <p>Usage</p> <p>Blacksmithing, metal shaping, welding prep, tool work</p>		
--	--	--	--

74. I/O box

Description	Minimum Requirement	Bidder's Response Complied (Yes/No)	If "No" Bidders Comments. Please attach brochures.
Make			
Model			
Country of Origin			
Specification	<p>Inputs: Number and type 1212</p> <p>12 x NPN/PNP selectable digital inputs, analog, encoder inputs)</p> <p>Outputs: Number and type 44</p> <p>4 x dry contact relay outputs, analog, voltage outputs)</p>		

	Power: Voltage and current requirements 24V24 cap V 24V DC 1A1 cap A 1A, PoE)		
--	--	--	--

75. Crank Snake

Description	Minimum Requirement	Bidder's Response Complied (Yes/No)	If "No" Bidders Comments. Please attach brochures.
Make			
Model			
Country of Origin			
Specification	Type: Handylectric, hand-held drill-style drain cleaner Applications: Effective for clearing clogged sinks, tubs, and laundry drains Motor & Speed: Variable-speed motor with quick-reverse switch; allows low-speed start to minimize starting "kick" Chuck: Quick-Grip chuck secures cable with a single quarter-turn		

	<p>Construction: Stamped aluminum drum — rust, scratch, and dent-resistant; equipped with Grip Shield for easier handling</p> <p>Cable Capacity: 25 ft of 1/4" & 5/16" cable and 35 ft of 3/8" cable</p> <p>Power: 10 ft power cord, 120 V standard</p> <p>Performance: Clears clogs in pipes up to 3" in diameter, including awkward or tight spaces</p> <p>Speed: 0–500 RPM for fast cable drive and retraction</p>		
--	--	--	--

76. Open end wrench

Description	Minimum Requirement	Bidder's Response Complied (Yes/No)	If "No" Bidders Comments. Please attach brochures.
Make			
Model			
Country of Origin			
Specification	Colour: Silver Name: GearWrench Quantity: 8 pcs Material: Alloy Steel		

	Item weight: 907 g Head style: Box End Finish type: Chrome Operation mode: Mechanical Size: 8mm to 20mm		
--	--	--	--

77. PPR welding machine

Description	Minimum Requirement	Bidder's Response Complied (Yes/No)	If "No" Bidders Comments. Please attach brochures.
Make			
Model			
Country of Origin			
Specification	Power: , 750W+750W750 cap W plus 750 cap W 750W+750W). Voltage: Typically 110V or 220V AC. Frequency: Usually 50Hz or 60Hz. Type: Codeless Heating temperature: A common range is between 260°C260 degrees cap C 260°C and 280°C280 degrees cap C		

	<p>280°C, with some models reaching up to 380°C380 degrees cap C 380°C or adjustable between 120°C120 degrees cap C 120°C and 380°C380 degrees cap C 380°C.</p> <p>Heating time: Many models have a heating time of about 2 minutes.</p> <p>Welding range: Depends on the included die heads. Common sizes are 20mm, 25mm, 32mm, 40mm, 50mm, and 63mm. Larger machines may cover a range like 75-110mm.</p>		
--	---	--	--

78. PEX pipe

Description	Minimum Requirement	Bidder's Response Complied (Yes/No)	If "No" Bidders Comments. Please attach brochures.
Make			
Model			
Country of Origin			

Specification	PEX Pipe 1/2 Inch 100ft EVOH PEX-B Pipe Non Oxygen Barrier Durable Leakage-Proof Flexible for Residential Water Lines in Homes PEX Radiant Heat Tubing(Red+Blue)		
---------------	--	--	--

79. PVC Gang Box (4 ways)

Description	Minimum Requirement	Bidder's Response Complied (Yes/No)	If "No" Bidders Comments. Please attach brochures.
Make			
Model			
Country of Origin			
Specification	35mm*35mm		

80. PVC Square Box/Ceiling base

Description	Minimum Requirement	Bidder's Response Complied (Yes/No)	If "No" Bidders Comments. Please attach brochures.
Make			
Model			
Country of Origin			
Specification	4*4" Heavy duty		

81. Socket outlet (6A)

Description	Minimum Requirement	Bidder's Response Complied (Yes/No)	If "No" Bidders Comments. Please attach brochures.
Make			
Model			
Country of Origin			
Specification	6A,240v,50HZ		

82. Socket outlet (16A)

Description	Minimum Requirement	Bidder's Response Complied (Yes/No)	If "No" Bidders Comments. Please attach brochures.
Make			
Model			
Country of Origin			
Specification	16A,240v,50Hz.		

83. PVC casing capping nail

Description	Minimum Requirement	Bidder's Response Complied (Yes/No)	If "No" Bidders Comments. Please attach brochures.
Make			
Model			

Country of Origin			
Specification	35mm*35mm		

84. Miter circular saw blade

Description	Minimum Requirement	Bidder's Response Complied (Yes/No)	If "No" Bidders Comments. Please attach brochures.
Make			
Model			
Country of Origin			
Specification	<p>Tooth Count: 60–80 teeth for fine crosscuts(cross cutting)</p> <p>Material: Tungsten Carbide-tipped steel</p> <p>Applications: Precision angled cuts in wood, trim, and molding</p> <p>Motor: 15 Amp motor.</p> <p>Blade Diameter: 10 inches.</p> <p>No-Load Speed: 5,000 RPM</p>		

85. Table circular saw blade

Description	Minimum Requirement	Bidder's Response Complied	If "No" Bidders Comments.

		(Yes/No)	Please attach brochures.
Make			
Model			
Country of Origin			
Specification	<p>Table Saw Blade for Rip Cut saw and cross cut saw blade</p> <p>Diameter:10" (254mm)</p> <p>Tooth Design :Flat Top Grind (FTG)</p> <p>Hook Angle: Positive 15° to 20° for fast feed rate</p> <p>Kerf Width: Standard ~0.098"</p> <p>Material: Tungsten Carbide-tipped teeth</p> <p>No Load Speed : 4300 RPM</p> <p>Application: Fast ripping of hardwoods and softwoods</p>		

86. Compressor machine pressure Manifold Regulator, needle & nozzle

Description	Minimum Requirement	Bidder's Response Complied (Yes/No)	If "No" Bidders Comments. Please attach brochures.
Make			

Model			
Country of Origin			
Specification	<p>Type: spray nozzle</p> <p>Material: Brass</p> <p>Features: include adjustable flow, quick-connect fittings 70-120 psi (4.8-8.3 bar)</p> <p>Cup System Connector: Ensures secure attachment and minimal leakage</p> <p>Type: HVLP Gravity Feed Spray Gun</p> <p>Nozzle Sizes (3): 1.4 mm, 1.7 mm, 2.0 mm</p> <p>Cup Capacity: 600cc</p> <p>Including*</p> <p>Other Accessories: hose pipe (20m length), connector nut as per size of hose pipe (4 no.s), and filter paper</p> <p>Air Hose: 3/4" diameter on the compressor (male and female) with distribution of 3 points (Manifold Regulator) and opening and closing on each point.</p>		

87. Combination sharpening stone

Description	Minimum Requirement	Bidder's Response Complied (Yes/No)	If "No" Bidders Comments. Please attach brochures.
Make			
Model			
Country of Origin			
Specification	Type: Oilstone Material: Novaculite (Arkansas) Grits: Coarse 400 / Fine 1000 Size: 8" x 2"		

88. Distribution board

Description	Minimum Requirement	Bidder's Response Complied (Yes/No)	If "No" Bidders Comments. Please attach brochures.
Make			
Model			
Country of Origin			
Specification	6 ways, SPN		

89. Drill socket

Description	Minimum Requirement	Bidder's Response Complied	If "No" Bidders Comments.

		(Yes/No)	Please attach brochures.
Make			
Model			
Country of Origin			
Specification	Pcs Drill Bit Adapter Impact Grade Socket Adapter Set Hex Shank Drill Nut Driver Bit Set Sizes 1/4", 3/8", 1/2-Inch for Screwdriver, Cordless Drill, Power Drill		

90. Double deck oven

Description	Minimum Requirement	Bidder's Response Complied (Yes/No)	If "No" Bidders Comments. Please attach brochures.
Make			
Model			
Country of Origin			
Specification	1400 mm x 1110 mm x 1000 mm per deck (dimensions) - 975 mm x 780 mm x 230 mm (interior dimensions) - 2 pans per deck (4 pans total) - capacity		

	<ul style="list-style-type: none"> - Power source: electric - Optional standing legs; refractory stone; steam spray system; proofer at the bottom (feature) - 12 kW (6 kW per deck: total power) 		
--	---	--	--

91. Mixer

Description	Minimum Requirement	Bidder's Response Complied (Yes/No)	If "No" Bidders Comments. Please attach brochures.
Make			
Model			
Country of Origin			
Specification	<ul style="list-style-type: none"> • Type: Stand Mixer, Power: 500W – 1200W (higher wattage for heavy dough mixing) • Voltage: 220-240V, 50/60Hz, Speed Settings: 6 to 12-speed control with pulse function • Bowl Capacity: 7L – 10 L stainless steel bowl, Material: Stainless steel body with plastic/metal components 		

	<ul style="list-style-type: none"> Weight: 5 – 12 kg, Dimensions: Approx. 35cm (W) × 40cm (H) × 25cm (D) 		
--	---	--	--

92. Display refrigerator (cakes and pastries)

Description	Minimum Requirement	Bidder's Response Complied (Yes/No)	If "No" Bidders Comments. Please attach brochures.
Make			
Model			
Country of Origin			
Specification	<p>Type: Glass-door upright or countertop display</p> <p>Capacity: 300L – 700L</p> <p>Temperature Range: 2°C to 8°C</p> <p>Power: 220-240V, 50/60Hz</p> <p>Material: Double-glass panels with anti-fogging</p> <p>Features:</p> <p>LED lighting for product visibility</p> <p>Adjustable wire or glass shelves</p> <p>Ventilated cooling system for even temperature</p>		

93. Digital scale

Description	Minimum Requirement	Bidder's Response Complied (Yes/No)	If "No" Bidders Comments. Please attach brochures.
Make			
Model			
Country of Origin			
Specification	<ul style="list-style-type: none"> • Type: Digital Kitchen Scale, Weighing Capacity: (1g – 15 kg) • Accuracy: $\pm 0.1\text{g}$ to $\pm 1\text{g}$ (depending on model) • Display: LCD or LED with backlight • Units of Measurement: Grams (g), Kilograms (kg), Ounces (oz), Pounds (lb) • Platform Material: Stainless steel (food-grade) • Body Material: Stainless steel or durable plastic • Size of Weighing Platform: 30cm x 30cm • Design: Flat surface or bowl attachment (for different ingredients) • Power Source : 		

	Rechargeable battery (Lithium-ion or lead-acid)		
--	--	--	--

94. Small Mixing Bowl

Description	Minimum Requirement	Bidder's Response Complied (Yes/No)	If "No" Bidders Comments. Please attach brochures.
Make			
Model			
Country of Origin			
Specification	<ul style="list-style-type: none"> • Capacity: 1L – 3L, Diameter: 15cm – 25cm • Height: 7cm – 12cm • Material: <ul style="list-style-type: none"> o Glass (Tempered, heat-resistant) • Weight: 0.3kg – 0.8kg • Function: Whisking eggs, mixing small batches of batter, or preparing ingredients 		

95. Medium mixing bowl

Description	Minimum Requirement	Bidder's Response Complied (Yes/No)	If "No" Bidders Comments. Please attach brochures.
Make			

Model			
Country of Origin			
Specification	<ul style="list-style-type: none"> Capacity: 4L – 7L, Diameter: 25cm – 35cm Height: 12cm – 18cm Material: <ul style="list-style-type: none"> Glass (Heavy-duty, microwave-safe) Weight: 0.8kg – 1.5kg Function: Mixing cake batter, kneading soft dough, preparing frosting 		

96. Measuring Cups (Dry & Liquid Ingredients)

Description	Minimum Requirement	Bidder's Response Complied (Yes/No)	If "No" Bidders Comments. Please attach brochures.
Make			
Model			
Country of Origin			
Specification	<p>Capacity & Standard Sizes Full Set:</p> <p>1 Cup (250ml), $\frac{3}{4}$ Cup (180ml), $\frac{2}{3}$ Cup (160ml) $\frac{1}{2}$ Cup (125ml), $\frac{1}{3}$ Cup (80ml), $\frac{1}{4}$ Cup (60ml)</p>		

	$\frac{1}{8}$ Cup (30ml) Material: • Glass (Tempered): Heat-resistant, ideal for liquid measurements Additional Features • Measurement Markings: Engraved or printed (imperial & metric) • Handles: Non-slip grip, easy pouring spouts for liquids		
--	---	--	--

97. Measuring Spoons (Small Quantities & Precise Ingredients)

Description	Minimum Requirement	Bidder's Response Complied (Yes/No)	If "No" Bidders Comments. Please attach brochures.
Make			
Model			
Country of Origin			
Specification	Capacity and standard sizes o 1 Tablespoon (15ml), $\frac{1}{2}$ Tablespoon (7.5ml), 1 Teaspoon (5ml) o $\frac{1}{2}$ Teaspoon (2.5ml),		

	<p>¼ Teaspoon (1.25ml), ⅛ Teaspoon (0.63ml)</p> <p>Material:</p> <ul style="list-style-type: none"> Stainless Steel: For Professional use, long-lasting <p>Additional Features</p> <ul style="list-style-type: none"> Engraved Markings: Prevents fading over time 		
--	--	--	--

98. Rolling Pins

Description	Minimum Requirement	Bidder's Response Complied (Yes/No)	If "No" Bidders Comments. Please attach brochures.
Make			
Model			
Country of Origin			
Specification	<p>Types & Sizes</p> <ul style="list-style-type: none"> French Rolling Pin (Tapered) – Length: 40cm – 50cm, Diameter: 4cm – 5cm <p>Material</p> <ul style="list-style-type: none"> Wood (Beech, Maple, or Oak) – Durable, traditional use <p>Additional Features</p>		

	<ul style="list-style-type: none"> Non-stick coating for smoother rolling 		
--	--	--	--

99. Whisks

Description	Minimum Requirement	Bidder's Response Complied (Yes/No)	If "No" Bidders Comments. Please attach brochures.
Make			
Model			
Country of Origin			
Specification	<p>Types & Sizes</p> <ul style="list-style-type: none"> French Whisk (Thinner Wires for Liquids) – Length: 25cm – 45cm, Wire Thickness: 1mm – 2mm <p>Material</p> <ul style="list-style-type: none"> Stainless Steel Wires – Rust-resistant, professional use <p>Additional Features</p> <ul style="list-style-type: none"> Ergonomic non-slip handle Hanging loop for easy storage 		

100. Sieves

Description	Minimum Requirement	Bidder's Response Complied	If "No" Bidders Comments.

		(Yes/No)	Please attach brochures.
Make			
Model			
Country of Origin			
Specification	<p>Types & Sizes</p> <ul style="list-style-type: none"> Fine Mesh Sieve (For Dry & Wet Ingredients) – Diameter: 15cm – 30cm, Mesh Size: 50 – 100 microns <p>Material</p> <ul style="list-style-type: none"> Stainless Steel (Rust-Resistant) – for professional bakeries <p>Additional Features</p> <ul style="list-style-type: none"> Multiple mesh layers for finer sifting 		

101. Dough cutter

Description	Minimum Requirement	Bidder's Response Complied (Yes/No)	If "No" Bidders Comments. Please attach brochures.
Make			
Model			
Country of Origin			

Specification	<p>Types & Sizes</p> <ul style="list-style-type: none"> Dough Cutter (Straight Edge) – Blade Size: 10cm – 15cm (W) × 8cm – 12cm (H) <p>Material</p> <ul style="list-style-type: none"> Stainless Steel Blade <p>Additional Features</p> <ul style="list-style-type: none"> Curved or straight edges for different dough types 		
---------------	--	--	--

102. Pastry brushes

Description	Minimum Requirement	Bidder's Response Complied (Yes/No)	If "No" Bidders Comments. Please attach brochures.
Make			
Model			
Country of Origin			
Specification	<p>Types & Sizes</p> <ul style="list-style-type: none"> Flat Pastry Brush (General Use) – Width: 5 to 7 cm <p>Material</p> <ul style="list-style-type: none"> Nylon Bristles (Heat-Resistant, Flexible) – Ideal for liquids 		

	Additional Features <ul style="list-style-type: none"> Dishwasher-safe for easy cleaning 		
--	--	--	--

103. Nozzles

Description	Minimum Requirement	Bidder's Response Complied (Yes/No)	If "No" Bidders Comments. Please attach brochures.
Make			
Model			
Country of Origin			
Specification	Nozzles (Tips) – Types & Sizes <ul style="list-style-type: none"> Star Tip: Sizes 11 mm – 30 mm (For rosettes, stars, and shells) Additional Features <ul style="list-style-type: none"> Reusable nozzles made of stainless steel 		

104. Piping Bags

Description	Minimum Requirement	Bidder's Response Complied (Yes/No)	If "No" Bidders Comments. Please attach brochures.
Make			
Model			

Country of Origin			
Specification	Piping Bags (Sizes & Materials) <ul style="list-style-type: none"> • Medium (35cm – 45cm) – For general cake and pastry work Material Options: <ul style="list-style-type: none"> • Silicone (Reusable, Non-Slip) – Flexible, eco-friendly 		

105. Cake Pans

Description	Minimum Requirement	Bidder's Response Complied (Yes/No)	If "No" Bidders Comments. Please attach brochures.
Make			
Model			
Country of Origin			
Specification	Material: Aluminum or carbon steel with a non-stick coating <ul style="list-style-type: none"> • Sizes: <ul style="list-style-type: none"> o Round: 6", 8", 9", and 10" diameter • Thickness: 0.8mm – 1mm for even heat 		

	<p>distribution</p> <ul style="list-style-type: none"> Features: Reinforced edges to prevent warping, dishwasher-safe, scratch-resistant surface 		
--	---	--	--

106. Cake Pans

Description	Minimum Requirement	Bidder's Response Complied (Yes/No)	If "No" Bidders Comments. Please attach brochures.
Make			
Model			
Country of Origin			
Specification	<p>Material: Aluminum or carbon steel with a non-stick coating</p> <ul style="list-style-type: none"> Sizes: <ul style="list-style-type: none"> Square: 8" x 8", 9" x 9", 10" x 10" diameter Thickness: 0.8mm – 1mm for even heat distribution Features: Reinforced edges to prevent warping, dishwasher-safe, scratch-resistant surface 		

107. Muffin trays

Description	Minimum Requirement	Bidder's Response Complied (Yes/No)	If "No" Bidders Comments. Please attach brochures.
Make			
Model			
Country of Origin			
Specification	<p>Material: Carbon steel or heavy-gauge aluminum with non-stick coating</p> <ul style="list-style-type: none"> • Capacity: 6-cup and 12-cup • Cup Size: • Standard: 2.75" (top diameter) x 1.25" (depth) • Mini: 1.75" x 1" • Jumbo: 3.5" x 2" • Features: Rust-resistant, easy-release non-stick surface, heat resistance up to 230°C (450°F) 		

108. Baking Sheets

Description	Minimum Requirement	Bidder's Response Complied (Yes/No)	If "No" Bidders Comments. Please attach brochures.
Make			
Model			

Country of Origin			
Specification	<ul style="list-style-type: none"> Material: Heavy-duty aluminum or stainless steel Sizes: <ul style="list-style-type: none"> Half sheet: 18" x 13" Thickness: 18-gauge (1.2mm) or higher Features: Rimmed edges to prevent spills, warp-resistant, compatible with silicone baking mats 		

109. Cooling Racks

Description	Minimum Requirement	Bidder's Response Complied (Yes/No)	If "No" Bidders Comments. Please attach brochures.
Make			
Model			
Country of Origin			
Specification	<ul style="list-style-type: none"> Material: Stainless steel with food-safe coating Size: 16" x 10" and 18" x 13" Wire Spacing: 0.5" to prevent small baked goods from falling through 		

	<ul style="list-style-type: none"> • Leg Height: 0.75" – 1" for better air circulation • Features: Oven-safe up to 230°C (450°F), non-stick, rust-resistant, and dishwasher-safe 		
--	--	--	--

110. Air conditioners(AC)

Description	Minimum Requirement	Bidder's Response Complied (Yes/No)	If "No" Bidders Comments. Please attach brochures.
Make			
Model			
Country of Origin			
Specification	<p>Air Conditioner – Technical Specifications</p> <p>Capacity: ≥ 1.5 Ton</p> <p>Star Rating: ≥ 3 Star</p> <p>Air Circulation: 300–700 CFM</p> <p>Cooling Capacity: ≥ 3,000 kW/hr</p> <p>Moisture Removal: 1.7–2.5 L/hr</p> <p>Noise Level (Indoor Unit): ≤ 40 / 45 / 50 dBA (as per operating mode)</p>		

	<p>Control System: Microprocessor-controlled, cordless remote Power Supply: 210–250 V, 50 Hz Display: LED / LCD Remote Control Range: Minimum 10 meters Ambient Operating Temperature: Up to 55°C Air Flow: 3D airflow Voltage Protection: In-built stabilizer</p> <p>Accessories & Installation Materials (To Be Supplied)</p> <p>4 meters copper piping with Superlon insulation (suction line) 4 meters copper piping with Superlon insulation (discharge line) 1 meter PVC drain pipe Indoor–outdoor unit interconnecting power cable Power cable from socket to stabilizer and from stabilizer to AC unit Base plate for indoor unit</p>		
--	---	--	--

	mounting Outdoor unit stand		
--	--------------------------------	--	--

111. Gas welding torch with set

Description	Minimum Requirement	Bidder's Response Complied (Yes/No)	If "No" Bidders Comments. Please attach brochures.
Make			
Model			
Country of Origin			
Specification	Nozzle in set multiple nozzles, cutting and welding..Hose pipe length:12-15ftDiameter:1/4" Material's:Brass and stainless stell.Welding capacity:3/4-1/2".pressure:412PSI		

112. gas welding cylinder

Description	Minimum Requirement	Bidder's Response Complied (Yes/No)	If "No" Bidders Comments. Please attach brochures.
Make			
Model			

Country of Origin			
Specification	<p>Gas type : Oxygen (O₂) and acetylene</p> <p>Color code: Black (body) with white neck (as per international/Bhutan/India material Seamless steel</p> <p>Cylinder pressure (full) :150–200 bar (approx. 2200–2900 psi)</p> <p>Capacity (water) :40–47 liters</p> <p>Gas volume :15°C and 1 atm) Around 6.8–7.0 cubic meters</p> <p>Height : ~1.5 meters</p> <p>Valve type :Bull-nose type with right-hand thread</p> <p>Weight (empty): 55–60 kg</p>		

113. frequency meter

Description	Minimum Requirement	Bidder's Response Complied (Yes/No)	If "No" Bidders Comments. Please attach brochures.
Make			
Model			

Country of Origin			
Specification	digital type, 250V,50Hz.		

114. wattmeter

Description	Minimum Requirement	Bidder's Response Complied (Yes/No)	If "No" Bidders Comments. Please attach brochures.
Make			
Model			
Country of Origin			
Specification	digital type,0-100W,240v,50Hz		

115. Changeover Switch

Description	Minimum Requirement	Bidder's Response Complied (Yes/No)	If "No" Bidders Comments. Please attach brochures.
Make			
Model			
Country of Origin			
Specification	Product Name Automatic Changeover Switch / Dual Power Transfer Switch		

	Type Automatic with Manual Override pole -- 2 pole Rated Current (In) -- commonly 63A Rated Voltage AC 220– 240 V (Single-phase)) Frequency 50 Hz Operation Modes - Automatic		
--	--	--	--

116. Inductor

Description	Minimum Requirement	Bidder's Response Complied (Yes/No)	If "No" Bidders Comments. Please attach brochures.
Make			
Model			
Country of Origin			
Specification	±5%, ±10%		

117. Zener diode

Description	Minimum Requirement	Bidder's Response Complied (Yes/No)	If "No" Bidders Comments. Please attach brochures.
Make			
Model			

Country of Origin			
Specification	From ~2.4 V up to ~200 V in some devices, Commonly $\pm 5\%$ or $\pm 10\%$.		

118. Transistor

Description	Minimum Requirement	Bidder's Response Complied (Yes/No)	If "No" Bidders Comments. Please attach brochures.
Make			
Model			
Country of Origin			
Specification	20–1000A		

119. Microphone

Description	Minimum Requirement	Bidder's Response Complied (Yes/No)	If "No" Bidders Comments. Please attach brochures.
Make			
Model			
Country of Origin			
Specification	Dynamic or condenser mic; XLR output; ~20 Hz-20 kHz frequency response;		

	suitable for podium or PA use		
--	-------------------------------	--	--

120. Amplifier

Description	Minimum Requirement	Bidder's Response Complied (Yes/No)	If "No" Bidders Comments. Please attach brochures.
Make			
Model			
Country of Origin			
Specification	Power rating appropriate to loudspeakers (300 W-1000 W); stable at 4-8Ω; protection features		

121. Speaker

Description	Minimum Requirement	Bidder's Response Complied (Yes/No)	If "No" Bidders Comments. Please attach brochures.
Make			
Model			
Country of Origin			
Specification	8"-15" driver size; full-range or 2-way; power rating maybe 200-1000 W; appropriate for room size		

122. Audio process/equalizer

Description	Minimum Requirement	Bidder's Response Complied (Yes/No)	If "No" Bidders Comments. Please attach brochures.
Make			
Model			
Country of Origin			
Specification	Frequency response: 20 Hz–20 kHz \pm a small dB, Signal-to-Noise Ratio (SNR) and Total Harmonic Distortion (THD+N): e.g., SNR \geq 100 dB, THD+N \leq 0.01% or better		

123. audio interface

Description	Minimum Requirement	Bidder's Response Complied (Yes/No)	If "No" Bidders Comments. Please attach brochures.
Make			
Model			
Country of Origin			
Specification	Frequency response: 20 Hz – 20 kHz (\pm 0.3 dB or better), Control &		

	connectivity: Often rack-mount (1U/2U), AC power 180-240 V, remote control via network/RS232/RS485 in higher end		
--	---	--	--

124. Mic stand

Description	Minimum Requirement	Bidder's Response Complied (Yes/No)	If "No" Bidders Comments. Please attach brochures.
Make			
Model			
Country of Origin			
Specification	Vice-Grip Boom Tilter Iron-Core Legs with Vibration-Isolating Rubber Feet Iron-Core Telescoping Boom Arm Silent T-Handle Detachable Boom Arm Height Adjustment Range: 975mm - 1615mm (38 3/8"- 64 9/16") Boom arm: 505mm - 850mm (19 7/8"-33 7/16")		

	Weight: 5.4kg (11.9lbs) Black Finish		
--	---	--	--

125. sound cable (Speaker wire)

Description	Minimum Requirement	Bidder's Response Complied (Yes/No)	If "No" Bidders Comments. Please attach brochures.
Make			
Model			
Country of Origin			
Specification	Cores 2C Material 100% Copper Oxygen Free OD 16AWG (48/0.19mm + 0.005mm) Sheath Material PVC (ROHS) Colour Transparent (one core with red strip) OD 7.2mm * 3.6mm Thickness 1.1mm ± 0.05mm Basic Characteristics Impedance 12.5Ω/KM Voltage 300V		

126. Auxiliary jack

Description	Minimum Requirement	Bidder's Response Complied (Yes/No)	If "No" Bidders Comments. Please attach brochures.
Make			
Model			
Country of Origin			
Specification	6.5mm Audio Amplifier to 3.5mm AUX Jack Male Cable (1 Meter) – Connect Guitar, Mic, Keyboard, DJ Equipment, Loudspeaker, iPod, Laptop for Audio Output with Durable OFC Conductor.		

127. Mono Jack

Description	Minimum Requirement	Bidder's Response Complied (Yes/No)	If "No" Bidders Comments. Please attach brochures.
Make			
Model			
Country of Origin			
Specification	Series : Bronze Type : Mono Jack to Mono		

	<p>Jack</p> <p>Length : 6 m</p> <p>Color : Black</p> <p>Cable diameter : 6 mm</p> <p>Color : Black</p> <p>Diameter of the cable : 6 mm</p>		
--	--	--	--

128. Patch cable mono jack

Description	Minimum Requirement	Bidder's Response Complied (Yes/No)	If "No" Bidders Comments. Please attach brochures.
Make			
Model			
Country of Origin			
Specification	<p>Patch Cable</p> <p>Cable Type : Mono Jack / Mono Jack</p> <p>Pack of 6 Units</p> <p>Colours : Yellow, Black, Green, White, Blue and Red</p> <p>Length : 1.5 Meters</p>		

129. Mixers

Description	Minimum Requirement	Bidder's Response Complied (Yes/No)	If "No" Bidders Comments. Please attach brochures.

Make			
Model			
Country of Origin			
Specification	Ahuja PROMIX-1442Brand Ahuja Number of Channels 14 Product Dimensions 30.5D x 45.7W x 7.6H Centimeters Item Weight 4200 Grams Connectivity Technology Auxiliary, USB		

130. Extension cord

Description	Minimum Requirement	Bidder's Response Complied (Yes/No)	If "No" Bidders Comments. Please attach brochures.
Make			
Model			
Country of Origin			
Specification	Item: 4 x 1 high grade power strip plug-in, master switch with indicator, 4 international socket with 3 pin, 5 meter cable Dimension: 60 x 289 x32		

	mm Weight: 568g		
--	--------------------	--	--

131. Compressor 30 L

Description	Minimum Requirement	Bidder's Response Complied (Yes/No)	If "No" Bidders Comments. Please attach brochures.
Make			
Model			
Country of Origin			
Specification	<p>Tank Capacity: 50 Litres, suitable for consistent, moderate-duty, and hobby tasks.</p> <p>Performance: 1.5kW to 2.2kW (2-3 HP) motors, producing roughly 150-200 L/min air displacement.</p> <p>Pressure: From 8 bar (116 psi) to 10 bar.</p> <p>Types: Horizontal and vertical configurations.</p> <p>Power Supply: 220-240V, suitable for standard, single-phase, residential or workshop power.</p> <p>Portability: With wheels and handles for easy</p>		

	transport. Functionality: Available in oil-lubricated (for durability) and oil-free (for low maintenance) models.		
--	--	--	--

Important Note:

- **The bidders are requested to submit the brochures/catalogues containing technical specifications and model numbers of the items. Any item without catalogues with the technical specification and model number of the item would form enough basis for rejection of the item.**

4. Drawings